

e-Szignó Certificate Authority

**eIDAS conform
Qualified Long-Term Preservation Service
Preservation Practice Statement**

ver. 2.22

Date of effect: 2021-06-30



OID	1.3.6.1.4.1.21528.2.1.1.188.2.22
Version	2.22
First version date of effect	2006-12-15
Security classification	PUBLIC
Approved by	Gergely Vanczák
Date of approval	2021-06-23
Date of effect	2021-06-30

Microsec Micro Software Engineering & Consulting Private Company Limited by Shares
Hungary, H-1033 Budapest, Ángel Sanz Briz str. 13.

Version	Effect date	Description
1.0	2006-12-15	First version. OID: 1.3.6.1.4.1.21528.2.1.1.18
1.1	2007-01-08	Changes according to the feedback of the National Telecommunications Authority. OID: 1.3.6.1.4.1.21528.2.1.1.18.1.1
1.2	2008-01-01	Change in the contact data of the consumer protection. OID: 1.3.6.1.4.1.21528.2.1.1.18.1.2
1.3	2008-10-01	Not issued. OID: 1.3.6.1.4.1.21528.2.1.1.18.1.3
1.4	2008-12-20	Conforming to the new requirements of the NHH. OID: 1.3.6.1.4.1.21528.2.1.1.18.1.4
2.0	2012-05-01	Change in the company form. Change related to the encryption of the archived e-dossiers. OID: 1.3.6.1.4.1.21528.2.1.1.18.2.0
2.0	2016-07-01	New, eIDAS conform preservation policy with new OID. OID: 1.3.6.1.4.1.21528.2.1.1.88.2.0
2.1	2016-09-05	- Changes according to the NMHH comments.
2.2	2016-10-30	- Changes according to the auditor comments.
2.4	2017-09-30	- Yearly revision.
2.6	2018-03-24	- Global revision. - Smaller improvements.
2.7	2018-09-15	- Yearly revision.
2.8	2018-12-14	- Changes based on the suggestions of the auditor.
2.11	2019-09-25	- Yearly revision.
2.13	2020-03-05	- Effect. - HSM requirements. - Smaller improvements of wording.
2.14	2020-05-26	- Smaller improvements.
2.17	2020-10-28	- Rewriting according to the requirements of ETSI TS 119 511. - Improvements according to the auditor's and the supervisory body's findings. - Smaller improvements.
2.19	2020-12-28	- Smaller improvements.
2.22	2021-06-30	- Publication of conformity assessment results. - Smaller improvements.

© 2021, Microsec Ltd. All rights reserved.

Table of Contents

1	Introduction	11
1.1	Overview	11
1.2	Document Name and Identification	12
1.2.1	Compliance	12
1.2.2	Long-term preservation policy	12
1.2.3	Effect	13
1.3	PKI Participants	14
1.3.1	Certification Authorities	14
1.3.2	Subscribers	17
1.3.3	Relying Parties	17
1.4	Policy Administration	18
1.4.1	Organization Administering the Document	18
1.4.2	Contact Person	18
1.4.3	Person or Organization Responsible for the Suitability of the Practice Statement for the <i>Qualified Long-Term Preservation Policy</i>	18
1.4.4	Practice Statement Approval Procedures	18
1.5	Definitions and Acronyms	19
1.5.1	Definitions	19
1.5.2	Acronyms	24
2	Publication and Repository Responsibilities	24
2.1	Repositories	24
2.2	Time or Frequency of Publication	25
2.2.1	Frequency of the Publication of Terms and Conditions	25
3	Electronic Long-Term Preservation Service	25
3.1	Preservation scheme	25
3.1.1	Identifier	25
3.1.2	Preservation goal(s)	25
3.1.3	Preservation storage model	26
3.1.4	Supported operations	26
3.1.5	Generation and validation of preservation evidences	26
3.1.6	Augmentation of preservation evidences	27
3.1.7	Supported preservation profile	27
3.2	Preservation profile	27
3.2.1	Identifier of the preservation profile	27
3.2.2	Preservation goal(s)	28
3.2.3	Preservation storage model	28

3.2.4	Supported operations	28
3.2.5	Technical policies	28
3.2.6	Validity period	29
3.2.7	Evidence formats	29
3.2.8	Human understandable format	29
3.2.9	Publication of the supported preservation profiles	29
3.2.10	Lifetime of the preservation profile	29
3.2.11	Supported preservation evidence policy	29
3.2.12	Supported signature validation policy	30
3.3	Preservation evidence policy	30
3.3.1	Identifier of the preservation evidence policy	30
3.3.2	Preservation evidence policy format	30
3.3.3	Preservation evidence creation	30
3.3.4	Applied cryptographic algorithms	31
3.3.5	Using other trust services	31
3.3.6	Preservation evidence validation	32
3.3.7	Evidence augmentation	32
3.3.8	Preservation evidence format	32
3.3.9	Evidence reference to the preservation service	33
3.4	Signature validation policy	33
3.4.1	Identifier of the signature validation policy	33
3.4.2	Signature validation policy format	33
3.4.3	Language versions	33
3.4.4	Validation material collection	33
3.5	Cryptographic controls	34
3.5.1	Time stamps	34
3.5.2	Cryptographic monitoring	34
3.6	Augmentation of preservation evidences	34
3.7	Export-import package	35
3.8	Preservation protocol	35
3.8.1	Access to the preserved documents	35
3.8.2	Deleting the preserved documents	36
3.9	Notification protocol	36
3.10	Preservation process	37
3.10.1	Preservation evidences	37
3.10.2	Preservation of digital signatures	37
3.11	Network security	37
3.11.1	Access to the preserved documents	37
3.12	TSP termination and termination plans	37

3.12.1	Stored documents after termination	37
3.13	Preservation service practice statement	38
3.13.1	Supported preservation service policies	38
3.13.2	Supported preservation profiles	38
3.13.3	How preservation goals are achieved	38
3.13.4	Availability of preserved documents	38
3.13.5	Obligations of all external organizations supporting the preservation service	38
3.13.6	Requesting export-import package(s)	38
3.13.7	Data management at the end of the preservation period	38
3.14	Qualified preservation service	39
3.14.1	Time stamp provider	39
3.14.2	Service identifier	39
4	Describing the processes of the preservation service	39
4.1	Concluding a Service Agreement	41
4.2	Uploading the Document	41
4.3	Provision of the Long-Term Validation Material/Preservation Evidence Availability – E-Document Download	45
4.4	Issuance of the Acknowledgement	46
4.5	Document Display	47
4.6	Deletion of the Document and the Long-Term Validation Material/Preservation Evidence	48
4.7	Termination of the Service Agreement	48
5	Technical Security Measures	48
5.1	Security Guarantees	48
5.2	Computer Security Precautions	49
5.3	Life-Cycle Related Technical Precautions	49
5.4	Regular Certification	50
5.5	Re-Encrypting the Archive	50
5.6	Continuous Monitoring of Technology	50
5.7	Acceptance of the Certification and Time-Stamping Providers	51
5.8	The Maintenance of the Readability and Interpretability of the Electronic Documents	51
5.9	The Availability of Certain Elements of the Electronic Long-Term Preservation Service	54
6	Facility, Management, and Operational Controls	55
6.1	Physical Controls	55
6.1.1	Site Location and Construction	55
6.1.2	Physical Access	56

6.1.3	Power and Air Conditioning	56
6.1.4	Water Exposures	57
6.1.5	Fire Prevention and Protection	57
6.1.6	Media Storage	57
6.1.7	Waste Disposal	57
6.1.8	Off-Site Backup	58
6.2	Procedural Controls	58
6.2.1	Trusted Roles	58
6.2.2	Number of Persons Required per Task	59
6.2.3	Identification and Authentication for Each Role	60
6.2.4	Roles Requiring Separation of Duties	60
6.3	Personnel Controls	61
6.3.1	Qualifications, Experience, and Clearance Requirements	61
6.3.2	Background Check Procedures	61
6.3.3	Training Requirements	62
6.3.4	Retraining Frequency and Requirements	62
6.3.5	Job Rotation Frequency and Sequence	62
6.3.6	Sanctions for Unauthorized Actions	63
6.3.7	Independent Contractor Requirements	63
6.3.8	Documentation Supplied to Personnel	63
6.4	Audit Logging Procedures	64
6.4.1	Types of Events Recorded	64
6.4.2	Frequency of Audit Log Processing	66
6.4.3	Retention Period for Audit Log	67
6.4.4	Protection of Audit Log	67
6.4.5	Audit Log Backup Procedures	67
6.4.6	Audit Collection System (Internal vs External)	67
6.4.7	Notification to Event-causing Subject	68
6.4.8	Vulnerability Assessments	68
6.5	Records Archival	68
6.5.1	Types of Records Archived	68
6.5.2	Retention Period for Archive	69
6.5.3	Protection of Archive	69
6.5.4	Archive Backup Procedures	69
6.5.5	Requirements for Time-stamping of Records	69
6.5.6	Archive Collection System (Internal or External)	70
6.5.7	Procedures to Obtain and Verify Archive Information	70
6.6	Compromise and Disaster Recovery	70
6.6.1	Incident and Compromise Handling Procedures	71

6.6.2	Computing Resources, Software, and/or Data are Corrupted	71
6.6.3	Business Continuity Capabilities After a Disaster	71
6.7	Long-Term Preservation Service Termination	72
7	Technical Security Controls	73
7.1	Private Key Protection and Cryptographic Module Engineering Controls	73
7.1.1	Cryptographic Module Standards and Controls	73
7.1.2	Private Key (N out of M) Multi-Person Control	74
7.1.3	Private Key Escrow	74
7.1.4	Private Key Backup	74
7.1.5	Private Key Archival	74
7.1.6	Private Key Transfer Into or From a Cryptographic Module	74
7.1.7	Private Key Storage on Cryptographic Module	74
7.1.8	Method of Activating Private Key	75
7.1.9	Method of Deactivating Private Key	75
7.1.10	Method of Destroying Private Key	75
7.1.11	Cryptographic Module Rating	75
7.2	Activation Data	76
7.2.1	Activation Data Generation and Installation	76
7.2.2	Activation Data Protection	76
7.2.3	Other Aspects of Activation Data	76
7.3	Computer Security Controls	76
7.3.1	Specific Computer Security Technical Requirements	76
7.3.2	Computer Security Rating	77
7.4	Life Cycle Technical Controls	77
7.4.1	System Development Controls	77
7.4.2	Security Management Controls	78
7.4.3	Life Cycle Security Controls	78
7.5	Network Security Controls	79
7.6	Time-stamping	80
8	Compliance Audit and Other Assessments	80
8.1	Frequency or Circumstances of Assessment	81
8.2	Identity/Qualifications of Assessor	81
8.3	Assessor’s Relationship to Assessed Entity	81
8.4	Topics Covered by Assessment	82
8.5	Actions Taken as a Result of Deficiency	82
8.6	Communication of Results	83

9	Other Business and Legal Matters	83
9.1	Fees	83
9.1.1	Refund Policy	83
9.2	Financial Responsibility	84
9.2.1	Insurance Coverage	84
9.2.2	Insurance or Warranty Coverage for End-entities	84
9.3	Confidentiality of Business Information	84
9.3.1	Scope of Confidential Information	85
9.3.2	Information Not Within the Scope of Confidential Information	85
9.3.3	Responsibility to Protect Confidential Information	85
9.4	Privacy of Personal Information	86
9.4.1	Privacy Plan	86
9.4.2	Information Treated as Private	87
9.4.3	Information Not Deemed Private	87
9.4.4	Responsibility to Protect Private Information	87
9.4.5	Notice and Consent to Use Private Information	87
9.4.6	Disclosure Pursuant to Judicial or Administrative Process	87
9.4.7	Other Information Disclosure Circumstances	87
9.5	Intellectual Property Rights	87
9.6	Representations and Warranties	88
9.6.1	CA Representations and Warranties	88
9.6.2	Subscriber Representations and Warranties	89
9.6.3	Relying Party Representations and Warranties	90
9.6.4	Representations and Warranties of Other Participants	90
9.7	Disclaimers of Warranties	90
9.8	Limitations of Liability	90
9.9	Indemnities	90
9.9.1	Indemnification by the <i>Long-Term Preservation Service Provider</i>	90
9.9.2	Indemnification by Subscribers	90
9.9.3	Indemnification by Relying Parties	91
9.10	Term and Termination	91
9.10.1	Term	91
9.10.2	Termination	91
9.10.3	Effect of Termination and Survival	91
9.11	Individual Notices and Communications with Participants	91
9.12	Amendments	91
9.12.1	Procedure for Amendment	92
9.12.2	Notification Mechanism and Period	92
9.12.3	Circumstances Under Which OID Must Be Changed	92

9.13	Dispute Resolution Provisions	92
9.14	Governing Law	93
9.15	Compliance with Applicable Law	93
9.16	Miscellaneous Provisions	94
9.16.1	Entire Agreement	94
9.16.2	Assignment	94
9.16.3	Severability	94
9.16.4	Enforcement (Attorneys' Fees and Waiver of Rights)	94
9.16.5	Force Majeure	94
9.17	Other Provisions	94
A	REFERENCES	95

1 Introduction

This document is the *Qualified Long-Term Preservation Practice Statement* concerning the qualified preservation service of e-Szignó Certificate Authority operated by Microsec Ltd. (hereinafter: Microsec or *Long-Term Preservation Service Provider*).

The *Long-Term Preservation Service Provider* provides its services for its *Clients* with whom it has contractual relationship.

The present *Qualified Long-Term Preservation Practice Statement* describes the framework of the provision of the aforementioned services and includes the detailed procedures and miscellaneous operating rules.

The *Qualified Long-Term Preservation Practice Statement* complies with the requirements set by the eIDAS Regulation [1], the service provided according to these regulations is an EU qualified Trust Service.

The *Long-Term Preservation Service Provider* announced the provision of the trust service to the National Media and Infocommunications Authority on the 1st of July 2016.

The conformity assessment audit of the qualified trust services was carried out by the independent auditor TÜV Informationstechnik GmbH (hereinafter: TÜViT).

Based on the successful conformity assessment audit the National Media and Infocommunications Authority registered the qualified trust service and published it in the Hungarian Trusted List [57] on the 20th of December 2016.

The conformity assessment of the qualified trust service will be performed by Hunguard Kft (hereinafter Hunguard) as an independent auditor from October 2020.

The *Long-Term Preservation Service Provider* provides the most important information to the *Clients* also in the form of a Disclosure Statement. The Disclosure Statement will be published as described in Section 2.1.

1.1 Overview

The aim of the present *Qualified Long-Term Preservation Practice Statement* is to summarize all the information that the *Clients* coming into contact with the *Long-Term Preservation Service Provider* should know. This aims to foster that its *Clients* and future *Clients*:

- get better acquainted with the details and requirements of the services provided by the *Long-Term Preservation Service Provider*, and the practical background of the service provision;
- be able to see through the operation of the *Long-Term Preservation Service Provider*, and thus more easily decide whether the services comply or which type of services meet their individual needs and expectations.

Considering the end user activity related to the services used, besides the present *Qualified Long-Term Preservation Practice Statement* further requirements may be found in the *Qualified Long-Term Preservation Policy* [61], the General Terms and Conditions and the service agreement concluded with the provider, and other regulation or document independent from the *Long-Term Preservation Service Provider* as well.

Section 1.5 of this document specifies several terms which are not or not fully used in this sense in other areas. Terms used in this sense are indicated in capital letters and italics throughout the document.

1.2 Document Name and Identification

Issuer	e-Szignó Certificate Authority
Document name	eIDAS conform Qualified Long-Term Preservation Service Preservation Practice Statement
OID	1.3.6.1.4.1.21528.2.1.1.188
Document version	2.22
Date of effect	2021-06-30

1.2.1 Compliance

The *Long-Term Preservation Service Provider* supports the following ETSI service policy:

- normative requirements defined in ETSI TS 119 511 [35] including those defined in Annex A
OID: itu-t(0) identified-organization(4) etsi(0) pres-service-policies(19511) policy-identifiers(1) qualified (2)

The *Long-Term Preservation Service Provider* includes its own OID in the service and declares the conformance to the ETSI policy through this *Qualified Long-Term Preservation Practice Statement*.

1.2.2 Long-term preservation policy

The first seven numbers of the OID identifying the *Qualified Long-Term Preservation Policy* is the unique identifier of Microsec as follows:

(1)	International Organization for Standardization (ISO)
(3)	Organization identification schemes registered according to ISO/IEC 6523-2
(6)	United States Department of Defense (DoD)
(1)	Internet
(4)	Private projects
(1)	Private enterprises
(21528)	MICROSEC Ltd.

The system of the further numbers was allocated within Microsec's own scope of authority, the interpretation of it is as follows:

(1.3.6.1.4.1.21528)	MICROSEC Ltd.
(2)	e-Szignó Certificate Authority
(1)	documents
(1)	public documents
(x)	unique identifier number of the document
(y)	document version

(z)	document subversion
-----	---------------------

The trust service provided according to the present *Qualified Long-Term Preservation Practice Statement* complies with the requirements of the *Qualified Long-Term Preservation Policy* below:

OID	DENOMINATION	SHORT NAME
1.3.6.1.4.1.21528.2.1.1.187.2.2	qualified long-term preservation policy according to eIDAS Regulation.	MAR

The detailed requirements can be found in " e-Szignó Certificate Authority – eIDAS Qualified Long-Term Preservation Service – Long-Term Preservation Policy ver.2.22." [59]

1.2.3 Effect

Subject Scope

The *Qualified Long-Term Preservation Practice Statement* is related to the provision and usage of the services described in section 1.3.1.

Temporal Scope

The present version of the *Qualified Long-Term Preservation Practice Statement* is effective from the 2021-06-30 date of effect, until withdrawal. The effect automatically terminates at the cessation of the services or at the issuance of the newer version of the *Qualified Long-Term Preservation Practice Statement*.

Personal Scope

The effect of the *Qualified Long-Term Preservation Practice Statement* extends each of the participants mentioned in section 1.3.

The *Long-Term Preservation Service Provider* provides trust services primarily to citizens of the European Union and organizations registered in the European Union, but does not exclude natural or legal persons from other countries as long as they accept the system of rules followed by the *Long-Term Preservation Service Provider* and the controls necessary to provide the services can be done safely and economically.

People with disabilities

The *Long-Term Preservation Service Provider* strives to ensure equal opportunity access to the services provided by the company to the highest possible standards.

In order to establish equal opportunities regarding the service, the *Long-Term Preservation Service Provider* applies every possible and reasonable measure to make its services available without

obstructions to disabled people as well. It is especially important them to ensure that the disabled clients receive services, which are adapted to their special needs, of the same quality as those for the other clients.

The *Long-Term Preservation Service Provider* cooperates with clients in order to guarantee them an administrative process which is the most suitable for their personal needs within the framework determined by the *Qualified Long-Term Preservation Practice Statement*.

Geographical Scope

The present *Qualified Long-Term Preservation Practice Statement* based on the European Union requirements includes Hungarian specific requirements for services operating under the Hungarian law in Hungary.

The *Long-Term Preservation Service Provider* may extend the geographical scope of the service, in this case it shall use not less stringent requirements than those applicable in the *Qualified Long-Term Preservation Practice Statement*. At services provided to foreign *Clients*, detailed conditions that differ from the *Qualified Long-Term Preservation Practice Statement* may be regulated in a specific service agreement.

The service provided according to the present *Qualified Long-Term Preservation Practice Statement* is available worldwide. The validity of the documents, the long-term validation material and the related issued statements archived according to the present *Qualified Long-Term Preservation Practice Statement* is independent of the geographical location where they were sent into the archive from, and where they were queried from.

The service provided according to the present *Qualified Long-Term Preservation Practice Statement* can be only used as described in the present *Qualified Long-Term Preservation Practice Statement* and in the *Long-Term Preservation Policy*.

1.3 PKI Participants

1.3.1 Certification Authorities

Data of the *Long-Term Preservation Service Provider*

Name:	MICROSEC Micro Software Engineering & Consulting Private Limited Company by Shares
Company registry number:	01-10-047218 Company Registry Court of Budapest
Head office:	Hungary, H-1033 Budapest, Ángel Sanz Briz str. 13.
Telephone number:	(+36-1) 505-4444
Fax number:	(+36-1) 505-4445
Internet address:	https://www.microsec.hu , https://www.e-szigno.hu

Customer Service Office

The name of the provider unit:	e-Szignó Certificate Authority
Customer service:	Hungary, H-1033 Budapest, Ángel Sanz Briz str. 13., Graphisoft Park South Area, Building C
Office hours of the customer service:	on workdays between 8:30-16:30 by prior arrangement
Telephone number of the customer service:	(+36-1) 505-4444
Email address of the customer service:	info@e-szigno.hu
Send revocation request to:	revocation@e-szigno.hu
Service related information access:	https://www.e-szigno.hu
Place for registering complaints:	Microsec Ltd. Hungary, H-1033 Budapest, Ángel Sanz Briz str. 13., Graphisoft Park South Area, Building C
Relevant Consumer Protection Inspectorate:	Budapest Capital Authority for Consumer Protection 1052 Budapest, Városház str. 7. 1364 Budapest, Pf. 144.
Relevant Arbitration Board:	Arbitration Board of Budapest 1016 Budapest, Krisztina krt. 99. III. em. 310. Mailing address: 1253 Budapest, Pf.: 10.

Introduction of the *Long-Term Preservation Service Provider*

Microsec Ltd. is an EU qualified trust service provider according to the 910/2014/EU Regulation [1] (hereinafter: eIDAS).

Microsec Ltd. (its predecessor) started the provision of its services related to electronic signatures under the effect of Act XXXV. of 2001. [3] (hereinafter: Eat.):

- provides non-qualified electronic signature certification services, time stamping, and placement of signature-creation data on signature creation devices services according to Eat. since May 30, 2002 (registration number: MH 6834 1/2002.);
- provides qualified electronic signature certification services, time stamping, and device services according to Eat. since May 15, 2005;
- provides qualified long term preservation service according to Eat. since February 1, 2007. (reference number of the decision on the registration: HL-3549-2/2007).

On the 1st of July, 2016. the whole system of services related to electronic signatures changed uniformly on a European basis with eIDAS and its complement Act CCXXII of 2015. [6] coming into force.

Microsec provides its non-qualified trust services conformant to eIDAS furthermore started the issuance of eIDAS qualified signing certificates for natural persons from the 1st of July 2016.

Microsec provides the following qualified trust services conformant to eIDAS from the 20th of December 2016:

- qualified certificates for electronic seals
- qualified time stamping
- qualified archiving (preservation of electronic signatures and seals).

Microsec provides the following qualified trust service conformant to eIDAS from the 2nd of January 2019:

- qualified certificates for website authentication.

Microsec provides the following qualified trust service component conformant to eIDAS from the 29th of May 2020:

- remote key management service suitable for creating qualified electronic signatures and seals.

Quality and Information Security

Microsec highlights the importance of *Client* experience. In order to maintain a high level of services, the *Long-Term Preservation Service Provider* has been operating a quality control system compliant with the ISO 9001 standard since January 23, 2002. Compliance with the standard has been verified by Lloyd's Register Quality Assurance.

Microsec assigns high priority to the security of the systems it operates, and has therefore been operating an information security management system that is compliant with ISO/IEC 27001 (formerly known as BS 7799) in its main areas of activity since May 19, 2003. Compliance with the standard has been verified by Lloyd's Register Quality Assurance.

The scope of both the quality control system and the information security management system cover the trust services provided by Microsec.

Microsec has two level risk assessment which covers beyond the information technology risks the whole organization including also the business risks. The risk assessment is updated at least yearly. Based on the results of the risk assessment the *Long-Term Preservation Service Provider*

- sets up new measures to eliminate the vulnerabilities, or/and
- accepts the identified residual risks by stating the reason of the decision.

The *Long-Term Preservation Service Provider* makes available for all interested parties its Information Security Policy on its web page on the following link:

<https://www.microsec.hu/en/quality-assurance-and-audit>

Any change to the Information Security Policy is communicated to third parties through this web page.

Changes to the information security policy is communicated to third parties, where applicable. This includes subscribers, relying parties, assessment bodies, supervisory or other regulatory bodies.

Due to their confidential nature the *Long-Term Preservation Service Provider* doesn't disclose its internal Security Rules. The *Long-Term Preservation Service Provider* informs its subcontractors, contractors and other interested parties concerned of the security rules applicable to them when concluding the contract.

Business Providing Certification Services

Operating as an independent business unit within the organization of Microsec, e-Szignó Certificate Authority is responsible for all of the duties regarding the trust services.

Services

The *Long-Term Preservation Service Provider* provides the following trust services defined by the eIDAS Regulation [1] to the *Subscriber* within the framework of the present *Qualified Long-Term Preservation Practice Statement*:

- Qualified Long Term Preservation Service

The *Long-Term Preservation Service Provider* provides its services within the framework of the present *Qualified Long-Term Preservation Practice Statement* as a qualified trust service provider.

1.3.2 Subscribers

The *Clients* of the services provided by the *Long-Term Preservation Service Provider*:

- *Subscriber*
 - signs the service agreement with the *Long-Term Preservation Service Provider*,
 - accepts the General Terms and Conditions,
 - defines the scope of the users,
 - may appoint *Organizational Administrators*,
 - responsible for the payment of the fees arising from the usage of the service.

1.3.3 Relying Parties

The *Relying Party* is not necessarily in a contractual relationship with the *Long-Term Preservation Service Provider*. The *Qualified Long-Term Preservation Practice Statement* sections 9.6.3 and 9.9.3 and the other policies mentioned in it contain the recommendations related to its operation.

The party who accepts and uses the statements issued during the long term preservation service.

1.4 Policy Administration

1.4.1 Organization Administering the Document

The data of the organization administering the present *Qualified Long-Term Preservation Practice Statement* can be found in the following table:

Organization name	Microsec e-Szignó Certificate Authority
Organization address	Hungary, H-1033 Budapest, Angel Sanz Briz str. 13.
Telephone number	+36 1 505-4444
Fax number	+36 1 505-4445
Email address	info@e-szigno.hu

1.4.2 Contact Person

Questions related to the present *Qualified Long-Term Preservation Practice Statement* can be directly put to the following person:

Contact person	Head of Process Management Department
Organization name	Microsec Ltd.
Organization address	Hungary, H-1033 Budapest, Angel Sanz Briz str. 13.
Telephone number	+36 1 505-4444
Fax number	+36 1 505-4445
Email address	info@e-szigno.hu

1.4.3 Person or Organization Responsible for the Suitability of the Practice Statement for the *Qualified Long-Term Preservation Policy*

Person responsible for compliance with the present *Qualified Long-Term Preservation Practice Statement* and the *Qualified Long-Term Preservation Policy* referenced therein is:

Responsible person	Head of Process Management Department
Organization name	Microsec Ltd.
Organization address	Hungary, H-1033 Budapest, Angel Sanz Briz str. 13.
Telephone number	+36 1 505-4444
Fax number	+36 1 505-4445
Email address	info@e-szigno.hu

The *Qualified Long-Term Preservation Practice Statements* and the provision of the services are supervised by the National Media and Infocommunications Authority. The National Media and Infocommunications Authority maintains a register on the *Certificate Policies* and on the *Long-Term Preservation Service Providers* applying these policies.

1.4.4 Practice Statement Approval Procedures

Preparing, modifying, acceptance and issuance of a new version of the *Qualified Long-Term Preservation Practice Statement* is implemented according to unified processes as described in detail in section 9.12.1.

1.5 Definitions and Acronyms

1.5.1 Definitions

Data Centre	A facility designed for the placement and operation of computer systems and associated components. These components typically include telecommunications systems and communication connections, redundant power supply, data storage, air conditioning, fire protection and security systems.
Preservation Evidence	Evidence produced by the Preservation Service which can be used to demonstrate that one or more preservation goals are met for a given preservation object.
Preservation Evidence Augmentation	Addition of data to an existing preservation evidence to extend the validity period of that evidence.
Preservation Goal	One of the following objectives achieved during the preservation time frame: extending over long periods of time the validity status of electronic signatures or seals, providing proofs of existence of data over long periods of time, or augmenting externally provided preservation evidences.
Preservation Profile	Uniquely identified set of implementation details pertinent to a preservation storage model and one or more preservation goals which specifies how preservation evidences are generated and validated.
Preservation Scheme	Generic set of procedures and rules pertinent to a preservation storage model and one or more preservation goals which outlines how preservation evidences are created and validated.
Preservation Service	Trust service capable of extending the validity status of an electronic signature or seal over long periods of time and/or of providing proofs of existence of data over long periods of time.
Preservation Service Provider	Trust service provider providing a preservation service.
Trust Service Supervisory Body	"The National Media and Infocommunications Authority, the supervising authority monitoring the <i>Trust Services</i> ." (Act CCXXII. of 2015. [6] 91.§ 1. paragraph)

Trust Service	<p>"Means an electronic service normally provided for remuneration which consists of:</p> <ul style="list-style-type: none"> • the creation, verification, and validation of electronic signatures, electronic seals or electronic time stamps, electronic registered delivery services and certificates related to those services, or • the creation, verification and validation of <i>Website Authentication Certificate</i>; or • the preservation of electronic signatures, seals or certificates related to those services;
Trust Service Policy	<p>" (<i>eIDAS [1] 3. article 16. point</i>)</p> <p>"A set of rules in which a <i>Trust Service Provider</i>, relying party or other person requires conditions for the usage of the <i>Trust Service</i> for a community of the relying parties and/or a class of applications with common security requirements." (<i>Act CCXXII. of 2015. [6] 1. § 8. point</i>)</p>
Trust Service Provider	<p>"A natural or a legal person who provides one or more <i>Trust Services</i> either as a qualified or as a non-qualified <i>Trust Service Provider</i>." (<i>eIDAS [1] 3. article 19. point</i>)</p>
E-dossier	<p>The electronic file (e-dossier) is a container format electronic signature, a type of e-document. An e-dossier may contain documents, or the related profiles (metadata), signatures, countersignatures and time-stamps.</p>
E-document	<p>An e-document is such an electronic document that contains at least one eIDAS Regulation conformant electronic signature or seal. Depending on the type of the e-document it may contain further electronic documents and the corresponding profiles (metadata), signatures, countersignatures and time stamps.</p>
Electronic Document	<p>"Means any content stored in electronic form, in particular text or sound, visual or audiovisual recording" (<i>eIDAS [1] 3. article 35. point</i>)</p>
Electronic Time Stamp	<p>"Means data in electronic form which binds other data in electronic form to a particular time establishing evidence that the latter data existed at that time." (<i>eIDAS [1] 3. article 33. point</i>)</p>
Subscriber	<p>A person or organization signing the service agreement with the <i>Long-Term Preservation Service Provider</i> in order to use some of its services.</p>

Export-Import Package	Information (electronically signed document, preservation evidence, metadata, etc.) that is released from the preservation service that allows it to be imported by another preservation service to achieve the preservation goals.
Suspension	A temporary pause of the <i>Certificate's</i> validity before the end of the validity period indicated on the <i>Certificate</i> . The <i>Certificate</i> suspension is not definitive; the suspended <i>Certificate's</i> validity can be restored.
Root Certificate	Also known as top level certificate. Self-signed <i>Certificate</i> , which is issued by a specific <i>Certification Unit</i> for itself, which is signed with its own private key, so it can be verified with its own public key – indicated on the certificate.
HSM: Hardware Security Module	A hardware-based secure device that generates, stores and protects cryptographic keys and provides a secure environment for the implementation of cryptographic functions.
Certification Authority	A <i>Trust Service Provider</i> , who/which identifies the requester within the confines of the certification service, issues <i>Certificates</i> , keeps a record, receives the <i>Certificate</i> related data changes, and publishes the regulations belonging to the <i>Certificate</i> and the information on the current state (especially on possible revocation) of the <i>Certificate</i> .
Certification Unit	A unit of the <i>Long-Term Preservation Service Provider's</i> system that signs the <i>Certificates</i> . Always just one Certificate-Creation Data (signing key, signature-creation data) belongs to a <i>Certification Unit</i> . It is possible that a Certification Authority simultaneously operate several <i>Certification Units</i> .
Long-Term	A period of time during which technological changes can be a problem in verifying the validity of an electronic signature.
Long-Term Preservation	Extension of the validity status of an electronic signature or seal over long periods of time and/or extension of provision of proofs of existence of data over long periods of time, in spite of obsolescence of cryptographic technology such as crypto algorithms, key sizes or hash functions, key compromises or of the loss of the ability to check the validity status of public key certificates.
Compromise	A cryptographic key is considered as compromised, when it can be assumed, that unauthorized person has access to it.

Intermediate Certification Unit	A <i>Certification Unit</i> whose <i>Certificate</i> was issued by another <i>Certification Unit</i> .
Cryptographic Key	A unique digital data string controlling a cryptographic transformation, the knowledge of which is required for encryption, decryption and the creation and verification of electronic signatures and seals.
Key Management	The production of cryptographic keys, their delivery to users or its algorithmic implementation, as well as the registration, storage, archival, revocation and termination of keys which are closely linked to the used security method.
Private Key	In the public key infrastructure, the element of an asymmetric cryptographic key pair belonging to the key-pair owner that the <i>Subject</i> shall keep strictly secret. During the issuance of <i>Certificates</i> , the <i>Certification Authority</i> uses the private keys of the <i>Certification Unit</i> for placing an electronic signature or seal on the <i>Certificate</i> to protect it.
Qualified Trust Service	"A <i>Trust Service</i> that meets the applicable requirements laid down in the eIDAS Regulation." (eIDAS [1] article 3. point 17.)
Qualified Trust Service Provider	"A <i>Trust Service Provider</i> who provides one or more <i>Qualified Trust Services</i> and is granted the qualified status by the supervisory body." (eIDAS [1] article 3. point 20.)
Public Key	In the public key infrastructure, the element of an asymmetric cryptographic key pair belonging to key-pair owner, which should be made public. The disclosure is typically in the form of a <i>Certificate</i> , which links the name of the actor with its public key. The authenticity of the <i>Certificates</i> can be verified with the public key of the <i>Certification Unit</i> .
Public Key Infrastructure, PKI	An infrastructure based on asymmetric cryptography, including the cryptographic algorithms, keys, certificates, the related standards and legislation, the underlying institutional system, a variety of providers and devices.
Unencrypted e-dossier	An e-dossier, which includes unencrypted files and electronic signatures or electronic seals on them. In the unencrypted e-dossier the signed, stamped files and signatures, seals are included unencrypted.

Extraordinary Operational Situation	An extraordinary situation causing disturbance in the course of the operation of the <i>Long-Term Preservation Service Provider</i> , when the continuation of the normal operation of the <i>Long-Term Preservation Service Provider</i> is not possible either temporarily or permanently.
Organization	Legal person.
Trust Service Practice Statement	"The statement of the <i>Trust Service Provider</i> of the detailed procedures or other operational requirements used in connection with the provision of particular <i>Trust Services</i> ." (Act CCXXII. of 2015. [6] 1. § point 41.)
Service Agreement	"The contract between the <i>Trust Service Provider</i> and the <i>Trust Service</i> client, which includes the conditions for the provision of the <i>Trust Service</i> and for using the services." (Act CCXXII. of 2015. [6] 1. § point 42.)
Certificate	"The electronic signature certificate, the electronic seal certificate and the <i>Website Authentication Certificate</i> , and all those electronic verifications issued within the framework of the <i>Trust Service</i> by the service provider, which includes the certificate related verification data and the certificate usage related information, and which as an electronic document is reliably protected against the available counterfeiting technologies at the time of the issuance and during its validity period." (Act CCXXII. of 2015. [6] 1. § point 44.)
Certificate Repository	Data repository containing various <i>Certificates</i> . A Certification Authority has a Certificate Repository in which the issued <i>Certificates</i> are disclosed, but the system containing <i>Certificates</i> available to the application on the computer of the <i>Relying Party</i> is also called Certificate Repository.
Encrypted e-dossier	This e-dossier is an XML file that contains another (unencrypted or encrypted) e-dossier (too) – encrypted according to the S/MIME specification.
Client	The <i>Subscriber</i> and the service users, for whom the <i>Subscriber</i> grants user rights.
Revocation	The termination of the <i>Certificate's</i> validity before the end of the validity period indicated on the <i>Certificate</i> too. The <i>Certificate</i> revocation is permanent, the revoked <i>Certificate</i> cannot be reinstated any more.

Revocation Status Records	The internal records of the suspended and revoked <i>Certificates</i> which includes the fact of the suspension or revocation and the time of the suspension or revocation given in seconds maintained by the <i>Certification Authority</i> .
---------------------------	--

1.5.2 Acronyms

eIDAS	electronic Identification, Authentication and Signature
LDAP	Lightweight Directory Access Protocol
NMHH	National Media and Infocommunications Authority
OCSP	Online Certificate Status Protocol
OID	Object Identifier
PKI	Public Key Infrastructure
TSP	Trust Service Provider

2 Publication and Repository Responsibilities

2.1 Repositories

The *Long-Term Preservation Service Provider* discloses the contractual conditions and policies electronically on its website on the following link:

<https://e-szigno.hu/en/terms-and-information>

The draft version of the new documents to be introduced are disclosed on the website 30 days before coming into force.

The documents in force are available on the site in addition to all previous versions of all documents.

The actual version of policies and contractual conditions is readable at the customer service of the *Long-Term Preservation Service Provider*.

After concluding the contract, the *Long-Term Preservation Service Provider* makes the General Terms and Conditions, the *Disclosure Statement*, the *Qualified Long-Term Preservation Policy* and the *Qualified Long-Term Preservation Practice Statement* available to the *Client* in the form of an electronically signed PDF file that can be downloaded from its website. The *Long-Term Preservation Service Provider* makes the individual Service Agreement available to the *Client* on paper, authenticated with a handwritten signature and seal, or in the form of an electronic document in PDF format with a qualified electronic signature.

The *Long-Term Preservation Service Provider* notifies its *Clients* about the change of the General Terms and Conditions.

2.2 Time or Frequency of Publication

2.2.1 Frequency of the Publication of Terms and Conditions

The most important terms and conditions for the service are contained in the service contract to be signed by the *Client* during the conclusion of the contract, or in the General Terms and Conditions [62] document referenced therein.

The *Long-Term Preservation Service Provider* reviews the General Terms and Conditions annually or in case of exceptional request for change with priority and performs the necessary changes. The document will receive a new version number even after the smallest change and by taking into account the time required by the endorsement process, the planned date of coming into effect will be determined too.

The accepted document will be published on the webpage of the *Long-Term Preservation Service Provider* and it will be sent for review to the National Media and Infocommunications Authority 30 days prior to the planned entry into force date.

The *Long-Term Preservation Service Provider* will accept comments connected to the General Terms and Conditions published for 14 days prior to their becoming effective, at the following email address:

info@e-szigno.hu

In case of observations that require substantive changes, the document will be amended.

The *Long-Term Preservation Service Provider* will close and publish the version of the General Terms and Conditions as amended with remarks on the 7th day prior to its becoming effective.

3 Electronic Long-Term Preservation Service

3.1 Preservation scheme

3.1.1 Identifier

The preservation scheme with signature augmentation and with storage is identified by the following URI:

<http://uri.etsi.org/19512/scheme/pds+wst+aug>

The Microsec identifier of the preservation scheme:

HU	Microsec archiválási rendszer dokumentum tárolással és aláírás kibővítéssel 2007
EN	Microsec preservation scheme with signature augmentation and with storage 2007
OID	1.3.6.1.4.1.21528.2.1.1.209.2007

3.1.2 Preservation goal(s)

The present preservation scheme supports the following preservation goals:

- **Preservation of Digital Signatures (PDS)**

extends over long periods of time the ability to validate an electronic signature or seal, to maintain its validity status and to get a proof of existence of the associated signed data, which is indicated by the URI:

<http://uri.etsi.org/19512/goal/pds>

- **Augmentation (AUG)**

the preservation service supports the augmentation of submitted preservation evidences, which is indicated by the URI:

<http://uri.etsi.org/19512/goal/aug>

3.1.3 Preservation storage model

The present preservation scheme supports the preservation storage model "Preservation with storage (WST)" according to clause 4.3.1 of ETSI TS 119 512 [36]).

3.1.4 Supported operations

Preservation - Submitting preservation objects to the preservation service.

Retrieval - Retrieving earlier submitted preservation objects and related evidences from the preservation service.

Deletion - Deleting earlier submitted preservation objects and corresponding metadata from the preservation service.

Retrieval - Retrieving audit trail element from the preservation service, which contains information with respect to relevant events, which happened within a preservation service for a specific (set of) submission data object(s).

Validation - Validating a provided preservation evidence and optionally a corresponding preservation object.

Search Searching among the preservation objects, which are accessible by the client.

3.1.5 Generation and validation of preservation evidences

The present preservation scheme augments the signature corresponding to the signature format, which are announced in the Profile/EvidenceFormat element with the following URIs:

- <http://uri.etsi.org/ades/CAAdES/archive-time-stamp-v3>
- <http://uri.etsi.org/ades/XAdES/ArchiveTimeStamp>
- <http://uri.etsi.org/ades/PAdES/document-time-stamp>

The present preservation scheme supports only the following case:

- the signature and the signed data are in the same object;

The preservation service verifies that all the validation data needed to validate the signature is available, adds this to the signature and protects it with a qualified time-stamp corresponding to the specific signature format. The preservation service chooses a hash algorithm to protect the validation data, the signature and the signed data corresponding to the state of the art.

The evidence is included in the signature.

The signature format specific standard specifies how to validate the corresponding evidence.

3.1.6 Augmentation of preservation evidences

The *Long-Term Preservation Service Provider* monitors the suitability of the cryptographic algorithms based on the requirements set out in the following normatives:

- ETSI TS 119 312 [34];
- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [6] 92. § (1) b) .

Based on the monitoring results, the *Long-Term Preservation Service Provider* augments the signature by placing a new archive *Time Stamp* on the e-document according to the specific signature format before the cryptographic algorithm becomes weak.

3.1.7 Supported preservation profile

In the present preservation scheme the preservation service provider supports the following preservation profile:

HU	Microsec archiválási profil dokumentum tárolással és aláírás kibővítéssel 2007
EN	Microsec preservation profile with signature augmentation and with storage 2007
OID	1.3.6.1.4.1.21528.2.1.1.210.2007

3.2 Preservation profile

The supported preservation profile is defined within the present *Qualified Long-Term Preservation Practice Statement* in the present section.

3.2.1 Identifier of the preservation profile

The identifier of the preservation profile:

HU	Microsec archiválási profil dokumentum tárolással és aláírás kibővítéssel 2007
EN	Microsec preservation profile with signature augmentation and with storage 2007
OID	1.3.6.1.4.1.21528.2.1.1.210.2007

3.2.2 Preservation goal(s)

The present preservation profile supports the following preservation goals:

- **Preservation of Digital Signatures (PDS)**

extends over long periods of time the ability to validate an electronic signature or seal, to maintain its validity status and to get a proof of existence of the associated signed data, <http://uri.etsi.org/19512/goal/pds>

- **Augmentation (AUG)**

the preservation service supports the augmentation of submitted preservation evidences, <http://uri.etsi.org/19512/goal/aug>

3.2.3 Preservation storage model

The present preservation profile supports the preservation storage model "Preservation with storage (WST)" according to clause 4.3.1 of ETSI TS 119 512 [36]).

3.2.4 Supported operations

Preservation - Submitting preservation objects to the preservation service.

Retrieval - Retrieving earlier submitted preservation objects and related evidences from the preservation service.

Deletion - Deleting earlier submitted preservation objects and corresponding metadata from the preservation service.

Retrieval - Retrieving audit trail element from the preservation service, which contains information with respect to relevant events, which happened within a preservation service for a specific (set of) submission data object(s).

Validation - Validating a provided preservation evidence and optionally a corresponding preservation object.

Search Searching among the preservation objects, which are accessible by the client.

3.2.5 Technical policies

The present version of this *Qualified Long-Term Preservation Practice Statement* is available only in human-readable form. The *Long-Term Preservation Service Provider* presently does not support the automatical interpretation of any machine-readable policy.

3.2.6 Validity period

The service offered by the *Long-Term Preservation Service Provider* fulfils the requirements laid down in the present *Qualified Long-Term Preservation Practice Statement* since its launching in 2007. The preservation profile officially published in this new form first time only in the version 2.16 of the present *Qualified Long-Term Preservation Practice Statement*.

The preservation profile does not have a validity end date, it is supported by the *Long-Term Preservation Service Provider* during the whole lifetime of the service.

3.2.7 Evidence formats

The present preservation profile uses qualified time stamps for the preservation of the validity of the evidences, which are identified by the following URI values according to the format of the electronic signature or seal:

- <http://uri.etsi.org/ades/CAAdES/archive-time-stamp-v3>
- <http://uri.etsi.org/ades/XAdES/ArchiveTimeStamp>
- <http://uri.etsi.org/ades/PAdES/document-time-stamp>

3.2.8 Human understandable format

The archiving profile in this *Qualified Long-Term Preservation Practice Statement* is in a human-readable format and is not intended to support automatic machine processing.

3.2.9 Publication of the supported preservation profiles

The supported preservation profiles are published as part of this *Qualified Long-Term Preservation Practice Statement*, which is available on-line as described in chapter 2.1.

3.2.10 Lifetime of the preservation profile

The same preservation profile is applied during the whole preservation period.

The preservation profile is not changed over time. All dynamic aspects are specified outside the preservation profile, in the preservation evidence policy or in the signature validation policy.

The applied preservation evidence policies or signature validation policies may change over time. All versions related to a specific preservation profile are publicly available, and it is clear which version applied at which time.

3.2.11 Supported preservation evidence policy

In the present preservation profile the *Long-Term Preservation Service Provider* supports the following preservation evidence policy:

HU	Microsec archiválási bizonyíték rend 2007
EN	Microsec preservation evidence policy 2007
OID	1.3.6.1.4.1.21528.2.1.1.211.2007

3.2.12 Supported signature validation policy

In the present preservation profile the *Long-Term Preservation Service Provider* supports the following signature validation policy:

HU	Microsec aláírás ellenőrzési rend 2007
EN	Microsec signature validation policy 2007
OID	1.3.6.1.4.1.21528.2.1.1.212.2007

3.3 Preservation evidence policy

3.3.1 Identifier of the preservation evidence policy

The Microsec identifier of the preservation evidence policy:

HU	Microsec archiválási bizonyíték rend 2007
EN	Microsec preservation evidence policy 2007
OID	1.3.6.1.4.1.21528.2.1.1.211.2007

3.3.2 Preservation evidence policy format

The preservation evidence policy is only available as part of the present *Qualified Long-Term Preservation Practice Statement* in human readable form. The *Long-Term Preservation Service Provider* presently does not support the automatical interpretation of any machine readable preservation evidence policy.

3.3.3 Preservation evidence creation

The *Long-Term Preservation Service Provider* implements the long-term preservation of the validity of electronic signatures by regularly augmenting the stored electronic signatures. When extending the validity, it places an archive *Time Stamp* on the electronic signature, which ensures that the validity of the retained original electronic signature can be verified for additional years.

When creating the preservation evidence, the *Long-Term Preservation Service Provider* verifies the validity of the given electronic signature, electronic stamp or *Time Stamp*.

During the verification of the electronic signature, electronic seal or *Time Stamp*, the *Long-Term Preservation Service Provider* traces back the certificate chain to a trusted root or intermediate certificate of an accepted Certification (or Time-Stamping) Authority (see section: 1.3.1).

The *Long-Term Preservation Service Provider* uses OCSP service to collect revocation status information for each element of the validity chain. If the OCSP grace period of all providers in the certificate chain is 0, all the necessary revocation information is generated in a short time, even in seconds. If there is a grace period longer than 0, the *Long-Term Preservation Service Provider* performs the necessary verifications after the grace period is over according to the related standards and international recommendations. During the initial verification, the *Long-Term Preservation Service Provider* will reject the e-document if the verification cannot be completed within 3 days. This cannot occur later when the e-document is augmented because the time-stamping provider used by the *Long-Term Preservation Service Provider* provides OCSP service with a 0 wait time.

The *Long-Term Preservation Service Provider* builds the validity chains for the electronic signatures, electronic stamps or *Time Stamps* in the e-documents and places a qualified archive electronic *Time Stamp* on them. The validity chains thus obtained are stored in a format corresponding to the format of the e-document as an archive signature in the e-document.

The *Long-Term Preservation Service Provider* uses the self-developed e-Szignó qualified signature creation and verification application to create preservation evidence.

3.3.4 Applied cryptographic algorithms

The *Long-Term Preservation Service Provider* monitors the suitability of the cryptographic algorithms based on the requirements set out in the following normatives:

- ETSI TS 119 312 [34];
- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [6] 92. § (1) b) .

The *Long-Term Preservation Service Provider* will only use cryptographic algorithms to create preservation evidence that meet the applicable requirements and are expected to ensure the validity of the preservation evidence for years to come.

Currently, the *Long-Term Preservation Service Provider* uses *Time Stamps* exclusively with 256-bit ECC key to create preservation evidence.

Each e-document currently stored by the *Long-Term Preservation Service Provider* is time stamped with at least a 2048-bit RSA key or a 256-bit ECC key.

The *Long-Term Preservation Service Provider* shall, by 31 December 2022 at the latest, affix a new *Time Stamp* in accordance with the requirements of that time to all e-documents on which the latest *Time Stamp* uses an RSA key.

3.3.5 Using other trust services

The *Long-Term Preservation Service Provider* uses the services of other trust or authentication service providers in the following ways during the provision of the service:

- during the authentication of the preservation evidence, the *Long-Term Preservation Service Provider* uses *Time Stamps* issued by the "Qualified Timestamp Service" of Microsec to generate archive *Time Stamps*,
- when building the validity chain, the *Long-Term Preservation Service Provider* collects the issuer *CA Certificates* using the issuer *CA Certificate* URI in the Authority Information Access (AIA) extension in the *Certificates*,
- obtains OCSP responses - by using the OCSP service access URI in the Authority Information Access (AIA) extension in the *Certificates* - to verify the revocation status of the *Certificate*.

3.3.6 Preservation evidence validation

When validating the preservation evidence, the *Long-Term Preservation Service Provider* verifies the validity of the given qualified *Time Stamp*.

Beyond the standard validation steps the *Long-Term Preservation Service Provider* confirms, that

- the *Certificate of the Time-Stamping Unit* authenticating the *Time Stamp* is included in the Hungarian Trust List
- the *Time-Stamping Unit Certificate* was valid at the time certified by the *Time Stamp*
- the *Time-Stamping Unit Certificate* is valid at the time of validation
- the *Time-Stamping Unit Certificate* belongs to a qualified time-stamping service with an active status
- the issued *Time Stamp* is qualified

The *Long-Term Preservation Service Provider* uses the OCSP service to check the revocation status information. While the OCSP grace period is 0, the necessary revocation information is generated in a short time, in seconds.

3.3.7 Evidence augmentation

The *Long-Term Preservation Service Provider* monitors the suitability of the cryptographic algorithms based on the requirements set out in the following normatives:

- ETSI TS 119 312 [34];
- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [6] 92. § (1) b) .

Based on the monitoring results, the *Long-Term Preservation Service Provider* augments the signature by placing a new archive *Time Stamp* on the e-document according to the specific signature format before the cryptographic algorithm becomes weak.

3.3.8 Preservation evidence format

The *Long-Term Preservation Service Provider* generates the preservation evidence in the form of an archive *Time Stamp*, which is placed on the e-document as an integral part of it as an extension of the e-document.

Preservation evidence includes standard PKI elements as follows:

- ITU X.509 [48] format service provider root and intermediate CA *Certificates* in the validity chain
- OCSP responses according to IETF RFC 6960 [47] certifying the validity of *Certificates* in the validity chain
- optional additional standard elements (certificates, revocation status information) proving the validity of OCSP responses
- IETF RFC 3161 [46] *Time Stamp* to protect preservation evidence and e-document

3.3.9 Evidence reference to the preservation service

The *Long-Term Preservation Service Provider* uses standard PKI elements as preservation evidence that do not contain an explicit reference to the *Long-Term Preservation Service Provider*.

3.4 Signature validation policy

3.4.1 Identifier of the signature validation policy

The Microsec identifier of the signature validation policy:

HU	Microsec aláírás ellenőrzési rend 2007
EN	Microsec signature validation policy 2007
OID	1.3.6.1.4.1.21528.2.1.1.212.2007

3.4.2 Signature validation policy format

The signature validation policy is only available as part of the present *Qualified Long-Term Preservation Practice Statement* in human readable format. The *Long-Term Preservation Service Provider* presently does not support the automatical interpretation of any machine readable signature validation policy.

3.4.3 Language versions

The public documents of the *Long-Term Preservation Service Provider* are available in two language versions, Hungarian and English.

The official version is the Hungarian language *Qualified Long-Term Preservation Practice Statement*.

The English version is the translation of the Hungarian version. The *Long-Term Preservation Service Provider* strives to ensure that the English version fully corresponds to the Hungarian version, but due to language differences and possible translation errors, there may be minor differences between the two versions. In the event of such a discrepancy, unless otherwise agreed, the Hungarian language version shall prevail.

3.4.4 Validation material collection

The *Long-Term Preservation Service Provider* verifies that all validation data required to validate the signature is available, collects the missing validation data, adds it to the signature, and protects it with a qualified archive *Time Stamp* appropriate to a given signature format.

The evidence is contained in the signed e-document.

The signature format specific standard specifies how to validate the corresponding evidence.

When verifying the validity of signatures, the *Long-Term Preservation Service Provider* follows the shell model, i.e. the validity period of each *Certificate* in the validity chain must be included in the validity period of the Service Provider *Certificate* issuing it.

3.5 Cryptographic controls

3.5.1 Time stamps

The *Long-Term Preservation Service Provider* uses qualified timestamps issued by the "eIDAS conform Qualified Time Stamping Service" provided by the Microsec e-Szignó Certificate Authority to create archive timestamps.

The used time-stamping service complies with the requirements of ETSI EN 319 421 [20] and ETSI EN 319 422 [21] and is listed on the Hungarian Trusted List [57] as a qualified time-stamping service.

The revocation status of the *Time Stamp Certificates* used by the *Time-Stamping Service Provider* can be checked based on the CRL and OCSP service provided by the *Time-Stamping Service Provider*. In case of revocation of the *Time Stamp Certificate* the revocation status information provided by the *Time-Stamping Service Provider* includes the reason for revocation ("reason code").

3.5.2 Cryptographic monitoring

The *Long-Term Preservation Service Provider* monitors the suitability of the cryptographic algorithms based on the requirements set out in the following normatives:

- ETSI TS 119 312 [34];
- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [6] 92. § (1) b) .

For every supported active preservation profile, the *Long-Term Preservation Service Provider* monitors the strength of every cryptographic algorithm that was used in connection with this profile. In case, one of the used algorithms or parameters is thought to become less secure it either updates the related preservation evidence policy or creates a new preservation profile to handle newly submitted e-documents.

During the entire preservation period, the *Long-Term Preservation Service Provider* monitors the suitability of the last archive *Time Stamp* placed on each e-document to preserve the validity of the electronic signature. The *Long-Term Preservation Service Provider* shall place a new archive *Time Stamp* on the given e-document in accordance with the actual preservation evidence policy, if:

- the security of any cryptographic algorithm or parameter used to generate the last *Time Stamp* becomes less secure or its use is prohibited by applicable cryptographic requirements;
- the *Certificate* used to authenticate the last *Time Stamp* is going to expire.

3.6 Augmentation of preservation evidences

The *Long-Term Preservation Service Provider* monitors the suitability of the cryptographic algorithms based on the requirements set out in the following normatives:

- ETSI TS 119 312 [34];

- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [6] 92. § (1) b) .

Based on the monitoring results, the *Long-Term Preservation Service Provider* augments the signature by placing a new archive *Time Stamp* on the e-document according to the specific signature format before the cryptographic algorithm becomes weak.

3.7 Export-import package

The *Long-Term Preservation Service Provider* ensures that the *Subscriber* can download his e-documents preserved in the archive and the corresponding preservation evidence during the validity period of the service agreement.

The *Subscriber* only has access to the e-documents and the preservation evidence preserved in the archive of the *Long-Term Preservation Service Provider* through a secure channel.

The download is usually done over the Internet by using the interface provided by the *Long-Term Preservation Service Provider* as described in section 4.3. in details.

In case previously agreed on with the *Long-Term Preservation Service Provider* the *Subscriber* may receive the e-documents and the preservation evidence preserved in the archive of the *Long-Term Preservation Service Provider* on a data medium, for example on an optical disk. The access also takes place by the aforementioned principles, but this time the *Subscriber* (or his representative authorized in writing) identifies himself not based on his authentication *Certificate*, but with a document appropriate for personal identification.

In all cases, the transfer of e-documents takes place after verification of the identity and authority of the recipient. By default, each *Subscriber* has access only to the e-documents uploaded by him, further accesses can only be set on the basis of a written authorization.

In the case of an Internet-based query, the authorization is checked on the basis of an authentication *Certificate*.

During the personal handover, the identity of the recipient is verified by the *Long-Term Preservation Service Provider* on the basis of an official ID card suitable for personal identification.

The *Long-Term Preservation Service Provider* logs all data transfer as described in Section 6.4. The log data includes, but is not limited to, the time of the event and the IDs of the delivered e-documents.

3.8 Preservation protocol

3.8.1 Access to the preserved documents

The *Subscriber* establishes a mutual identification based SSL/TLS connection with the server of the *Long-Term Preservation Service Provider* using his client authentication *Certificate*.

The *Long-Term Preservation Service Provider* identifies the *Subscriber* based on the client authentication *Certificate* used for establishing the SSL/TLS connection.

The *Long-Term Preservation Service Provider* ensures that the *Subscriber* can download all his previously uploaded e-documents preserved in the archive and the corresponding preservation evidence during the validity period of the service agreement.

The *Long-Term Preservation Service Provider* provides several ways for uploading one or more e-document to the service. The *Subscriber* can provide metadata according to Dublin Core [49] in connection with the electronic documents. The details are written in Section 4.2. of this *Qualified Long-Term Preservation Practice Statement*.

The *Long-Term Preservation Service Provider* verifies the compliance of the e-document based on the uploaded e-document type. After verifying the validity of the electronic signatures and electronic seals in the e-document the *Long-Term Preservation Service Provider* sends a confirmation to the *Subscriber* that it successfully accepted the e-document in 3 days of uploading. The confirmation contains among others the hash value of the uploaded e-document, which can be used as an identifier of the e-document later during different operations.

To perform any operation, the *Subscriber* shall select the e-document he wishes to access. For choosing the right e-document on the web interface, the *Subscriber* has opportunity to search for the e-documents by using filters based on the Dublin Core [49] compliant metadata corresponding to the e-document. The selection is done according to the identifier based on the hash clearly identifying the e-document.

The *Long-Term Preservation Service Provider* ensures that the *Subscriber* can download his e-documents preserved in the archive and the corresponding preservation evidence during the validity period of the service agreement.

3.8.2 Deleting the preserved documents

The *Long-Term Preservation Service Provider* deletes the e-documents and all the corresponding preservation evidence preserved in the archive at the request of the *Subscriber*. details can be seen in Chapter 4.6.

Deletion request can only be submitted during the validity period of the service agreement, before the end of the preservation period.

The document identifier received at the uploading of the e-document can be used to select the e-document to be deleted.

3.9 Notification protocol

Within the framework of the provided service, the *Long-Term Preservation Service Provider* provides each *Subscriber* with a mail mailbox, which is operated in the *Long-Term Preservation Service Provider's* own IT system.

Subscribers can access their mail via POP3 protocol after username and password based authentication.

The *Long-Term Preservation Service Provider* always sends the personal notifications sent to the *Subscriber* to this mailbox, e.g. acknowledgement of receipt of uploaded e-documents.

The *Long-Term Preservation Service Provider* publishes general information on its website.

The *Long-Term Preservation Service Provider* informs its *Subscribers* about the changes in the public regulations through its website in the manner described in Chapter 2.1. The *Long-Term Preservation Service Provider's Qualified Long-Term Preservation Practice Statement* contains all the information about the preservation profiles used and the service policies referenced in them.

3.10 Preservation process

3.10.1 Preservation evidences

The *Long-Term Preservation Service Provider* uses qualified timestamps issued by the "eIDAS conform Qualified Time Stamping Service" provided by the Microsec e-Szignó Certificate Authority to create archive timestamps.

The used time-stamping service is listed on the Hungarian Trust List [57] as a qualified time-stamping service, and complies with the following requirements:

- IETF RFC 3161 [46]
- ETSI EN 319 421 [20]
- ETSI EN 319 422 [21]

3.10.2 Preservation of digital signatures

The *Long-Term Preservation Service Provider* accepts only e-document with valid electronic signature or seal. The uploaded e-document optionally may contain evidences for the validity of the electronic signature or seal, collected by the *Subscriber*.

When receiving the e-document to be archived, the *Long-Term Preservation Service Provider* makes its best efforts to collect and verify the validation data according to the signature validation policy supported by the preservation profile, as described in section 4.2.

The *Long-Term Preservation Service Provider* may use the evidences uploaded by the *Subscriber*, but in this case it verifies the submitted validation data according to the signature validation policy supported by the preservation profile.

To extend the ability to validate an electronic signature or seal and to maintain its validity status, the *Long-Term Preservation Service Provider* puts an archive *Time Stamp* on the electronic signature or seal.

The archive *Time Stamp* on one side, provides a proof of existence of the electronic signature or seal and of the validation data needed to validate the electronic signatures or seal, and on the other side a proof of existence of the signed data.

3.11 Network security

3.11.1 Access to the preserved documents

Subscribers will only be able to access the e-documents stored in the service through the user interface provided by the *Long-Term Preservation Service Provider*.

Subscribers do not have direct access to either the e-documents or the preservation evidence associated with them.

3.12 TSP termination and termination plans

3.12.1 Stored documents after termination

The *Long-Term Preservation Service Provider* has a detailed termination plan that sets out the tasks to be performed during the planned termination of the service.

Chapter 6.7. of the present *Qualified Long-Term Preservation Practice Statement* describes the main information about the termination of the service, including how to manage stored e-documents.

3.13 Preservation service practice statement

3.13.1 Supported preservation service policies

Chapter 1.2. of the *Qualified Long-Term Preservation Practice Statement* contains the list of the supported preservation service policies.

3.13.2 Supported preservation profiles

Chapter 3.1.7. of the *Qualified Long-Term Preservation Practice Statement* contains the list of the supported preservation profiles.

3.13.3 How preservation goals are achieved

The *Long-Term Preservation Service Provider* ensures the long-term preservation of the validity of electronic signatures or seals on archived e-documents by augmenting the electronic signatures or seals from time to time by placing an archive *Time Stamp*.

3.13.4 Availability of preserved documents

Chapter 5.9. of the *Qualified Long-Term Preservation Practice Statement* contains the availability of preserved documents.

3.13.5 Obligations of all external organizations supporting the preservation service

The *Long-Term Preservation Service Provider* may use the assistance of external organizations during the provision of the service, but it is responsible to the *Subscriber* for the performance of all contributors as its own. The obligations of any contributors are governed by the cooperation agreement concluded with the contributor.

3.13.6 Requesting export-import package(s)

Chapters 4.2. and 4.3. of the *Qualified Long-Term Preservation Practice Statement* contains the information about the data upload and download.

3.13.7 Data management at the end of the preservation period

Until the end of the validity period of the service agreement, the *Long-Term Preservation Service Provider* ensures that the validity of the electronic signatures or seals placed on the uploaded e-documents can be verified. Upon expiration of the service agreement, the stored e-documents and their associated archiving evidence will be permanently deleted as detailed in Chapter 4.7.

3.14 Qualified preservation service

3.14.1 Time stamp provider

The *Long-Term Preservation Service Provider* uses qualified timestamps issued by the "eIDAS conform Qualified Time Stamping Service" provided by the Microsec e-Szignó Certificate Authority to create archive timestamps.

3.14.2 Service identifier

The service is registered in the Hungarian Trusted List as a qualified preservation service, the service type is "PSES/Q".

The service is identified by the *Qualified Seal Certificate* used by the *Long-Term Preservation Service Provider* to authenticate the confirmation of receipt of the uploaded e-documents. Due to the 2-year validity limit of *Qualified Certificates* in Hungary, the *Long-Term Preservation Service Provider* regularly renews the used *Certificate*, but in addition to the current one, all previous *Certificates* can be found in the Trusted List.

The main data of the *Certificate* currently in use:

Subject Common Name	e-Szignó Archívum
Issuer Common Name	Qualified e-Szigno QCP CA 2012
Serial number	01:1d:d1:0e:a7:52:51:ca:5a:1a:c7:00:e0:0a
Subject Key identifier	81:ed:df:1b:95:9b:d2:8b:07:5c:47:b4:6e:db:bf:21:12:fe:86:09
SHA-1 hash	4b:1d:23:6d:4b:90:86:8c:bf:4b:35:4e:f5:95:19:4d:7a:22:82:28

4 Describing the processes of the preservation service

The *Long-Term Preservation Service Provider* provides the electronic long-term preservation service to the *Subscriber* as an eIDAS qualified trust service provider within the framework of the Service Agreement. The service contains the following main service units:

- The *Subscriber* can upload electronically signed e-documents to the archive operated by the *Long-Term Preservation Service Provider*. At the reception of the e-document the *Long-Term Preservation Service Provider* checks the electronic signature(s) or seal(s) on the e-document, or on the files included into the e-documents, completes or compiles the preservation evidence, places electronic archive *Time Stamp* on the preservation evidence, and saves the accepted e-document. (see section 4.2).
- The *Long-Term Preservation Service Provider* securely preserves the accepted e-documents – the included files and preservation evidence – and ensures during the whole preservation period that:
 - only authorized persons have access to the preserved data;
 - the entitled *Subscriber* has continuous access to the preserved data;
 - the preserved data can not be modified or deleted without authorization.

- The *Long-Term Preservation Service Provider* ensures the long term validity provision of the electronic signatures and seals placed on the e-documents and on the files preserved in the e-documents. The *Long-Term Preservation Service Provider* ensures the long-term readability of the files in the e-documents and in case of specified file formats during the preservation period. The preservation period is 50 years, except if the validity of the service agreement ceases before the end of this period (for details see section 5).
- The *Subscriber* has access continuously to the e-documents, signatures and seals placed by them in the archive of the *Long-Term Preservation Service Provider* and to the corresponding preservation evidence, and they can download them (see section: 4.3).
- At the request of the *Subscriber* the *Long-Term Preservation Service Provider* issues an authentic acknowledgement that it preserves the e-documents, and that at the time of the acceptance to the archive the electronic signatures or seals on the e-document and on the documents stored in the e-documents were valid (see section: 4.4).
- At the request of the *Subscriber* the *Long-Term Preservation Service Provider* deletes the e-documents from its archive (see section: 4.6).

In each case the *Long-Term Preservation Service Provider* also preserves the electronically signed electronic document, and does not provide the archival service without the preservation of the document. This certainly does not exclude that the *Subscriber* make themselves a reasonably secure hash from the electronic document that they do not want to hand over to the *Long-Term Preservation Service Provider* for some reason and upload that into the archive as a electronic document inserted into an e-document. In this case the *Subscriber* shall undertake the renewal of the preservation, for example in case of the weakening of the hash algorithm.

The *Long-Term Preservation Service Provider* in case of some specified file formats undertakes the support of interpretability and display of the electronic documents preserved in the archive.

The *Long-Term Preservation Service Provider* within the framework of this service provides long-term preservation of the validity of electronic signatures and seals, so only accepts e-documents with a valid electronic signature or seal at the time of admission.

The *Long-Term Preservation Service Provider* only accepts e-documents with an electronic signature or seal, when

- all the electronic signatures and seals are equipped with an *Time Stamp*
- the format of the electronic signatures and seals complies with the requirements of one of the following
 - XAdES ETSI TS 101 903 [24] [25] [26] [27]
 - PAdES PDF/A format (ISO 19005) [50]
 - ASiC (Associated Signature Containers) ETSI TS 102 918 [32]
 - CAdES ETSI EN 319 122 [10], [11]
 - XAdES ETSI EN 319 132 [12], [13]
 - PAdES ETSI EN 319 142 [14], [15]
 - ASiC ETSI EN 319 162 [16], [17]

The *Certificate* of the issuer unit of the *Time Stamp* and the *Certificate* used for the creation of the electronic signature or seal shall be traced back to a root or intermediate provider *Certificate* considered to be trusted by the *Long-Term Preservation Service Provider*.

The archival period is specified by the service agreement concluded between the *Subscriber* and the *Long-Term Preservation Service Provider*. Unless otherwise agreed, the default retention period is 50 years.

The *Long-Term Preservation Service Provider* ensures the long-term readability of the file formats listed in section 5.8 in the manner specified therein, subject to the conditions described there.

4.1 Concluding a Service Agreement

Before using the service the *Subscriber* shall conclude a service agreement with the *Long-Term Preservation Service Provider*.

The *Qualified Long-Term Preservation Practice Statement* and the other regulations cited therein clearly specify the details of the service to be provided, and the tools needed for using the service.

The service agreement conclusion process:

1. The *Subscriber* contacts with the customer service of the *Long-Term Preservation Service Provider*.
2. The *Long-Term Preservation Service Provider* customer service provides information on the features of the electronic long-term preservation service and the steps needed to order the service. The *Subscriber* can get more information from the website of the *Long-Term Preservation Service Provider* on the usage, security level, terms and conditions, service agreement conditions and the applicable data protection regulations of the electronic long-term preservation service. They are able to do so on the basis of the General Terms and Conditions [63], *Qualified Long-Term Preservation Policy* [59], this *Qualified Long-Term Preservation Practice Statement* [60] and the customer information document made by the *Long-Term Preservation Service Provider* available on the website of the *Long-Term Preservation Service Provider*.
3. The *Long-Term Preservation Service Provider* informs the *Subscriber* before concluding the contract on the availability and content of the *Qualified Long-Term Preservation Practice Statement*.
4. The service agreement can be concluded in writing on paper or electronically, validated by at least an advanced electronic signature or seal with a qualified *Time Stamp*.
5. For using the service the *Subscriber* needs an encryption and an authentication *Certificate* which can be provided by the e-Szignó Certificate Authority for them within the framework of a separate service agreement. The *Long-Term Preservation Service Provider* may require that under what conditions it provides the service in case of encryption and authentication *Certificates* issued by another provider.

4.2 Uploading the Document

The *Long-Term Preservation Service Provider* only accepts the e-documents to be archived after the identification of the *Subscriber* within the framework of a secure procedure. The procedure ensures the integrity, confidentiality of the e-documents.

The uploading typically takes place via the Internet by using the interface provided by the *Long-Term Preservation Service Provider* as follows:

1. The *Subscriber* creates a SSL/TLS connection with the *Long-Term Preservation Service Provider* based on mutual authentication using their client authentication *Certificate*. The *Long-Term Preservation Service Provider* identifies the *Subscriber* based on the client authentication *Certificate* used for establishing the SSL/TLS connection. The *Subscriber* can upload e-documents through the SSL/TLS connection to the archive of the *Long-Term Preservation Service Provider*. The *Subscriber* can provide metadata according to Dublin Core [49] in connection with the electronic documents. The metadata can be inserted into the e-document or provided upon uploading.
2. The *Long-Term Preservation Service Provider* verifies the compliance of the e-document based on the uploaded e-document type according to the following:

- in case of e-dossier The *Long-Term Preservation Service Provider* verifies that the uploaded e-dossier is in the right format, so it complies with the e-document specification published on the website of the *Long-Term Preservation Service Provider* [51]. The uploaded e-dossier may also contain one or more electronic documents. The e-dossier may contain electronic signatures or seals on the electronic documents, but it can contain a frame signature too, which provides the integrity of every electronic document and every signature, seal and *Time Stamp* on the electronic document in the e-document. If the e-dossier contains a frame signature, then the *Long-Term Preservation Service Provider* only verifies the frame signatures (the inner signatures and seals are not verified). If the e-dossier does not contain a frame signature, then the *Long-Term Preservation Service Provider* verifies each electronic signature and seal on the electronic documents included into the e-dossier. If the *Subscriber* needs to ensure the validity of the frame signatures and the inner signatures and seals then they have to submit the e-dossier with and also without the frame signatures.

Without a frame signature, at least one valid electronic signature or seal shall be placed on every electronic document included into the e-dossier.

The *Long-Term Preservation Service Provider* rejects those e-dossiers on which an electronic signature or seal verified according to any of the above is invalid or those which contain unsigned electronic documents.

- in case of PAdES formatted e-document the *Long-Term Preservation Service Provider* verifies that the uploaded PAdES formatted e-document format complies with any of the supported formats. The PAdES formatted e-document may contain further electronic documents too. The *Long-Term Preservation Service Provider* verifies the validity of all of the signatures and seals, but preserves the validity only of the last, outer signature or seal. The *Long-Term Preservation Service Provider* requires that there is a valid electronic signature or seal and internal *Time Stamp* on the uploaded PDF formatted e-document. The *Long-Term Preservation Service Provider* does not accept into its archive the e-document without a *Time Stamp* or with an external *Time Stamp*.
- in case of ASiC formatted e-document the *Long-Term Preservation Service Provider* verifies that the uploaded e-document format complies with any of the supported formats. The uploaded e-document may contain one or more electronic document. The e-document may contain further e-documents too, but the *Long-Term Preservation*

Service Provider does not verify the validity of the electronic signatures, seals in those. The *Long-Term Preservation Service Provider* verifies every external electronic signature, seal associated with the e-document. Every electronic document stored in the e-document shall have valid electronic signature or seal and *Time Stamp*. The *Long-Term Preservation Service Provider* rejects the acceptance of the e-document that does not meet any of the conditions.

3. During the verification of the validity of each electronic signature or seal the *Long-Term Preservation Service Provider* checks that the signature or seal corresponds to the given document. After that it attempts to trace back the given signature or seal to a trusted root *Certificate* (see section: 1.3.1), and it verifies the revocation status of every element of the certificate chain based on OCSP. The acceptance procedure continues only if every electronic signature, seal and *Time Stamp* in the e-document is proved to be valid.

The *Long-Term Preservation Service Provider* uses the e-Szignó signature creator and validator application for signature validation. The signer module of the 3rd version of the e-Szignó software is a qualified signature-creation application according to the certification of the MATRIX Ltd. which verifies the signatures according to CWA 14171 [56] and creates a format according to ETSI TS 101 903 [24] [25] [26] [27] .

The *Long-Term Preservation Service Provider* only provides the long-term preservation service in respect of those data – namely it accepts such e-documents – on which at least an advanced electronic signature or seal can be found. During the verification of the electronic signature, seal or *Time Stamp* *Long-Term Preservation Service Provider* traces back the certificate chain to a trusted root certificate of an accepted Certification (or Time-Stamping) Authority. It may occur that a Certification Authority issues a test *Certificate* that can be verified by its trusted root certificate. The *Long-Term Preservation Service Provider* cannot distinguish a *Certificate* like that from a real *Certificate* – appropriate for the creation of advanced or qualified electronic signatures or seals –, and it is not responsible for any resulting damage.

In case the *Long-Term Preservation Service Provider* does not accept the e-document it preserves for 3 days the information which may help ascertain the cause of rejection. Such information among others are the electronic signature, seal, signing *Certificate* and their certificate chains, and the time-stamp certificates and their certificate chains and the corresponding incidental metadata included in the e-document.

4. The *Long-Term Preservation Service Provider* collects the missing revocation status information using an OCSP service. If the OCSP grace period for every provider in the certificate chain is 0, then the revocation information is available – in as short as seconds. If there is a grace period longer than 0, then the *Long-Term Preservation Service Provider* performs the necessary verifications after the grace period is over according to the related standards and international recommendations. The *Long-Term Preservation Service Provider* rejects the e-document if it can not perform the verification under 3 days.

The *Long-Term Preservation Service Provider* compiles the preservation evidence corresponding to the electronic signatures and seals in the e-document and places a qualified archive electronic *Time Stamp* on them. It places the resulting preservation evidence in ETSI TS 101 903 [24] [25] [26] [27] format, namely as an archive signature into the e-document.

5. The *Long-Term Preservation Service Provider* preserves the unencrypted e-document to be archived encrypted in an e-dossier with a provider key using a cryptographic algorithm and key parameter deemed secure in the long run. The unencrypted copies of the accepted e-document are destroyed by the *Long-Term Preservation Service Provider* by using such a procedure which ensures that the e-document can not be restored (or only with unrealistically high financial expenditure).
6. The *Long-Term Preservation Service Provider* sends a confirmation to the *Subscriber* that it successfully accepted the e-document as soon as possible, but at most within 3 days from the upload. If the process is interrupted somewhere the *Long-Term Preservation Service Provider* also notifies the *Subscriber*. In this case the *Subscriber* receives an error message that informs him that the *Long-Term Preservation Service Provider* could not accept the electronic document (for example because it was not able to build the certificate chain). The *Long-Term Preservation Service Provider* sends the confirmations and error messages in an electronic mail or through a channel previously agreed on with the *Subscriber*.

The confirmation contains the hash of the e-document submitted to the archive and whether the archive accepted the electronic document. Besides that in case of a successful reception it includes:

- the hash of the e-document accepted into the archive – already containing archival electronic signatures, seals –, which serves as a unique identifier hereinafter,
- the identifier of the *Qualified Long-Term Preservation Policy*,
- the clear identification that the service is an eIDAS compliant long-term preservation service subject to the Electronic Administration Act,
- the time period of the archival,
- whether the *Long-Term Preservation Service Provider* undertakes the support of the readability and interpretability of each e-document in the electronic document.

The confirmation may contain other information as well. The successful acceptance confirmation is authenticated by a qualified electronic seal and a qualified *Time Stamp*. The *Subscriber* shall make sure that the confirmation indeed corresponds to the uploaded e-document (namely whether it contains the hash of the uploaded e-document), and the electronic seal on the confirmation is valid. The confirmation is an electronically sealed document, so if the *Subscriber* needs to preserve the authenticity of the confirmation in the long run then he shall act according to the normatives related to the validity preservation of electronically sealed documents.

If the *Subscriber* does not receive a positive confirmation within the given deadline, that shall be considered that the *Long-Term Preservation Service Provider* did not accept the e-document. The *Long-Term Preservation Service Provider* is solely responsible for the preservation of the e-document and for ensuring the long-term credibility of the included electronic signatures and seals in case of having sent a positive confirmation.

The *Long-Term Preservation Service Provider* provides multiple possibilities for uploading via internet, for example

- web interface for uploading at the <https://archivmail.e-szigno.hu/arupload> URL;

- the e-Szignó Archive client uploader software;
- archive uploader functionality built into the e-Szigno client at the <https://archivmail.e-szigno.hu/submit> URL;
- automatic archiver function integrated into other services.

The *Long-Term Preservation Service Provider* may provide uploading possibility to the *Subscriber* through other secure channels as well. In this case, the confidentiality of the uploaded e-documents is not ensured by the SSL/TLS connection, but by these channels – such as leased lines. Apart from this, the process will still take place in accordance with the above principles.

In individual cases the *Subscriber* can send documents to the *Long-Term Preservation Service Provider* not only through the network, but on a data medium for example on an optical disk. The contents of the data medium received this way are processed according to the inner regulations of the *Long-Term Preservation Service Provider* also according to the aforementioned principles. The *Long-Term Preservation Service Provider* does not preserve the received data medium, it returns the data medium as requested by the *Subscriber* or destroys it in a secure manner after processing the data obtained from the data medium.

4.3 Provision of the Long-Term Validation Material/Preservation Evidence Availability – E-Document Download

The *Long-Term Preservation Service Provider* ensures that the *Subscriber* can download his e-documents preserved in the archive and the corresponding preservation evidence during the validity period of the service agreement.

The *Subscriber* only has access to the e-documents and the preservation evidence preserved in the archive of the *Long-Term Preservation Service Provider* through a secure channel.

The download is typically done via internet by using the interface provided by the *Long-Term Preservation Service Provider* according to the following:

1. The *Subscriber* establishes a mutual identification based SSL/TLS connection with the server of the *Long-Term Preservation Service Provider* using his client authentication *Certificate*. The *Long-Term Preservation Service Provider* identifies the *Subscriber* based on the client authentication *Certificate* used for establishing the SSL/TLS connection.
2. The *Subscriber* selects the e-document he wishes to access. For choosing the right e-document he has opportunity to search for the e-documents on the web interface by the Dublin Core [49] compliant metadata corresponding to the e-document. The selection is done according to the identifier based on the hash clearly identifying the e-document.
3. The *Long-Term Preservation Service Provider* determines whether the *Subscriber* is entitled to access the selected electronic document.
4. In case of appropriate access rights the *Long-Term Preservation Service Provider* searches for the e-document preserved in the encrypted e-dossier in the archive based on the specified hash based identifier, and sends it to the *Subscriber* depending on the e-document type as follows:

- in case of an e-dossier encodes it with the public key corresponding to the *Subscriber* encryption *Certificate*, and sends through protected SSL/TLS connection the thus re-encrypted e-dossier to the *Subscriber*.
- in case of a PAdES formatted e-document it sends the decoded e-document unencrypted through a protected SSL/TLS connection to the *Subscriber*.
- in case of an ASiC formatted e-document it sends the decoded e-document unencrypted through a protected SSL/TLS connection to the *Subscriber*.

The *Long-Term Preservation Service Provider* does not guarantee the downloadability of e-document if the *Subscriber* has previously submitted a deletion request for e-document.

For certain types of subscriptions, the *Long-Term Preservation Service Provider* may refuse to download e-document if the *Subscriber* has already exceeded the download size limit available to him in the given period.

5. In case of the e-dossier based preservation the *Subscriber* possesses the private key corresponding to his encryption *Certificate* applied for using the long-term preservation service. He decodes the e-dossier with this key so gaining access to the preservation evidence and the electronic documents stored in the e-dossier.

In case previously agreed on with the *Long-Term Preservation Service Provider* the *Subscriber* may receive the e-documents and the preservation evidence preserved in the archive of the *Long-Term Preservation Service Provider* on a data medium, for example on an optical disk. The access also takes place by the aforementioned principles, but this time the *Subscriber* (or his representative authorized in writing) identifies himself not based on his authentication *Certificate*, but with a document appropriate for personal identification.

The handover of the data medium may happen during the face to face meeting with the employee of the *Long-Term Preservation Service Provider* having the proper security role or based on the formerly received written request of the *Subscriber* by using a trusted third party.

The uploaded e-documents are the property of the *Subscriber* (see section: 1.3.2), so the *Subscriber* also plays the role of data administrator. If a third party has access to the e-document, then he acts on behalf of the *Subscriber*.

4.4 Issuance of the Acknowledgement

At the request of the *Subscriber* the *Long-Term Preservation Service Provider* issues an acknowledgement in connection with the e-document. The acknowledgement consists of the following:

1. The statement that the advanced or qualified electronic signatures, seals, *Time Stamps* on the given e-documents and the corresponding *Certificates* were valid at the time of the time stamping and the validation after their upload.
2. The hash of the e-document, the name and identifier of the *Subscriber*.
3. The statement that the given e-document has the given hash, so it is identical to the e-document with the same hash presented by the *Subscriber*, or created with the help of the *Long-Term Preservation Service Provider*.
4. The time of the e-document acceptance into the archive.

The *Long-Term Preservation Service Provider* issues the acknowledgement on paper or in an e-dossier with a qualified electronic signature. The acknowledgement is created by an official responsible for issuing the archive acknowledgement, and in case of an electronic acknowledgement places his qualified electronic signature and a qualified *Time Stamp*, in case of a paper based acknowledgement he authenticates the printed acknowledgement with his handwritten signature. Knowledge of the archived e-document is not needed for the issuance of the acknowledgement, it is issued based on the hash of the unencrypted e-document preserved in cleartext. No information can be obtained from the hash value in relation to the content of the preserved electronic document. The applied solution ensures that the officials responsible for issuing the archive acknowledgement do not get to know the contents of the unencrypted electronic document in connection with the issuance of the acknowledgement.

The issuance of the acknowledgement may happen in a way that the *Subscriber* presents the *Long-Term Preservation Service Provider* the unencrypted archived e-document. Then, provided that the archive of the *Long-Term Preservation Service Provider* contains an e-document with the same hash as the presented unencrypted e-document, an official of the *Long-Term Preservation Service Provider* issues the acknowledgement in relation to the presented e-document.

The *Subscriber* may request the issuance of the acknowledgement from the *Long-Term Preservation Service Provider* with a paper based hand signed request submitted by any delivery manner or by filing an electronic request certified with at least an advanced electronic signature or seal which is based on qualified certificate.

The issuance of the acknowledgement may be requested by the authorized representative of the *Subscriber* if he presented the authorization of the *Subscriber* in a document containing also his signature beforehand.

For requesting the acknowledgement the *Subscriber* (or his representative) shall provide the hash of the e-document related to which he requests the acknowledgement. This information can be acquired from the searching interface described in section 4.3. The acknowledgement is issued by the *Long-Term Preservation Service Provider* to the *Subscriber* who the given e-document corresponds to according to the IT system of the *Long-Term Preservation Service Provider*. The *Long-Term Preservation Service Provider* only issues the acknowledgement to a third party in case of presenting the aforementioned authorization.

The issuance of the acknowledgement is performed in an e-dossier format, in the "format specified in the technical specification developed by the Ministry for Information Technology and Communications concerning the electronic signature formats applicable in public administration". At the request of the *Subscriber* the acknowledgement may be issued in another format. The *Long-Term Preservation Service Provider* uses a signing application which has a certificate issued by an independent certification organization for the issuance of the acknowledgement.

4.5 Document Display

At a date pre-agreed with the *Long-Term Preservation Service Provider* the *Subscribers* may view their e-documents stored in the archive of the *Long-Term Preservation Service Provider* at the customer service of the *Long-Term Preservation Service Provider* using the software and hardware devices of the *Long-Term Preservation Service Provider*.

For viewing the e-dossiers preserved in the archive the *Subscriber* shall bring with themselves their private key corresponding to their encryption *Certificate* necessary for using the long-term preservation service and the intelligent card that stores the key.

4.6 Deletion of the Document and the Long-Term Validation Material/Preservation Evidence

The *Long-Term Preservation Service Provider* deletes the e-documents and all the corresponding preservation evidence preserved in the archive at the request of the *Subscriber*. The deletion means the physical deletion of the preserved e-document and its overwriting in such a way that it can not be restored (or only with unrealistically high financial expenditure) from the data medium later. The deletion is performed on the whole system of the *Long-Term Preservation Service Provider*, and during the deletion it destroys every preserved copy of the e-document.

Deletion request can only be submitted during the validity of the service agreement before the end of the preservation period. The deletion request shall be submitted to the customer service of the *Long-Term Preservation Service Provider* in writing signed on paper or by an electronically signed application. The *Long-Term Preservation Service Provider* assesses and performs the deletion within one working day. The deletion request may be submitted in a way that the *Long-Term Preservation Service Provider* shall not perform the deletion immediately, but on a specified date. The *Long-Term Preservation Service Provider* sends a confirmation to the *Subscriber* about the deletion.

4.7 Termination of the Service Agreement

The *Long-Term Preservation Service Provider* makes available the e-documents and the preservation evidence corresponding to the *Subscriber* for download to the *Subscriber* or to another entitled person for 60 days after the termination of the service agreement.

After the deadline the *Long-Term Preservation Service Provider* deletes the e-documents and the preservation evidence corresponding to the *Subscriber*.

Even in case of the deletion occurring at the termination of contract the *Long-Term Preservation Service Provider* provides the deletion as described in section 4.6 so the deleted e-documents can not be restored.

5 Technical Security Measures

5.1 Security Guarantees

The *Long-Term Preservation Service Provider* uses reliable systems and products protected against modification. It uses a uniform IT system consisting of reliable, technically evaluated and certified security products for the provision of its services. The *Long-Term Preservation Service Provider* uses reliable systems and products that are protected against unauthorized modification. Both the *Long-Term Preservation Service Provider*, and the system supplier and installer contractors have significant experience in building certification services and use internationally recognized technology.

If the *Long-Term Preservation Service Provider* uses a trusted service of a third party, it shall verify whether that third party complies with every necessary requirement. The *Long-Term Preservation Service Provider* stores the archived e-documents in a physically protected environment, according to the physical and procedural requirements described in section 6, the safety of which is guaranteed by the internal security policies and the regular internal and external security audits. The *Long-Term Preservation Service Provider* ensures that the stored e-documents can not

be read even by its employees. The *Long-Term Preservation Service Provider* only submits the e-documents to a third party (e.g. authority) if the *Subscriber* authorizes it or when it is required by law.

The integrity of the stored e-dossiers is ensured by the physical protection of the e-dossiers, as well as by technologies related to electronic signatures. The availability of the e-documents is ensured by the high quality system of the *Long-Term Preservation Service Provider* and the internal regulations governing the system, the business continuity and emergency management procedures and other procedures for managing emergency situations. The *Long-Term Preservation Service Provider* avoids errors arising during operation and maintenance using these processes, and their continuous internal and external monitoring and testing. The *Long-Term Preservation Service Provider* stores the archived e-documents at two physical locations far from each other.

The *Long-Term Preservation Service Provider* destroys the archived e-documents – at the request of the *Subscriber* or in case of the termination of the contract – under the conditions described in section 4.6. The *Long-Term Preservation Service Provider* creates the signing keys used in the confirmations, the keys used to encrypt/decrypt archived e-documents and infrastructure and system control keys in a cryptographic hardware device. The *Long-Term Preservation Service Provider* periodically replaces these keys. The *Long-Term Preservation Service Provider* monitors the development of technology and if it detects that a key is no longer secure or the algorithm is no longer usable according to the decision of the National Media and Infocommunications Authority, it immediately replaces the affected key or keys.

The *Long-Term Preservation Service Provider* stores the e-documents in encrypted e-dossiers. The *Long-Term Preservation Service Provider* encrypts e-documents always using an algorithm which is considered safe at the given the state of technology. If the security of this algorithm is compromised during the development of technology, the *Long-Term Preservation Service Provider* ensures the re-encryption of the e-document with a secure algorithm based on its own internal regulations. It only restores the unencrypted e-documents for the fulfilment of the legal requirements relating to the provision of the long term preservation service, namely in the cases described in sections 4.3, 5.4 and 5.5.

5.2 Computer Security Precautions

The *Long-Term Preservation Service Provider* uses reliable IT systems and solutions, technologies and developed a redundant system. Two instances operate for all critical service provider system components, and in case of a failure of any of those units, the other unit takes over the operation. The confirmation signing keys, the keys required to encrypt/decrypt archived data and the infrastructure and system control keys are generated in a cryptographic hardware device.

The IT system of the *Long-Term Preservation Service Provider* is protected by a multi-stage firewall system. Each firewall has two copies, in case of the failure of a unit another instance of the same unit takes over its function by using a cluster.

5.3 Life-Cycle Related Technical Precautions

In order to meet the high level of security requirements in all the system development projects of the *Long-Term Preservation Service Provider*, the elevated requirements shall be taken into account in the overall development process (even in the planning and requirement definition phase).

Products used for the provision of services are applied by taking into account the life cycle related security considerations.

5.4 Regular Certification

The *Long-Term Preservation Service Provider* is bound to place a time stamp issued by a qualified provider or have a time stamp placed on the long-term validation material in the following cases:

- if the National Media and Infocommunications Authority makes such a decision;
- following the obligatory submission of the notification to the National Media and Infocommunications Authority about the initiation of the dissolution proceeding or the imposition of liquidation against the *Long-Term Preservation Service Provider*.

5.5 Re-Encrypting the Archive

The *Long-Term Preservation Service Provider* stores the archived e-documents encrypted in an e-dossier in the archive. It ensures that the archived e-documents are encrypted with an encryption algorithm that is secure at all times.

The *Long-Term Preservation Service Provider* currently uses the AES 256 algorithm for encryption with a unique encryption key for each e-dossier. The unique symmetric encryption key is protected by the *Long-Term Preservation Service Provider's* 2048-bit RSA-based encryption key.

The *Long-Term Preservation Service Provider* ensures that the e-documents are re-encrypted, if:

- an algorithm used for encryption loses confidence – in this case they should be re-encrypted with an algorithm considered safe at the time of encryption;
- the confidentiality of the decoding key of the *Long-Term Preservation Service Provider* is compromised;
- the *Qualified Long-Term Preservation Practice Statement* or the contract concluded with the *Subscriber* requires so.

After the *Long-Term Preservation Service Provider* re-encrypted the archived e-documents in a secure way, it destroys the former copies encrypted in a manner deemed not sufficiently secure.

5.6 Continuous Monitoring of Technology

The *Long-Term Preservation Service Provider* continuously monitors the development of the electronic signature and cryptography related technology. If the *Long-Term Preservation Service Provider* learns that a cryptographic algorithm with a given parameter which is accepted by the decision of the National Media and Infocommunications Authority is no longer secure, it notifies the National Media and Infocommunications Authority and requests the revision of the decision related to the cryptographic algorithms.

The *Long-Term Preservation Service Provider* is free to decide at any time to change the used cryptographic algorithm sets and their parameters in case of an algorithm and parameter accepted by the decision of the National Media and Infocommunications Authority.

5.7 Acceptance of the Certification and Time-Stamping Providers

The *Long-Term Preservation Service Provider* publishes on its website which *Certification Authorities* and *Time-Stamping Service Providers* it accepts *Certificates* and *Time Stamps* of. The list of the accepted providers is available at the following URL:

<https://e-szigno.hu/en/supported-service-providers.html>

The *Long-Term Preservation Service Provider* has documented procedures, according to which it accepts or declines the *Certificates* and *Time Stamps* of the particular *Certification Authorities* and *Time-Stamping Service Providers*. These procedures specify among others what measures the *Long-Term Preservation Service Provider* executes in case of a private key compromise of a previously accepted *Certification Authority* or *Time-Stamping Service Provider*.

5.8 The Maintenance of the Readability and Interpretability of the Electronic Documents

The *Long-Term Preservation Service Provider* ensures, that during the archival period certain file format displayer necessary software and hardware devices are made available continuously. The *Long-Term Preservation Service Provider* for this purpose developed regulated and audited internal processes. The *Long-Term Preservation Service Provider's* internal regulations cover at all times the availability provision of the hardware and software environment used to display files, the regular review of the environment and keeping it up to date.

The *Long-Term Preservation Service Provider* ensures the readability of the original signed bit sequence, so the *Long-Term Preservation Service Provider* does not transform the signed file to another format.

The *Long-Term Preservation Service Provider* ensures the technical readability of the file and is not responsible for the meaningful content of the file (for example a technically correct PDF file which contains an empty page due to a faulty scanning).

The *Long-Term Preservation Service Provider* accepts e-documents into its archive containing files with such a format, in respect of which it does not ensure readability and interpretability. The *Long-Term Preservation Service Provider* undertakes the preservation of documents, therefore the document legibility maintenance until the end of the validity period of the service contract agreement. At the termination of the service the *Long-Term Preservation Service Provider* hands over the service to another service provider as described in section 6.7. Then, in addition to the archived e-documents the *Long-Term Preservation Service Provider* hands over the knowledge to ensure the long-term view required for the software and hardware devices necessary to display the above supported file formats too.

The *Long-Term Preservation Service Provider* ensures legibility and interpretability with regard to the following file formats:

- ISO/IEC 646:1991 (7 bit character sets to ensure information exchange, ASCII) [38],
- ISO 8859-1:1998 (Latin-1, 8 bit graphic character set) [39],
- ISO 8859-2:1999 (Latin-2) [40], for the Hungarian reference set, the MSZ 7795-3:1992 [43] derogation under ASCII and ASCII/PC codes,
- Microsoft Rich Text Format 1.7. [52],

- Portable Document Format (PDF) 1.3. [58],
- PDF/A format (ISO 19005) [50],
- every version of the Microsec e-dossier format [51],
- XAdES ETSI TS 101 903 v1.2.2 [24], v1.3.2 [25], v1.4.1 [26] and v1.4.2 [27], format XAdES signatures (if an XML file contains XAdES signature, the *Long-Term Preservation Service Provider* ensures the interpretability of the signature),
- XAdES Baseline Profile ETSI TS 103 171 v2.1.1 [33],
- CAdES ETSI TS 101 733 v1.8.1 [22],
- CAdES Baseline Profile ETSI TS 101 733 v2.1.1 [23],
- ASiC ETSI TS 102 918 v1.3.1 [32],
- PAdES ETSI TS 102 778 -1 v1.1.1 [28], -2 v1.2.1 [29], -3 v1.1.2 [30], -4 v1.1.2 [31],
- ETSI EN 319 122-1 [10] format CAdES signatures
- ETSI EN 319 122-2 [11] format CAdES signatures
- ETSI EN 319 132-1 [12] format XAdES signatures
- ETSI EN 319 132-2 [13] format XAdES signatures
- ETSI EN 319 142-1 [14] format PAdES signatures
- ETSI EN 319 142-2 [15] format PAdES signatures
- ETSI EN 319 162-1 [16] format ASiC signatures
- ETSI EN 319 162-2 [17] format ASiC signatures
- IETF RFC 2822 (Internet Message Format) [45],
- IETF RFC 2045 (Multipurpose Internet Mail Extensions, MIME) [44],
- XML formats used in the electronic company procedures ¹,
- Such XML formats, for which the *Subscriber* submits to the *Long-Term Preservation Service Provider* the XSD schema definition and XSLT stylesheet used for the given XML format display in advance, and makes a statement about the manner in which the XML with the specific namespaces shall be displayed.

If a *Subscriber* requires the *Long-Term Preservation Service Provider* for a format not included in the above list to ensure the given format readability and interpretability, and indicates this demand to the *Long-Term Preservation Service Provider*, the *Long-Term Preservation Service Provider* shall examine the format according to the relevant procedural rules if this is feasible

¹The format which is available at the <http://www.e-cegjegyzekek.hu/e-cegeljaras/cegyomtatvany.htm> url.

and under what conditions. If the *Long-Term Preservation Service Provider* includes the format requested by the *Subscriber* to the formats supported in respect of readability and legibility, that means the modification of the present *Qualified Long-Term Preservation Practice Statement*.

The *Long-Term Preservation Service Provider* only supports versions of the aforementioned formats cited in the above specifications, the readability and display of files with different (or later) versions is not guaranteed. The *Long-Term Preservation Service Provider* undertakes the readability and interpretability of the formats, so if an application creates or displays files incorrectly, or differently from the above specifications, the *Long-Term Preservation Service Provider* is not responsible for any resulting damages.

The *Long-Term Preservation Service Provider* undertakes the display of the formats only to the extent described in the above cited specifications. If a format can contain embedded objects, the *Long-Term Preservation Service Provider* does not undertake the provision of the display of these embedded objects. Since the e-mail format (RFC 2822 [45]) does not specify the character coding of the e-mail, the *Long-Term Preservation Service Provider* only undertakes the display of such e-mails that has one of the aforementioned character coding. In case of "attachments" encoded according to the MIME specification (RFC 2045 [44]) the *Long-Term Preservation Service Provider* only undertakes the display of only those attachments which has one of the aforementioned formats.

The *Long-Term Preservation Service Provider* undertakes the readability and display of files according to the definition of the files described in section 1.5. This means that the *Long-Term Preservation Service Provider* only ensures the interpretability and display of a file (in an aforementioned format) if it is inserted into an e-document. The *Long-Term Preservation Service Provider* does not undertake the readability of files encoded with other (further) transformations, particularly the encrypted files. Besides the files the *Long-Term Preservation Service Provider* ensures the readability and display of the e-dossiers too. This extends to the verifiability of signatures, seals and *Time Stamps*, and the extraction of files placed in e-dossiers.

The determination of the file formats is performed based on the "mimeType" value in the e-document, without which the *Long-Term Preservation Service Provider* considers the given electronic document format unrecognized and does not ensure the interpretability of the electronic document. The *Long-Term Preservation Service Provider* supports the usage of the "mimeType" values in the following list:

- text/txt
- application/xml
- text/xml
- text/plain
- application/pdf
- application/eszigno3
- application/vnd.eszigno3+xml
- application/octet-stream(dosszie)
- application/octet-stream(es3)

- application/nldossier2
- application/octet-stream(xml)
- application/octet-stream(pdf)

The *Long-Term Preservation Service Provider* draws *Clients'* attention to that if they enable the usage of active elements (particularly in case of some non-character formats) in some formats, then it may happen that the file formatted such way might display differently at different times even according to the aforementioned specifications. The *Long-Term Preservation Service Provider* recommends its *Clients* that if it is possible, they should not place a signature on files containing active elements. The *Long-Term Preservation Service Provider* displays the active elements according to the aforementioned specifications, but it does not undertake responsibility for damages resulting from the various displayability – but compliant with the aforementioned specifications – of files.

The *Long-Term Preservation Service Provider* doesn't perform any checks on whether the uploaded e-document contain any active code, which may result in a change in display of the document.

At the time of the reception of an e-dossier the *Long-Term Preservation Service Provider* checks with an automation that whether the files in the e-dossier have any of the supported formats. For those, which does not have a supported format, it refuses the maintenance of readability. The verification described in section 4.2. contains that the format of which file is unknown – the readability of such files is not guaranteed by the *Long-Term Preservation Service Provider*. The check carried out at the reception is not complete, the *Long-Term Preservation Service Provider* assumes no responsibility that the file format not considered unknown have supported format and correct syntax.

5.9 The Availability of Certain Elements of the Electronic Long-Term Preservation Service

The annual availability of the following electronic long term preservation service elements is 99% and the occasional service interruptions shall not exceed 3 days:

- the electronic download of the archived e-documents and validity chains;
- search of archived e-documents;
- receiving deletion requests;
- receiving timed deletion requests (with the help of which the *Subscriber* can specify how long a given e-document is archived by the *Long-Term Preservation Service Provider*), and the modification of former timed deletion requests;
- requesting information on the status of previously sent requests.

The *Long-Term Preservation Service Provider* is entitled to suspend the e-document upload service.

The customer service of the *Long-Term Preservation Service Provider* accepts applications for issuance of a verification every working day during office hours; the issuance of verifications takes place under 3 days.

The office hours of the customer service of the *Long-Term Preservation Service Provider* is in section 1.3.1.

6 Facility, Management, and Operational Controls

The *Long-Term Preservation Service Provider* applies physical, procedural, and personnel security precautions that comply with acknowledged standards, along with the administrative and governance related procedures that enforce these.

The *Long-Term Preservation Service Provider* keeps a record of the system units and resources related to the service provision, and conducts a risk assessment on these. It uses protective measures proportional to the risks related to the individual elements.

The *Long-Term Preservation Service Provider* monitors the capacity demands and ensures that the adequate processing power and storage are available for the provision of the service.

6.1 Physical Controls

The *Long-Term Preservation Service Provider* takes care that physical access to critical services is controlled, and keeps physical risk of the assets related to critical services at a minimum.

The purpose of physical precautions is to prevent illegitimate access, damage, and unauthorized access to the *Long-Term Preservation Service Provider's* information, and physical zones.

Services that process critical and sensitive information are implemented at secure locations in the system of the *Long-Term Preservation Service Provider*.

The provided protection is proportional to the identified threats of the risk analysis that the *Long-Term Preservation Service Provider* has performed.

In order to provide adequate security:

- The *Long-Term Preservation Service Provider* implements the strongly protected services in its protected computer room. This computer room has been designed and constructed specifically for this purpose, by its design uniform enforcement of various aspects of protection (the placement and structure of the site, physical access (access control and supervision), power supply, air conditioning, protection against water leakage and flooding, fire prevention and protection, media storage etc.) took place.
- The *Long-Term Preservation Service Provider* implements every critical service and every necessary tool in a separate security zone. All the devices necessary for this are placed in a protected computer room – forming part of the security zone.

6.1.1 Site Location and Construction

The IT system of the *Long-Term Preservation Service Provider* is located and operated within a properly secured *Data Centre* with physical and logical protection that prevents illegitimate access. Defensive solutions – as for example guarding, security locks, intrusion detection systems, video surveillance system, access control system – are applied over the course of locating and establishing the *Data Centre* that are built on each other and interdependent and together they provide a powerful protection system for the IT systems participating in service provision, and for the preservation of the confidential data stored by the provider.

6.1.2 Physical Access

The *Long-Term Preservation Service Provider* protects devices and equipment that take part in the service provision from unauthorized physical access in order to prevent tampering with the devices.

Long-Term Preservation Service Provider ensures that:

- each entry to the *Data Centre* is registered;
- entry to the *Data Centre* may only happen after the simultaneous identification of two authorized staff members with trusted roles – and at least one of the staff members shall be a system administrator;
- persons without independent authorization can only stay in the *Data Centre* in justified cases, for the time required and accompanied by personnel with appropriate rights;
- the entry logs shall be archived continuously and evaluated weekly.

The activation data (passwords, PIN codes) of the devices shall not be stored openly even in the *Data Centre*.

In the presence of unauthorized persons:

- data media containing sensitive information are physically out of reach;
- the logged-in terminals are not left without supervision;
- no work process is carried out during which confidential information may be revealed.

When leaving the computer room the administrator shall verify that:

- every equipment of the *Data Centre* is in an adequately secure operation state;
- there's no terminal left logged-in;
- physical storage devices are locked properly;
- systems, devices providing physical protection operate properly;
- the alarm system has been activated.

There are appointed responsible people to carry out regular physical security assessments. The results of the examinations are recorded in the appropriate log entries.

6.1.3 Power and Air Conditioning

The *Long-Term Preservation Service Provider* applies an uninterruptible power supply unit in the *Data Centre* that:

- has adequate capacity to ensure power supply for the *Data Centre's* IT and subsidiary facility systems;

- protects IT equipment from voltage fluctuations in the external network, power outages, spikes and other;
- in case of lasting power outage has its own power generation equipment, which – by allowing refueling – is able to provide the necessary energy for any period of time.

The air of the outer environment shall not get into the *Data Centre* directly. The *Data Centre* air purity is ensured with adequate filter system to detect a variety of contaminants from the air (dust, pollutants, and corrosive materials, toxic or flammable substances). The ventilation system provides the necessary amount of fresh air with adequate filtration for the safe working conditions of the operators.

The humidity is reduced to the level required by the IT systems.

The *Long-Term Preservation Service Provider* uses cooling systems with proper performance to provide the necessary operating temperature, to prevent overheating of IT devices.

6.1.4 Water Exposures

The *Data Centre* of the *Long-Term Preservation Service Provider* is adequately protected from water intrusion and flooding. The total area of the security zone is free from sanitary facilities, there is not any drain or water pipe close to it. The total area of water security zone is monitored by an intrusion detection system. In the protected computer room security is further increased by the use of a raised floor.

6.1.5 Fire Prevention and Protection

In the *Data Centre* of the *Long-Term Preservation Service Provider*, a fire protection system approved by the competent fire headquarters operates. Smoke and fire detectors automatically alert the fire brigade. Water vapor based, automatic fire extinguishing system has been installed in the computer room, which is not hazardous to human life, and does not damage the IT equipment. There is the type and quantity of manual fire extinguishers in accordance with the relevant regulations at clearly visible locations in each room.

6.1.6 Media Storage

The *Long-Term Preservation Service Provider* protects its media storages from unauthorized access and accidental damage. All audit and archive data is created in duplicate. The two copies are stored separately from each other physically, at locations in a safe distance from each other. The stored media storages are protected from damaging environmental influences such as low or high temperatures, dirt, moisture, sunlight, strong magnetic fields, strong radiation.

The *Long-Term Preservation Service Provider* stores the primary media storages in the operational room of the certification organization, a code locked fireproof vault, the secondary copies in a vault in the customer service office.

6.1.7 Waste Disposal

The *Long-Term Preservation Service Provider* ensures the environmental standards compliant disposal of the superfluous assets, and media.

The *Long-Term Preservation Service Provider* does not use the electronic storage media containing information classified as confidential even for storing data classified as not confidential after deleting their content and devices like that shall not be taken outside of the premises of the *Long-Term Preservation Service Provider*. The *Long-Term Preservation Service Provider* physically destroys – according to the rules of disposal – the defective for any other reason unusable, redundant media storages containing confidential classified information:

- chops paper documents up in a shredder machine;
- disassembles the hard drives and smashes the critical components;
- destroys the optical disc with a suitable shredder machine.

6.1.8 Off-Site Backup

The *Long-Term Preservation Service Provider* creates a backup weekly from which the whole service could be restored in case of a fatal error. The backups – at least including the last full backup – are stored at an external location that's physical and operational protection is identical to the primary site. The secure data transmission from the primary to the backup locations is resolved.

Based on the randomly selected backup data a restoration test is made at least yearly. The main circumstances and results of the restoration test is recorded in an audit report.

6.2 Procedural Controls

The *Long-Term Preservation Service Provider* takes care that its systems are operated securely, according to the rules, and with a minimal risk of defects.

Procedural precautions have the objective of supplementing, and at the same time intensifying the effectiveness of physical safeguards, along with those applicable to personnel, by means of appointing and isolating trusted roles, documenting the responsibilities of various roles, as well as specifying the personnel headcounts and exclusion roles necessary for the various tasks, moreover identification and authentication expected in the various roles.

The *Long-Term Preservation Service Provider's* internal governance system ensures that its operation complies with legal, as well as its internal regulations. In its system a responsible person shall be clearly assigned for every given system unit and process.

Individuals responsible for a given system element or process are assigned unambiguously to every system element and every process in its system. Development and operations related tasks are sharply segregated in the *Long-Term Preservation Service Provider's* system. The auditing activity of the independent system auditor and the *Long-Term Preservation Service Provider's* internal auditor ensures the system's appropriate operation.

6.2.1 Trusted Roles

The *Long-Term Preservation Service Provider* creates trusted roles for the performance of its tasks. The rights and functions are shared among the various trusted roles in such a way that one user alone shall not be able to bypass the security protection measures.

The *Long-Term Preservation Service Provider* defines the following trusted roles, with the following responsibilities:

Manager with overall responsibility for the IT system of the *Long-Term Preservation Service Provider*:

The individual responsible for the IT system.

Security officer: Senior security associate, the individual with overall responsibility for the security of the service.

System administrator: Infrastructure administrator. The individual with the task to install, configure and maintain the systems of the *Long-Term Preservation Service Provider*. Responsible, for the reliable and continuous operation of the assigned system units, and for monitoring the development of technology, and for the detection and proposing of development solutions of the vulnerabilities of each system component.

Operator: System operator, individual performing the IT system's continuous operation, backup and restore.

Independent system auditor: Individual who audits the logged, as well as archived dataset of the *Long-Term Preservation Service Provider*, responsible for verifying the enforcement of control measures the service provider implements in the interest of operation that complies with regulations, moreover for the continuous auditing and monitoring of existing procedures.

Long term preservation officer: It is possible to decrypt an electronic document with the cooperation of two long term preservation officer. The long term preservation officers are responsible for the secure management of the decrypted electronic document, and for its destruction after use.

Officer responsible for long term preservation statement issuance: His duty is the issuance and certification of the long term preservation statements.

For the provision of trusted roles the manager responsible for the security of the *Long-Term Preservation Service Provider* formally appoints the *Long-Term Preservation Service Provider's* employees.

Only those persons may hold a trusted role who are in employment relationship with the *Long-Term Preservation Service Provider*. Trusted roles shall not be hold in the context of a commission contract.

Up to date records are kept of the trusted roles and in case of any change, the National Media and Infocommunications Authority is notified without delay.

6.2.2 Number of Persons Required per Task

The security and operational regulations of the *Long-Term Preservation Service Provider* define that the following tasks can be only performed in protected environment, with the contemporaneous presence of two employees holding trusted roles:

- the generation of the *Long-Term Preservation Service Provider's* own service key pair;
- the backup of the provider's private key;

- the activation of the provider's private key;
- the destruction of the provider's private key.

At least one of the persons performing the procedures listed above shall be a system administrator, and the other person shall not be the independent system auditor.

The co-operation of two long term preservation officer is necessary to decrypt an encrypted electronic document stored in the archive. The long term preservation officers are responsible for the secure management of the decrypted electronic document, and for its destruction after use.

During the implementation of the operations listed, unauthorized person shall not be present in the room.

6.2.3 Identification and Authentication for Each Role

The users managing the IT system of the *Long-Term Preservation Service Provider* have unique identification data, enabling secure identification and authentication of the users.

The users can only access the IT systems critical from the aspect of the provision of the certification service after identification and authentication.

The identification and authentication data are revoked without delay in case of the cessation of user rights.

Every user of the IT system and every actor in the administrative process is identified individually.

For the verification of the physical access, the *Long-Term Preservation Service Provider* uses an RFID card based access control system, and for the logical access control, it uses VPN Certificates issued on a Secure Signature-Creation Device. Before successful authorization, not even a single security-critical task can be performed. Every employee of the *Long-Term Preservation Service Provider* has exactly as many access rights, as it is absolutely necessary for the assigned role.

6.2.4 Roles Requiring Separation of Duties

Employees of the *Long-Term Preservation Service Provider* can hold multiple trusted roles at the same time, but the *Long-Term Preservation Service Provider* ensures that:

- the security officer and the registration officer shall not hold the independent system auditor role;
- the system administrator shall not hold the security officer and the independent system auditor role;
- the manager with overall responsibility for the IT system shall not hold the security officer and the independent system auditor role.

In addition to the aforementioned, the *Long-Term Preservation Service Provider* seeks the complete separation of trusted roles.

6.3 Personnel Controls

The *Long-Term Preservation Service Provider* takes care that its personnel policy, and its practices applicable to employing staff members intensify and support the reliability of the *Long-Term Preservation Service Provider's* operation. The objective of precautions applicable to personnel is to reduce the risk of human errors, theft, fraud and cases of misuse.

The *Long-Term Preservation Service Provider* addresses personnel security already during the hiring stage, including the conclusion of contracts, as well as their validation when they are being employed. In the case of all trusted roles, applicants have valid certificate of no criminal record at the time of the application. Every employee in a trusted role and external parties – who get in contact with the *Long-Term Preservation Service Provider's* services – shall sign a non-disclosure agreement.

At the same time, the *Long-Term Preservation Service Provider* ensures for its employees obtaining as well as further developing of common, general know-how along with the specialized professional knowledge necessary for performing the various jobs.

6.3.1 Qualifications, Experience, and Clearance Requirements

As a hiring requirement, the *Long-Term Preservation Service Provider* requires at least intermediate education degree, but the *Long-Term Preservation Service Provider* continues to take care that employees receive appropriate training. Immediately after recruitment, the *Long-Term Preservation Service Provider* grants a training for its new employees, under the course of which they acquire the knowledge necessary to carry out the job. The *Long-Term Preservation Service Provider* usually supports the professional development of the employees, but it also expects employees to independently develop their skills in their respective fields. Some of the employees of the *Long-Term Preservation Service Provider* have the role to detect and gather the technical and business innovations and to organize, and share this knowledge with their colleagues.

Trusted roles can be held at the *Long-Term Preservation Service Provider* only by persons, who have no external influence and possess the necessary expertise validated by the *Long-Term Preservation Service Provider*. All personnel in trusted roles shall be free from conflict of interest that might prejudice the impartiality of the *Long-Term Preservation Service Provider's* operations.

The manager with overall responsibility for the IT system can only be a person who has:

- specialized degree (mathematics, physics college or university degree or a college/university degree acquired at an engineering department belonging to the technical field of science);
- at least three years of expertise in professional working experience related to information security.

6.3.2 Background Check Procedures

The *Long-Term Preservation Service Provider* only hires employees for trusted or leading roles, who

- have a clean record and there's no proceeding in progress against them that may affect the impunity.

- are not subject to professional disqualifications prohibiting to exercise electronic signatures related services.

At the time of the appointment, shall the leading role holder *Long-Term Preservation Service Provider* employee with a statement, a trusted role holder employee with a certificate of good conduct less than 3 months old justify the clean criminal record.

The *Long-Term Preservation Service Provider* verifies the authenticity of the relevant information given in the applicant's CV during the hiring process, like previous employment, professional references, most relevant educational qualifications.

6.3.3 Training Requirements

The *Long-Term Preservation Service Provider* trains the newly recruited employees, over the course of which they acquire

- basic PKI knowledge;
- the specifics and the way of handling the *Long-Term Preservation Service Provider's* IT system;
- the necessary special knowledge for fulfilling their scope of activities;
- processes and procedures defined in the public and inner regulations of the *Long-Term Preservation Service Provider*;
- the legal consequences of the individual activities;
- the applicable IT security regulations to the extent necessary to the specific scope of activities;
- the data protection rules.

Only employees having passed the training shall gain access to the he production IT system of the *Long-Term Preservation Service Provider*.

6.3.4 Retraining Frequency and Requirements

The *Long-Term Preservation Service Provider* ensures that the employees have the necessary knowledge continuously, so if needed, further or repeater type of training is held.

Further training is held if there's a change within the processes or the IT system of the *Long-Term Preservation Service Provider*.

The training material is updated at least in every 12 months and contains the new threats and actual security practices.

The training is adequately documented, from what the syllabus and the scope of the participator employees can be clearly determined.

6.3.5 Job Rotation Frequency and Sequence

The *Long-Term Preservation Service Provider* does not apply mandatory rotation between individual work schedules.

6.3.6 Sanctions for Unauthorized Actions

The *Long-Term Preservation Service Provider* regulates the prosecution possibilities of the employees in an employment contract in case of failures, errors, accidental or intentional damage. If the employee – due to negligence or intentionally – violates their obligations, sanctions could be taken against him by the *Long-Term Preservation Service Provider*, which it sets out having regard to the offense and the consequences. The sanctions may include disciplinary proceedings, dismissal, revocation of appointment, criminal liability. Upon appointment every trusted role employee as part of the employment documents:

- gets written information about legal liabilities, rights, certification and management standards for the treatment of personal data,
- gets a job description that includes the concerning security tasks,
- signs a confidentiality agreement in which the related consequences non-compliant with security measures, (criminal sanctions) can be found too.

All of these include the labor legislation or criminal consequences, that sanction the different discipline – job obligations – violation or breaking the law.

6.3.7 Independent Contractor Requirements

The *Long-Term Preservation Service Provider* only assigns trusted roles to its employees.

The *Long-Term Preservation Service Provider* chooses persons employed with engagement contract or subcontract to perform the other tasks, chosen if possible, from the list of previously qualified suppliers. The *Long-Term Preservation Service Provider* concludes a written contract before working with suppliers.

Each contracting party – before the start of the active work – signs a confidentiality statement in which he agrees that the business / corporate secrets learned later on will not be covered up to unauthorized persons, and will not be exploited in any other way. The confidentiality statement includes sanctions in case of violation. External employees employed under the contract are expected to have appropriate technical skills, and the *Long-Term Preservation Service Provider* does not hold any trainings for them.

6.3.8 Documentation Supplied to Personnel

The *Long-Term Preservation Service Provider* continuously provides for the employees the availability of the current documentation and regulations necessary to perform their roles.

Each employee in trusted role receives the following documents in writing:

- the organizational security regulations of the *Long-Term Preservation Service Provider*,
- the confidentiality agreement to be signed,
- personal job description,
- educational materials on the occasion of the planned or special training for the specific form of education.

All employees are informed in a written notice about any changes in the organizational security regulations.

6.4 Audit Logging Procedures

In order to maintain a secure IT environment the *Long-Term Preservation Service Provider* implements and operates an event logger and control system covering its full IT system.

6.4.1 Types of Events Recorded

The *Long-Term Preservation Service Provider* logs every security-related event that can provide information on events, changes happened in the IT system or in its physical environment according to the generally accepted information security practice. In case of every log entry, it stores the following data:

- the time of the event;
- the type of the event;
- the identification of the user or the system who/what triggered the event;
- the success or failure of the audited event.

All new audit record is appended to the audit records. The earlier saved audit records can't be modified or deleted.

All of the essential event logs are available to the independent system auditors, who examine the compliance of the *Long-Term Preservation Service Provider's* operation.

The *Long-Term Preservation Service Provider* logs The following events at minimum:

- INTERNAL CLOCK
 - the synchronization of the internal clock to the UTC time, including the operational re-calibrations too;
 - the loss of synchronization;
- LONG TERM PRESERVATION
 - information related to the upload of the e-dossiers and the validation of the electronic signatures within them;
 - information related to the availability of data, integrity preservation, authenticity and non-repudiation preservation, maintenance of the information readability and deletion;
 - information related to the e-dossier download, statement request fulfilment, and the handover of the archive to another provider;
- LOGGING:
 - the shutdown, restart of the logging system or some of its components;

- the modification of any parameter of the logging settings, for example the frequency, alert threshold, and the event to be examined;
 - the modification or deletion of the stored logging data;
 - the activities performed because of the logging system's failure.
- SYSTEM LOGINS:
 - successful logins, unsuccessful login attempts for trusted roles;
 - in case of password based authentication:
 - * the change of the number of permitted unsuccessful attempts;
 - * reaching the limit of the permitted number of the unsuccessful login attempts in case of user login;
 - * readmission of the user blocked because of the unsuccessful login attempts;
 - changing the authentication technique (for example from password based to PKI based).
- KEY MANAGEMENT:
 - all events for the entire life cycle of service keys (key generation, saving, loading, destruction etc.);
- CERTIFICATE MANAGEMENT:
- DATA FLOWS:
 - any kind of security-critical data manually entered into the system;
 - security-relevant data, messages received by the system;
- *Hardware Security Module*:
 - installing *Hardware Security Module*;
 - removing *Hardware Security Module*;
 - disposing, destructing *Hardware Security Module*;
 - delivering *Hardware Security Module*;
 - clearing (resetting) *Hardware Security Module*;
 - uploading keys, certificates to the *Hardware Security Module*.
- CONFIGURATION CHANGE:
 - hardware;
 - software;
 - operating system;
 - patch;
 - installation, update and removal of software on a Certificate System;
- PHYSICAL ACCESS, LOCATION SECURITY:

- person entry to and exit from the security zone holding the system components used for providing the trust service;
 - access to a system component used for providing the trust service;
 - a known or suspected breach of physical security;
 - firewall or router traffic.
- OPERATIONAL ANOMALIES:
 - system crash, hardware failure;
 - software failures;
 - software integrity validation error;
 - incorrect or wrongly addressed messages;
 - network attacks, attack attempts;
 - equipment failure;
 - electric power malfunctions;
 - uninterruptible power supply error;
 - an essential network service access error;
 - violation of the *Qualified Long-Term Preservation Practice Statement*;
 - deletion of the operating system clock.
 - OTHER EVENTS:
 - appointment of a person to a security role;
 - operating system installation;
 - PKI application installation;
 - initiation of a system;
 - entry attempt to the PKI application;
 - password modification, setting attempt;
 - saving the inner database, and restore from a backup;
 - file operations (for example creating, renaming, moving);
 - database access.

6.4.2 Frequency of Audit Log Processing

The independent system auditors of the *Long-Term Preservation Service Provider* evaluates the generated log files every working day.

During the evaluation, the authenticity and integrity of the examined logs is ensured, the error messages in the logs are checked and if needed, document the differences and take measures to eliminate the cause of the deviation.

For the IT system evaluation, the *Long-Term Preservation Service Provider* uses automated evaluation tools too, that are used to monitor the resulting log entries according to preset criteria and, where necessary, alert the operational staff. The notifications received from the automated evaluation tools are processed and evaluated by the experts of the IT operation within 24 hours.

The fact of the investigation, the results of the investigation and the measures undertaken to avert deficiencies found are properly documented.

6.4.3 Retention Period for Audit Log

Before the deletion from the online system, the logs are archived and their secure preservation is ensured by the *Long-Term Preservation Service Provider* for the amount of time defined in Section 6.5.2, but at least 10 years from the date of their creation.

For that time period, the *Long-Term Preservation Service Provider* ensures the readability of archived data, and maintains the software and hardware tools necessary for that.

6.4.4 Protection of Audit Log

The *Long-Term Preservation Service Provider* protects the created logs for the required preservation time. During the whole preservation time, the following properties of the logs' data is ensured:

- protection against unauthorized disclosure: only authorized persons – primarily the independent system auditors – access the logs;
- availability: authorized persons are granted access to the logs;
- integrity: any data alteration, deletion in the log files and change in the order of the entries, etc. is prevented.

The *Long-Term Preservation Service Provider* provides the log records with qualified *Time Stamps*, and they are stored in a way excluding the seamless insertion and deletion of the log entries.

The log files are protected against accidental and malicious damage by backups. In case of log entries containing personal data, the *Long-Term Preservation Service Provider* makes sure of the confidential storage of the data. Only those individuals are entitled to access to the log entries, who absolutely need it for their work. The *Long-Term Preservation Service Provider* verifies the accesses in a secure way. The *Long-Term Preservation Service Provider* preserves the log files in a secure environment. Keeps copies of the files at the second operation site.

6.4.5 Audit Log Backup Procedures

Daily log files are created from the continuously generated log entries during the operation in each system.

The daily log files are archived in two copies after the evaluation and stored physically apart from each other, at separate sites for the required time.

The exact process of backups shall be defined in the backup regulations of the *Long-Term Preservation Service Provider*.

6.4.6 Audit Collection System (Internal vs External)

Each application automatically collects and sends the records to the logging system.

The logging functions start automatically at the time of the system launch and they are run continuously during the entire period of system operation.

In case of any anomaly in the automatic examiner and logging systems, the operation of the related areas are suspended by the *Long-Term Preservation Service Provider* until the incident is resolved.

6.4.7 Notification to Event-causing Subject

The persons, organizations and applications that caused the error event are not always notified, but if necessary the *Long-Term Preservation Service Provider* involves them in the investigation of the event. The Clients affected by triggering the event has the duty to cooperate with the *Long-Term Preservation Service Provider* to explore the event.

6.4.8 Vulnerability Assessments

Besides processing daily the log entries, the experts of the *Long-Term Preservation Service Provider* monitor the publicly available information about possible vulnerabilities and the new software patches. They analyse the information, classify the vulnerability and if necessary inform the management about the result and propose an action plan to increase the security of the system.

Every major event of significant deficiencies detected or in case of external threat within a period of 48 hours after its discovery, but at least once a year the experts of the *Long-Term Preservation Service Provider* perform a comprehensive vulnerability analysis using a mapping of potential internal and external threats that may result in unauthorized access.

Based on the results of the analysis the *Long-Term Preservation Service Provider*

- creates and implements a plan to mitigate the vulnerability; or
- documents the factual basis for the decision that the residual risk is accepted and the vulnerability does not require remediation.

At first the new software versions and software patches are installed on the test system of the *Long-Term Preservation Service Provider* and only after the successfully finished test are installed on the live system which is used to provide the services.

The new software patches are not installed on the live system if they introduce additional vulnerabilities or instabilities that outweigh the benefits of applying them. The reasons for not applying any security patches are documented.

6.5 Records Archival

6.5.1 Types of Records Archived

The *Long-Term Preservation Service Provider* is prepared to the proper secure long-term archiving of electronic and paper documents.

The *Long-Term Preservation Service Provider* archives the following types of information:

- every document related to the accreditation of the *Long-Term Preservation Service Provider*;
- all issued versions of the *Certificate Policies*;
- all issued versions of the *Qualified Long-Term Preservation Practice Statements*;
- all issued versions of the General Terms and Conditions;
- contracts related to the operation of the *Long-Term Preservation Service Provider*;
- every electronic and paper based log entry.

6.5.2 Retention Period for Archive

The *Long-Term Preservation Service Provider* preserves the archived data for the time periods below:

- the *Qualified Long-Term Preservation Policy* for at least 10 years from the date of repeal;
- *Qualified Long-Term Preservation Practice Statement* for at least 10 years from the date of repeal;
- General Terms and Conditions for at least 10 years from the date of repeal;
- all other documents to be archived for at least 10 years from the date of their creation.

6.5.3 Protection of Archive

The *Long-Term Preservation Service Provider* stores all archived data in two copies at locations physically apart from each other. Authentic paper or electronic copy is made in accordance with the applicable law from the only authentic paper based copy of the document available.

Each of the two locations fulfils the requirements for archiving security and other requirements.

During the preservation of the archived data, it is ensured that:

- their integrity is preserved;
- they are protected against unauthorized access ;
- they are available;
- they preserve authenticity.

The archived electronic data is provided with at least an advanced electronic signature or seal and a qualified *Time Stamp*.

6.5.4 Archive Backup Procedures

The *Long-Term Preservation Service Provider* makes an authentic electronic copy of the original paper documents in accordance with the relevant legislation. Electronic copies are stored according to the same rules as other protected electronic documents.

After archiving the authentic electronic copies the *Long-Term Preservation Service Provider* may destroy the original paper documents.

6.5.5 Requirements for Time-stamping of Records

Every electronic log entry is provided with a time mark, on which the system provided time is indicated at least to one second precision.

The time value is given by the internal clock of the *Long-Term Preservation Service Provider* which is synchronized to two separate Stratum-1 UTC time sources:

- one accurate time source uses the satellite-based GPS signal;
- the other accurate time source is based on the longwave time signal service (DCF77).

In order to provide accuracy the *Long-Term Preservation Service Provider* synchronizes its own internal time with the above Stratum-1 sources within a 0.1 second accuracy, and it performs this synchronization at least 4 times a day.

This way the *Long-Term Preservation Service Provider* guarantees that the deviation of the time indicated in the time marks from the UTC time base is at most 1 second.

The *Long-Term Preservation Service Provider* provides the daily log files with a qualified *Time Stamp*.

During the preservation of the archived data, if necessary (for example algorithm change expiration of the original *Time Stamp*) the authenticity of the data is ensured.

6.5.6 Archive Collection System (Internal or External)

The log entries are generated in the *Long-Term Preservation Service Provider's* protected computer system, and only the log files that are electronically signed and protected with qualified timestamps can leave it.

One original copy of the documents created during the service provision is stored and protected by the *Long-Term Preservation Service Provider* in an inner data storage operated by it.

6.5.7 Procedures to Obtain and Verify Archive Information

The *Long-Term Preservation Service Provider* creates the log files manually or automatically. In case of an automatic logging system, the certified log files are generated daily.

The archived files are protected from unauthorized access.

Controlled access to the archived data is only available to the eligible persons:

- *Clients* are eligible to see the data stored about them;
- in legal litigation in order to provide evidence the necessary data shall be provided.

6.6 Compromise and Disaster Recovery

In case of a disaster, the *Long-Term Preservation Service Provider* takes all necessary measures in order to minimize the damage resulting from the shortfall of the service, and it restores the services as quickly as possible.

Based on the assessment of the incident that occurred, it takes the necessary amendments, corrective measures to prevent future occurrence of the incident.

Once the problem resolved, the event is reported to the National Media and Infocommunications Authority, as the supervisory authority.

6.6.1 Incident and Compromise Handling Procedures

The *Long-Term Preservation Service Provider* has a business continuity plan.

The *Long-Term Preservation Service Provider* established and maintains a fully functional backup system, which is at a safe distance from the primary location, geographically located at a different place and is independently capable of supplying the full range of services.

The *Long-Term Preservation Service Provider* annually tests the changeover to a backup system and reviews its business continuity plans.

The *Long-Term Preservation Service Provider* has increased security tools and systems in order to minimize the software and hardware failures and data corruptions. The recoverability of services is guaranteed by the underpinning contracts and own backup tools of the *Long-Term Preservation Service Provider*.

The *Long-Term Preservation Service Provider* constructed its IT system providing the trust services in such a way that in case of the dropout of any one device, it is able to continue the provision of its trust services.

6.6.2 Computing Resources, Software, and/or Data are Corrupted

The IT systems of the *Long-Term Preservation Service Provider* are built of reliable hardware and software components. The critical functions are implemented using redundant system elements so that in the event of an item failure they are able to operate further.

The *Long-Term Preservation Service Provider* makes a full daily backup of its databases and the generated log events.

The *Long-Term Preservation Service Provider* makes full system backups as frequently as necessary to be able to restore the full service in case of a disaster.

The business continuity plan of the *Long-Term Preservation Service Provider* includes accurate requirements for the tasks to be performed in case of critical system component failure.

Once the problem resolved and the integrity restored, the *Long-Term Preservation Service Provider* restarts its services as soon as possible.

6.6.3 Business Continuity Capabilities After a Disaster

The tasks to be performed in case of service failure due to natural or other disaster are defined in the *Long-Term Preservation Service Provider's* business continuity plan.

In the event of disaster, the regulations come into force, the damage control and the restoration of the services begins.

The secondary services site is placed so far away from the primary site that a probable disaster cannot reach both locations simultaneously.

The *Long-Term Preservation Service Provider* is obliged to notify the affected users as quickly as possible in the event of the disaster.

After the restoration of the services, the *Long-Term Preservation Service Provider* restores its devices damaged during the disaster and the original service security level as quickly as possible

6.7 Long-Term Preservation Service Termination

In the event of the planned termination of the service, the *Long-Term Preservation Service Provider* notifies the end users and the National Media and Infocommunications Authority at least 60 days prior to the termination of the service.

At the same time with the notification about the service termination, the *Long-Term Preservation Service Provider* shuts down the following services:

- new electronic document acceptance into the archive.

The *Long-Term Preservation Service Provider* terminates the service agreements at least 30 days before the planned termination and calls the *Subscribers* to download their electronic documents stored in the archive.

The *Long-Term Preservation Service Provider* at least 20 days before the planned termination, but at least 14 days after the notification of the *Clients* shuts down the following services:

- issuance of the statements on the stored electronic documents.

At the same time of the termination, the *Long-Term Preservation Service Provider* shuts down the following services:

- the download of the electronic documents stored in the archive
- technical support.
- information provision.

Before a planned termination, the *Long-Term Preservation Service Provider* engages in negotiations about the taking over of its services with other Trust Service Provider whose rating is identical to its own. Under section 9.3, it will hand over its records, including confidential user data, to such a Trust Service Provider or to the National Media and Infocommunications Authority come what may, along with its other services, depending on the outcome of the negotiations or terminates without handover.

The *Long-Term Preservation Service Provider* takes measures concerning the revocation of provider *Certificates* (and destroying private keys) during the 60 day period – depending on the outcome of the negotiations.

The *Long-Term Preservation Service Provider* informs the National Media and Infocommunications Authority about the final outcome of the negotiations. The *Long-Term Preservation Service Provider* is to inform its *Clients* by electronic mail, and *Relying Parties* by means of a publication on its website.

Upon termination the service, the *Long-Term Preservation Service Provider* produces a full scope backup of its data contained in its IT system, protected by a qualified *Time Stamp*.

In order to make the handing over of its data to another Trust Service Provider possible, the *Long-Term Preservation Service Provider* places data on media and in a format which the new Trust Service Provider can receive or provides the new Trust Service Provider with the opportunity to process data in the original format, and hands over the appropriate tools, documentation and know-how for this. After the termination of the service the *Long-Term Preservation Service Provider* hand over the archived files, signatures, seals or certification chains to the *Subscriber* in a format agreed upon with the *Subscriber* and deletes them from its archive in an unrecoverable way described in section 3.6.

7 Technical Security Controls

The *Long-Term Preservation Service Provider* uses systems consisting of reliable, and safety technically assessed equipment for the provision of its services. The *Long-Term Preservation Service Provider* manages the provider cryptographic private keys during their whole life-cycle within a *Hardware Security Module* that has appropriate Certification.

Both the *Long-Term Preservation Service Provider* and the system supplier and execution contractors have significant experience with deployment of PKI based systems and trust services and they use internationally recognized technology.

The *Long-Term Preservation Service Provider* continuously monitors the capacity needs, and with setting the trends it estimates the expected future capacity demands. It can arrange if needed an extension of the limited capacity, thereby providing the necessary processing and continuous availability of storage capacities.

7.1 Private Key Protection and Cryptographic Module Engineering Controls

The *Long-Term Preservation Service Provider* ensures the secure management of the private keys held by it and prevents the private key disclosure, copy, deletion, modification and unauthorized usage. The *Long-Term Preservation Service Provider* may only preserve the private keys as long as the provision of the service definitely requires.

7.1.1 Cryptographic Module Standards and Controls

The systems of the *Long-Term Preservation Service Provider* stores the private keys in such secure hardware devices that are compliant with the following:

- the requirements of ISO/IEC 19790 [42], or
- the requirements of FIPS 140-2 [53] level 3 or higher, or
- the requirements of CEN 14167-2 [55] task force agreement, or
- the requirements of CEN 419 221-5 [37], or
- they are such reliable systems that are evaluated at a guarantee level 4 or higher according to MSZ/ISO/IEC 15408 [41] or an equivalent security criteria system. The assessment either shall be based on the appropriate security system plan that meets the requirements of the present document, or on security appropriations.

The *Long-Term Preservation Service Provider* stores the provider private keys outside of the *Hardware Security Module* only in encrypted form. Only those algorithms and key parameters are used for encoding which fits to the actual algorithmic decision of the National Media and Infocommunications Authority that was issued according to the year 2015. Act CCXXII [6] 92. § (1) b) and that are expected to be able to withstand the cryptographic attacks during the entire lifetime of the keys.

The *Long-Term Preservation Service Provider* provider private keys are stored in a physically secure site even in an encrypted form, in the safe of the *Data Centre*, where they are only accessible to authorized people.

In case of the weakening of cryptographic algorithms and key parameters, the *Long-Term Preservation Service Provider* destroys the coded keys or recodes them again using algorithm and key parameters that ensure higher protection.

7.1.2 Private Key (N out of M) Multi-Person Control

The *Long-Term Preservation Service Provider* implements the "n out of m" at the activation of the private key related key management functions. The parameters are determined so that the simultaneous presence of at least two; trusted role holder employees is needed for the critical operations carried out with its provider private keys.

7.1.3 Private Key Escrow

The *Long-Term Preservation Service Provider* does not escrow its provider private keys.

7.1.4 Private Key Backup

The *Long-Term Preservation Service Provider* makes security copies of its provider private keys, before putting the provider private key into service as described in section 7.1.1. in a protected environment, in the simultaneous presence of at least two people holding trusted roles, with the exclusion of other people. During the backup, the private key leaves the module in an encrypted form, and this encrypted key can be loaded into another module. Both the backup and the restore can only be performed by protection mechanisms described in section 7.1.2..

The *Long-Term Preservation Service Provider* stores the backup copy in duplicate, and at least one copy of those is stored at a different place from the service provider location.

The same strict security standards are applied to the management and preservation of backups as for the operation of the production system.

7.1.5 Private Key Archival

The *Long-Term Preservation Service Provider* does not archive its private keys.

7.1.6 Private Key Transfer Into or From a Cryptographic Module

All of the provider private keys of the *Long-Term Preservation Service Provider* are created in a *Hardware Security Module* that meets the requirements.

The private keys do not exist in an open form outside of the *Hardware Security Module*.

The *Long-Term Preservation Service Provider* only exports the private key from the *Hardware Security Module* for the purpose of making a secure copy.

The export and loading of the provider private keys is performed according to section 7.1.2.

7.1.7 Private Key Storage on Cryptographic Module

The *Long-Term Preservation Service Provider* keeps its private keys used for service provision in *Hardware Security Modules* according to section 7.1.1.

Private keys are stored and used in the *Hardware Security Module* as specified in the certification of the device with full compliance with the related operating instructions.

7.1.8 Method of Activating Private Key

The *Long-Term Preservation Service Provider* keeps its provider private keys in a secure *Hardware Security Module* and complies with its user guide and the requirements outlined in the certification documents. The *Hardware Security Module* can only be activated by the corresponding operator cards and the private keys within the *Hardware Security Module* can not be used before activating the module. The *Long-Term Preservation Service Provider* keeps the operator cards in a safe environment and those cards can be only reached by entitled employees of the *Long-Term Preservation Service Provider*.

7.1.9 Method of Deactivating Private Key

The private key used by the *Long-Term Preservation Service Provider*, and managed by the cryptographic devices becomes deactivated if (in a regular or irregular way) the device is removed from active status. This can happen in the following cases:

- the user deactivates the key,
- the power supply of the device is interrupted (switched off or power supply problem),
- the device enters an error state.

The private key deactivated like this can not be used until the module is in active state again.

7.1.10 Method of Destroying Private Key

The discarded, expired or compromised *Long-Term Preservation Service Provider's* private keys are destroyed in a way that makes further use of the private keys impossible.

The *Long-Term Preservation Service Provider* destroys the provider private keys stored in the secure *Hardware Security Module* of the according to the procedures, requirements defined in the user guide and in the certification documents of the used *Hardware Security Module*, in the simultaneous presence of two *Long-Term Preservation Service Provider* employees (an infrastructure administrator and a security officer) with the exclusion of other persons.

The *Long-Term Preservation Service Provider* destroys each backup copy of the private key in a documented way in such a way that its restoration and usage becomes impossible.

7.1.11 Cryptographic Module Rating

According to the requirements of Section 7.1.1 every provider private key of the *Long-Term Preservation Service Provider* is stored in a cryptographic module that

- has a certificate
according to ISO/IEC 19790 [42], or

- has a certificate according to FIPS 140-2 Level 3 [53], or
- has an at least EAL-4 level Common Criteria [54] based certificate attesting compliance with the requirements of the CEN 14167-2 [55] workshop agreement, or
- has an at least EAL-4 level Common Criteria [54] based certificate attesting compliance with the requirements of the CEN 419 221-5 [37], or
- has a certificate issued for this purpose by an independent certification body eligible for evaluating electronic signature products, registered by the National Media and Infocommunications Authority, or in a member state of the European Union

7.2 Activation Data

7.2.1 Activation Data Generation and Installation

The *Long-Term Preservation Service Provider's* private keys are protected in accordance with the procedures, requirements defined in the used *Hardware Security Module* user guide and the certification documents.

In case of password based activation data usage, the passwords are sufficiently complex in order to ensure the required level of protection.

7.2.2 Activation Data Protection

The employees of the *Long-Term Preservation Service Provider* manage the private key activation devices and the activation data securely, protect them using technical and organizational measures and passwords are stored in encrypted form only.

7.2.3 Other Aspects of Activation Data

No stipulation.

7.3 Computer Security Controls

7.3.1 Specific Computer Security Technical Requirements

During the configuration and operation of its IT system of the *Long-Term Preservation Service Provider* ensures the compliance with the following requirements:

- the user identity is verified with two-factor authentication controls by using VPN certificates stored on the card before granting access to the system or the application;
- roles are assigned to users and it ensures that all users only have permissions appropriate for his or her roles;
- a log entry is created for every transaction, and the log entries are archived;
- for the security-critical processes it is ensured that the internal network domains of the *Long-Term Preservation Service Provider* are sufficiently protected from unauthorized access;

- proper procedures are implemented to ensure service recovery after loss of key or system failure.

7.3.2 Computer Security Rating

Microsec highlights the importance of *Client* experience. In order to maintain a high level of services, the *Long-Term Preservation Service Provider* has been operating a quality control system compliant with the ISO 9001 standard since January 23, 2002. Compliance with the standard has been verified by Lloyd's Register Quality Assurance.

Microsec assigns high priority to the security of the systems it operates, and has therefore been operating an information security management system that is compliant with ISO/IEC 27001 (formerly known as BS 7799) in its main areas of activity since May 19, 2003. Compliance with the standard has been verified by Lloyd's Register Quality Assurance.

The scope of both the quality control system and the information security management system cover the trust services provided by Microsec.

Microsec has two level risk assessment which covers beyond the information technology risks the whole organization including also the business risks. The risk assessment is updated at least yearly. Based on the results of the risk assessment the *Long-Term Preservation Service Provider*

- sets up new measures to eliminate the vulnerabilities, or/and
- accepts the identified residual risks by stating the reason of the decision.

7.4 Life Cycle Technical Controls

7.4.1 System Development Controls

The *Long-Term Preservation Service Provider* only uses applications and devices in its production IT system that are:

- commercial boxed software, designed and developed by a documented design methodology, or;
- custom hardware and software solutions developed by the *Long-Term Preservation Service Provider* itself during which design structured development methods and controlled development environment were used, or;
- custom hardware and software solutions developed by a reliable party for the *Long-Term Preservation Service Provider* during which design structured development methods and controlled development environment were used, or;
- open source software which comply with the security requirements and their adequacy is ensured by software verification and structured development and life-cycle management.

Procurement of IT tools is performed in a way that excludes changes to the hardware and software components using reliable, regularly qualified suppliers.

The hardware and software components applied for the provision of services are not used for other purposes by the *Long-Term Preservation Service Provider*.

The *Long-Term Preservation Service Provider* prevents the malicious software from entering into the devices used for certification services with appropriate security measures.

The hardware and software components are checked regularly for malicious software prior the first usage, and subsequently.

The *Long-Term Preservation Service Provider* acts with the same carefulness in case of program update purchases as at the acquisition of the first version.

The *Long-Term Preservation Service Provider* employs reliable, adequately trained staff over the course of installing software and hardware.

The *Long-Term Preservation Service Provider* only installs softwares to its service provider IT equipment necessary for the purpose of service provision.

The *Long-Term Preservation Service Provider* has a version control system where every change of the IT system is documented.

The *Long-Term Preservation Service Provider* operates automatic monitoring system to record all unauthorized changes, which records all changes in every file and in case of changes in the monitored files it generates a log entry or sends an alert to the system operators.

7.4.2 Security Management Controls

The *Long-Term Preservation Service Provider* implements processes for documenting, operating, verifying, monitoring and maintaining the systems used in the service including their modification and further development. The version control system detects any kind of unauthorized changes, data entry that affects the system, the firewall, the routers, programs and other components used in the service. Installing the program used in the service the *Long-Term Preservation Service Provider* ensures that the program to be installed is the proper version and that it is free from any unauthorized modification. The *Long-Term Preservation Service Provider* regularly checks the integrity of the software in its system used in the service.

Each *Hardware Security Module* applied by the *Long-Term Preservation Service Provider* has been verified, tested and evaluated. The *Long-Term Preservation Service Provider* verifies the integrity of the modules:

- following the acquisition of the devices during the takeover,
- immediately before the first usage,
- regularly during operation.

The *Long-Term Preservation Service Provider* deletes the provider keys from the *Hardware Security Modules* permanently or temporarily withdrawn from use.

The *Long-Term Preservation Service Provider* stores the unused *Hardware Security Modules* at a physically protected location.

7.4.3 Life Cycle Security Controls

The *Long-Term Preservation Service Provider* ensures the protection of the used *Hardware Security Modules* during their whole life cycle.

During the operation of the IT equipment and systems used for the provision of the services, the *Long-Term Preservation Service Provider* takes into account the security aspects related to the life cycle of the equipment, according to which:

- it uses properly certified *Hardware Security Modules* in its systems;
- ensure, upon receipt of the *Hardware Security Modules*, that the quality control ensures that the protection of the *Hardware Security Modules* against tampering was ensured during transportation;
- it stores the *Hardware Security Modules* in a safe place, and ensure the protection of the *Hardware Security Modules* against tampering during storage;
- continuously complies with the requirements set out in the *Hardware Security Module's* security target, instructions for use and certification report during operation;
- deletes the private keys stored in their decommissioned *Hardware Security Modules* in such a way that it becomes practically impossible to restore the keys;
- handle and dispose of decommissioned *Hardware Security Modules* in accordance with the requirements of its security target, instructions for use and certification report.

7.5 Network Security Controls

The *Long-Term Preservation Service Provider* keeps its IT system configuration under strict control, and it documents every change including the smallest modification, development, software update too. The *Long-Term Preservation Service Provider* implements proper procedures for the detection of any hardware or software change, system installation, and maintenance occurred on the IT system. The *Long-Term Preservation Service Provider* checks the authenticity and integrity of every software component at their first loading.

The *Long-Term Preservation Service Provider* applies proper network security measures for example:

- divides its IT system into well separated security zones;
- separates dedicated network for administration of IT systems and the *Long-Term Preservation Service Provider's* operational network;
- separates the production systems for the TSP services from systems used in development and testing;
- establishes communication between distinct trustworthy systems only through trusted channels that are logically distinct from other communication channels and provide assured identification of its end points and protection of the channel data from modification or disclosure;
- operates the IT systems used for the live operational network in secure network zones;
- restricts access and communications between zones to those necessary for the operation of the service;

- disables the not used protocols and user accounts;
- disables unused network ports and services ;
- only runs network applications unconditionally necessary for the proper operation of the IT system .
- reviews the established rule set on a regular basis.

The *Long-Term Preservation Service Provider* undergoes or performs a vulnerability scan on public and private IP addresses:

- within one week of receiving a request from the CA/Browser Forum;
- after any system or network changes that the CA determines are significant;
- at least every three (3) months.

The *Long-Term Preservation Service Provider* checks the compliance of the local network components (e.g. routers) configuration with the requirements specified by the *Long-Term Preservation Service Provider* at least every three months.

The *Long-Term Preservation Service Provider* orders a penetration test from an external independent expert who has the necessary skills, tools, proficiency and code of ethics to provide a reliable report yearly and in case of a significant change in the IT network.

7.6 Time-stamping

For the protection of the integrity of the log files and other electronic files to be archived the *Long-Term Preservation Service Provider* uses qualified electronic *Time Stamps* issued by the e-Szignó Certificate Authority.

8 Compliance Audit and Other Assessments

The operation of the *Long-Term Preservation Service Provider* is supervised by the National Media and Infocommunications Authority in line with European Union regulations. The National Media and Infocommunications Authority holds site inspections on at least yearly basis at the *Long-Term Preservation Service Provider* location. Before the site inspection, the *Long-Term Preservation Service Provider* has a screening of its operations by an external auditor and sends the detailed report of the screening to the National Media and Infocommunications Authority within 3 days from its receipt. During the screening it is to be determined whether the operation of the *Long-Term Preservation Service Provider* meets the requirements of the eIDAS Regulation [1] and the related Hungarian legislation and the requirements of the applied *Qualified Long-Term Preservation Policy(s)* and the corresponding *Qualified Long-Term Preservation Practice Statement(s)*.

The subject and methodology of the screening complies with the following normative documents:

- REGULATION (EU) No 910/2014 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC [1];

- ETSI EN 319 403 Electronic Signatures and Infrastructures (ESI); Trust Service Provider Conformity Assessment - Requirements for conformity assessment bodies assessing Trust Service Providers; [19]
- ETSI EN 319 401 Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers [18]
- ETSI TS 119 511 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for trust service providers providing long-term preservation of digital signatures or general data using digital signature techniques [35]

The result of the screening is a confidential document accessible only to authorized persons.

The conformity certificate issued in accordance with the conformity assessment report is published on the webpage of the *Long-Term Preservation Service Provider*.

The *Long-Term Preservation Service Provider* applies verified and certified elements (electronic signature production IT system elements) in connection with the service.

The *Long-Term Preservation Service Provider* has rated every one of the system elements used for providing the services into security classes on the basis of its risk assessment system. The *Long-Term Preservation Service Provider* keeps records about these system elements and the security ratings associated with them in the scope of its risk management system.

In addition to the external audit, the *Long-Term Preservation Service Provider* also has its proprietary internal auditing system, which regularly examines compliance with previous audits, and takes the necessary steps in case of deviations.

The *Long-Term Preservation Service Provider* has an ISO 9001 standard compliant quality management system since 2002, moreover an ISO 27001 (formerly BS 7799) compliant information security management system since 2003, which are continuously audited and reviewed by an external auditing organisation(see section: 1.3.1)

8.1 Frequency or Circumstances of Assessment

The *Long-Term Preservation Service Provider* has the conformance assessment carried out annually on its IT system performing the provision of the services .

8.2 Identity/Qualifications of Assessor

The *Long-Term Preservation Service Provider* performs the internal audits with the help of its employees who hold the independent system auditor role.

The eIDAS and ETSI conformity assessment is performed by an organization, which has a qualifying mandate issued by the national accreditation organization of an EU Member State.

8.3 Assessor's Relationship to Assessed Entity

External audit is performed by a person who:

- is independent from the owners, management and operations of the examined *Long-Term Preservation Service Provider*;

- is independent from the examined organization, namely neither himself or herself nor his or her immediate relatives have any employment or business relationship with the *Long-Term Preservation Service Provider*.
- remuneration is not dependent on the findings of the activities carried out during the audit.

8.4 Topics Covered by Assessment

The review covers the following areas:

- compliance with the legislation currently in force;
- compliance with technical standards;
- compliance with the Certification Policy and the *Qualified Long-Term Preservation Practice Statement*;
- adequacy of the employed processes;
- documentation;
- physical security;
- adequacy of the personnel;
- IT security;
- compliance with the data protection rules.

8.5 Actions Taken as a Result of Deficiency

The independent auditor summarizes the result of the screening in a detailed screening report that covers the tested system components, processes, and contains the evidence used in the screening and the auditor statements. The discrepancies revealed during the examination and the deadlines set for correcting them are recorded in a separate chapter of the report.

The independent auditor may record based on their severity the differences and discrepancies revealed during the examination:

- modification suggestions to be optionally taken into consideration;
- derogations to be averted mandatorily.

The independent auditor shall report the revealed serious derogations without delay to the National Media and Infocommunications Authority that is authorized to take the necessary measures.

The *Long-Term Preservation Service Provider* shall answer the problems stated by the independent auditor in writing, and to report the measures taken to avert them at the occasion of the next authority review.

The independent auditor shall send the assessment report in each case to the National Media and Infocommunications Authority.

8.6 Communication of Results

The *Long-Term Preservation Service Provider* publishes the summary report of the assessment on its web page on the following URL:

<https://e-szigno.hu/en/eidas/>

The *Long-Term Preservation Service Provider* doesn't publish the details of the findings, they are treated as confidential information.

The certificates of the conformity assessment audit can be found on the official site of the auditor², and they are published also on the site of the *Long-Term Preservation Service Provider* on the following link:

<https://e-szigno.hu/eidas/eidas.html>

The availabilities of the Hungarian National Trusted List are:

- human readable PDF format: http://www.nmhh.hu/t1/pub/HU_TL.pdf
- machine-processable XML format: http://www.nmhh.hu/t1/pub/HU_TL.xml

The register of the National Media and Infocommunications Authority on trust services is available on the following link:

<http://webpub-ext.nmhh.hu/esign2016/>

9 Other Business and Legal Matters

9.1 Fees

The *Long-Term Preservation Service Provider* publishes fees and prices on its webpage, and makes them available for reading at its customer service.

Price list availability:

- <https://e-szigno.hu/en/price-list>

The *Long-Term Preservation Service Provider* may unilaterally change the price list. The *Long-Term Preservation Service Provider* publishes any modification to the price list 30 days before it comes into force. The changes favorable for the *Client* may come into force with shorter deadline than 30 days. Modifications will not affect the price of services paid in advance.

Provisions associated with the payment and refunding of fees are contained in the service agreement and its annexes – the General Terms and Conditions in particular.

9.1.1 Refund Policy

See section: 9.1.

²<https://www.hunguard.hu/en/ugyfeleinknek/tanusitott-termekek-rendszerek/eidas-rendelet-szerinti-bizalmi-szolgalatas/microsec-zrt/>

9.2 Financial Responsibility

In order to facilitate trust the *Long-Term Preservation Service Provider* takes financial responsibility to fulfil all its obligations defined in the present *Qualified Long-Term Preservation Practice Statement*, the related *Qualified Long-Term Preservation Policy* and the service agreement concluded with the *Client*.

9.2.1 Insurance Coverage

To ensure financial reliability, as well as to cover the costs related to the termination of service the *Long-Term Preservation Service Provider* has a deposit.

9.2.2 Insurance or Warranty Coverage for End-entities

- The *Long-Term Preservation Service Provider* has liability insurance to ensure reliability.
- The liability insurance covers the following damages caused by the *Long-Term Preservation Service Provider* in connection with the provision of services:
 - damages caused by the breach of the service agreement to the trust service *Clients*;
 - damages caused out of contract to the trust service *Clients* or third parties;
 - damages caused to the National Media and Infocommunications Authority by the *Long-Term Preservation Service Provider* terminating the provision of the trust service;
 - under the eIDAS Regulation [1] 17. article (4) e) point, the legal costs of conformity assessment bodies to perform a conformity assessment by the request of the National Media and Infocommunications Authority if it enforces the costs as legal costs.
- The liability insurance policy shall cover at least for 3.000.000 Hungarian forints. Coincidental damages occurred for the same reason constitute a single insurance event.
- The liability insurance provides coverage for the full damage of the aggrieved party – up to the liability limit – arising in context of the harmful behaviour of the *Long-Term Preservation Service Provider* regardless of whether the damage was caused by breach of contract or outside the contract.
- If the valid claim of several entitled parties related to an insurance event exceeds the liability limit defined for an insurance event in the liability insurance, then the compensation of the claims takes place in the proportion of the liability limit to the total sum of the claims.

9.3 Confidentiality of Business Information

The *Long-Term Preservation Service Provider* manages clients' data according to legal regulations. The *Long-Term Preservation Service Provider* has a data processing regulation (see section 9.4), which addresses the processing of personal data in particular.

By signing the service agreement, *Clients* consent to the *Long-Term Preservation Service Provider* retaining and processing their personal data (in a manner that complies with the data processing regulations). Such consent applies to the forwarding of information specified by law and entered

in records to third parties in case the *Long-Term Preservation Service Provider's* services go offline; moreover to forwarding such information to the *Long-Term Preservation Service Provider's* subcontractors – solely for the purpose of performing tasks associated with providing the service. The *Long-Term Preservation Service Provider* uses clients' data solely in connection with the provision of its services. The *Long-Term Preservation Service Provider* retains data of which it becomes aware in accordance with statutory requirements, and for the stipulated period of time. In the course of retaining data, the *Long-Term Preservation Service Provider* sees to the intactness, confidentiality, and secure storage of information. It only permits accessing information to individuals whose tasks justify this.

The *Long-Term Preservation Service Provider* provides for the confidentiality and intactness of information that is not public during the forwarding of *Clients'* data.

9.3.1 Scope of Confidential Information

The *Long-Term Preservation Service Provider* treats as confidential:

- all *Client* data, with the exception of those that qualify as information not considered confidential in section 9.3.2;
- besides the *Client* data:
 - the electronic documents of the *Subscribers* are stored in the archive, with the related certificate chains and other metadata;
 - transaction related data and log data,
 - non-public regulations,
 - all data whose public disclosure would have an adverse effect on the security of the service.

9.3.2 Information Not Within the Scope of Confidential Information

The *Long-Term Preservation Service Provider* considers all data public that can be obtained from a public source, or to the disclosure of which the *Subscriber* gave its consent in writing beforehand.

9.3.3 Responsibility to Protect Confidential Information

The *Long-Term Preservation Service Provider* is responsible for the protection of the confidential data it manages.

The *Long-Term Preservation Service Provider* obliges its employees, subcontractors, affiliated partners to protect all confidential data by signing declaration of confidentiality or by contract.

The *Long-Term Preservation Service Provider* processes confidential information it comes to possess according to the provisions of Act CXII of 2011. on the Right to Freedom Of Information, and only discloses it to persons/organizations in the following case:

- **Information provision for authorities**

For the purpose of investigating or preventing acts of crime committed using the trusted services it provides, as well as in the case of national security related interests, the *Long-Term Preservation Service Provider* – if the statutory criteria applicable to data requests are met – discloses the related identity information and the information verified by the *Long-Term Preservation Service Provider* according to the section (1) of the Eüt. [6] 90. § to investigating authorities and national security services free of charge.

The *Long-Term Preservation Service Provider* records the fact of data transfers, but does not inform involved clients about it.

- **Disclosure upon owner's request**

Upon a *Client's* personal request to do so or on the basis of its authorisation granted officially, in writing, the *Long-Term Preservation Service Provider* reveals confidential user information pertaining to the *Client* to third parties.

9.4 Privacy of Personal Information

The *Long-Term Preservation Service Provider* takes care of the protection of the personal data it manages, the operation and regulations of the *Long-Term Preservation Service Provider* comply with the requirements of the Act CXII of 2011. on the Right to Freedom Of Information [4] and the 2016/679 EU General Data Protection Regulation [2].

The *Long-Term Preservation Service Provider*:

- preserves,
- upon expiry of the obligation to retain – unless the *Client* otherwise indicates – deletes from the client database

the registered personal data and information on the *Client* in accordance with the legal requirements.

The *Long-Term Preservation Service Provider* stores identification data, data about the *Subscriber* associated with contact details and data connected to the provision of the service in its records.

The *Long-Term Preservation Service Provider* hands over *Client* data to third parties solely in cases where this is stipulated by a legal regulation or if the *Client* has granted its consent to this in writing.

9.4.1 Privacy Plan

The *Long-Term Preservation Service Provider* has a Privacy Policy and a Privacy Notice document, which contain detailed regulations on the handling of personal data.

The Privacy Policy is published on the webpage of the e-Szignó Certificate Authority on the following URL:

<https://e-szigno.hu/en/all-documents.html>

The Privacy Notice is published on the webpage of the e-Szignó Certificate Authority on the following URL:

<https://e-szigno.hu/en/privacynotice.html>

9.4.2 Information Treated as Private

The *Long-Term Preservation Service Provider* protects all personal data related to the data subject or containing conclusions on the data subject that cannot be accessed publicly from public data source.

The *Long-Term Preservation Service Provider* collects data of the *Subscriber* only with its explicit prior consent and only to that extent which is necessary for the provision of the service.

9.4.3 Information Not Deemed Private

The *Long-Term Preservation Service Provider* need not treat as confidential information those personal data that can be accessed from a public source.

9.4.4 Responsibility to Protect Private Information

The *Long-Term Preservation Service Provider* stores securely and protects the personal data it manages. The data is protected by appropriate measures in particular against unauthorized access, alteration, and against disclosure.

The *Long-Term Preservation Service Provider* is generally responsible to comply with the requirements described in its Privacy policy and its liability extends to activities carried out by the subcontractors too.

9.4.5 Notice and Consent to Use Private Information

The *Long-Term Preservation Service Provider* only uses the personal data of the *Client* to the extent required for service provision, to contact the *Client*.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

In cases defined in the relevant legislation the *Long-Term Preservation Service Provider* may disclose the stored personal data about the *Client* without notifying the *Client*.

9.4.7 Other Information Disclosure Circumstances

No stipulation.

9.5 Intellectual Property Rights

During its business operation, the *Long-Term Preservation Service Provider* shall not harm any intellectual property rights of a third person.

The present *Qualified Long-Term Preservation Practice Statement* is the exclusive property of the *Long-Term Preservation Service Provider*. The *Clients* and other *Relying Parties* are only entitled to use the document according to the requirements of the present *Qualified Long-Term Preservation Practice Statement* and any other use for commercial or other purposes is strictly prohibited.

The present *Qualified Long-Term Preservation Practice Statement* may be freely distributed in unchanged form, in full length and with the indication of origin.

The rules of the application of the software provided for the use of the service by the *Long-Term Preservation Service Provider* is accessible in the description of the software and it is included in the user's guide referenced in the description.

9.6 Representations and Warranties

9.6.1 CA Representations and Warranties

Certification Authority's Responsibility

The responsibility of the *Long-Term Preservation Service Provider* is in the *Qualified Long-Term Preservation Practice Statement*, the related *Certificate Policies*, and the service agreement with the *Client* and its attachments.

- The *Long-Term Preservation Service Provider* assumes responsibility for compliance with the procedures described in *Certificate Policies* it supports;
- The *Long-Term Preservation Service Provider* assumes responsibility as its own for the damages caused during the provision of the service by its subcontractors;
- The *Long-Term Preservation Service Provider* is liable under the rules of liability for breach of contract in the Civil Code of the Republic of Hungary [5] in relation to the *Clients* which are in a contractual relationship with it.
- The *Long-Term Preservation Service Provider* is liable under the rules of causing damage outside of contract in the Civil Code of the Republic of Hungary [5] in relation to third parties (such as the *Relying Party*) that are not in a contractual relationship with it.
- The *Long-Term Preservation Service Provider* will pay compensation for damages with the limitations specified in its regulations, and the service contracts concluded with *Clients* for proven damages that occur in the scope of its responsibility (see the section Limitation of Liability 9.8.).
- If the valid claim of several entitled parties related to an insurance event exceeds the amount defined for an insurance event in the liability insurance for the damages, then the compensation of the claims takes place in a relative ratio to the amount determined in the liability contract.

The *Long-Term Preservation Service Provider* is not responsible:

- for the certificate verification and usage activities of the *Relying Parties*;
- for the regulations issued by the *Relying Parties* or others.

Certification Authority Obligations

The *Long-Term Preservation Service Provider* shall fulfil the requirements defined in section (2) of article 24. of the eIDAS regulation [1].

The *Long-Term Preservation Service Provider's* basic obligations is that it shall provide the service in line with the *Qualified Long-Term Preservation Policy*, this *Qualified Long-Term Preservation Practice Statement*, the General Terms and Conditions, furthermore corporate and security related internal regulations. These basic obligations are as follows:

- to establish the legal, regulatory, material, contractual, etc. framework appropriate for the service;
- to provide high standard and secure services in accordance with the applicable regulations;
- to continuously operate and audit organisations associated with the services (customer service etc.);
- to abide by the procedures prescribed in the regulations, and to avoid or eliminate any potentially occurring incorrect operation;
- to ensure the Services to every applicant who accepts the terms and conditions specified in the regulations;
- to maintain public and proprietary records, as well as to make them continuously available to anybody over the internet.

9.6.2 Subscriber Representations and Warranties

Subscriber Responsibility

The responsibility of the *Subscriber* is set by the service agreement and its attachments (including the terms and conditions).

Subscriber Obligations

The responsibility of the *Subscriber* is to act in accordance with the contractual terms and regulations of the *Long-Term Preservation Service Provider* while using the service .

The obligations of the *Subscriber* are determined by this *Qualified Long-Term Preservation Practice Statement*, the service agreement, the General Terms and Conditions, as well as the relevant *Qualified Long-Term Preservation Policy*.

Subscriber Rights

- *Subscribers* have the right to use the services in accordance with this *Qualified Long-Term Preservation Practice Statement*.

9.6.3 Relying Party Representations and Warranties

The *Relying Parties* decide based on their discretion and/or their policies about the way of accepting and using the *Certificate* and *Time Stamps*. During the verification of the validity for keeping the security level guaranteed by the *Long-Term Preservation Service Provider* it is necessary for the *Relying Party* to act with caution, so it is particularly recommended to:

- comply with the requirements, regulations defined in the present *Qualified Long-Term Preservation Policy* and the corresponding *Qualified Long-Term Preservation Practice Statement*;
- use reliable IT environment and applications;
- verify the revocation status of all *Certificates* based on the current CRL or OCSP response;
- take into consideration every restriction which is included in the *Qualified Long-Term Preservation Practice Statement* and in the corresponding *Qualified Long-Term Preservation Policy*.

9.6.4 Representations and Warranties of Other Participants

No stipulation.

9.7 Disclaimers of Warranties

The *Long-Term Preservation Service Provider* excludes its liability if:

- it is unable to provide information or fulfil communication obligations due to the problems of the Internet, or part of it;
- the damage comes from a vulnerability or error of the cryptographic algorithms accepted by the National Media and Infocommunications Authority algorithmic decree.

9.8 Limitations of Liability

No stipulation.

9.9 Indemnities

9.9.1 Indemnification by the *Long-Term Preservation Service Provider*

The detailed rules of the indemnities of the *Long-Term Preservation Service Provider* are specified in this regulation (see section: 9.8.), the service agreement and the contracts concluded with the *Clients*.

9.9.2 Indemnification by Subscribers

The *Subscriber* and the Subject are liable for damages to the *Long-Term Preservation Service Provider* for the loss or damage caused by non-compliance with their obligations and the relevant recommendations.

9.9.3 Indemnification by Relying Parties

See section: 9.8.

9.10 Term and Termination

9.10.1 Term

The effective date of the specific *Qualified Long-Term Preservation Practice Statement* is specified on the cover of the document.

9.10.2 Termination

The *Qualified Long-Term Preservation Practice Statement* is valid without a time limit until withdrawal or the issuance of the newer version of the *Qualified Long-Term Preservation Practice Statement*.

9.10.3 Effect of Termination and Survival

In case of the withdrawal of the *Qualified Long-Term Preservation Practice Statement* the *Long-Term Preservation Service Provider* publishes the detailed rules of the withdrawal and the rights and obligations persisting after withdrawal on its webpage.

The *Long-Term Preservation Service Provider* guarantees that in case of a the *Qualified Long-Term Preservation Practice Statement* withdrawal, requirements for the protection of the confidential data remain in effect.

9.11 Individual Notices and Communications with Participants

The *Long-Term Preservation Service Provider* maintains a customer service in order to contact with its *Clients*.

The *Clients* may make their legal declarations to the *Long-Term Preservation Service Provider* solely in writing, and in executed form. Executing in representation of an organisation shall only be valid together with certification of such right of representation.

The e-Szignó Certificate Authority informs its *Clients* by means of publication on its webpage or in electronic mail.

9.12 Amendments

The *Long-Term Preservation Service Provider* reserves the right to change the *Qualified Long-Term Preservation Practice Statement* in a controlled way in case of the change of normative rules, security requirements, market conditions or other circumstances.

9.12.1 Procedure for Amendment

The *Long-Term Preservation Service Provider* only discloses those of its procedures in its public domain regulations whose knowledge does not jeopardize the security of the services. The *Long-Term Preservation Service Provider* has a number of internal security and other regulations, as well as operative level stipulations which it treats in confidence (this certificate practice statement mentions several such). The procedures described in section 8.4. audit these documents as well.

A team responsible for maintaining regulations and documentation operates within the *Long-Term Preservation Service Provider's* organization. This team collects change requests, carries out modifications, and meets any internal and external information provision related obligations. The statement is approved by the director of the e-Szignó Certificate Authority.

The team produces internal, non-public working copies of the regulations as it collects changes, and these undergo internal review before being published. The *Long-Term Preservation Service Provider* strives to only issue new regulations at the least frequent intervals possible.

The *Long-Term Preservation Service Provider* reviews the *Qualified Long-Term Preservation Practice Statement* annually or in case of exceptional request for change with priority and performs the necessary changes. The document will receive a new version number even after the smallest change and by taking into account the time required by the endorsement process, the planned date of coming into effect will be determined too.

The accepted document will be published on the webpage of the *Long-Term Preservation Service Provider* and it will be sent for review to the National Media and Infocommunications Authority 30 days prior to the planned entry into force date.

The *Long-Term Preservation Service Provider* will accept remarks connected to new regulations published for 14 days prior to their becoming effective, at the following email address:

info@e-szigno.hu

In case of observations that require substantive changes, the document will be amended.

The *Long-Term Preservation Service Provider* will close and publish the version of the regulation as amended with remarks on the 7th day prior to its becoming effective.

9.12.2 Notification Mechanism and Period

The *Long-Term Preservation Service Provider* notifies the *Relying Parties* of new document version issuances as described in Section 9.12.1..

9.12.3 Circumstances Under Which OID Must Be Changed

The *Long-Term Preservation Service Provider* issues a new version number in case of even the smallest change to the *Qualified Long-Term Preservation Practice Statement*, which is part of the document identifier (OID), so any change to the document will result in an OID change, namely two documents – entered into force – with different content cannot have the same OID.

9.13 Dispute Resolution Provisions

The *Long-Term Preservation Service Provider* aims for the peaceful and negotiated settlement of the disputes arising from its operation. The settlement follows the principle of gradual approach.

The *Long-Term Preservation Service Provider* and the *Client* mutually agree that in the case of any disputed issue or complaint arising whatsoever, they will attempt amicable consultation through negotiation before taking the dispute to legal channels. The initiating party will be obliged to notify every other affected party promptly and to inform them fully concerning all of the case's implications.

The *Client* in case of a deputation is entitled to appeal to the Arbitration Board of Budapest before incidental judicial proceedings.

Questions, objections, and complaints related to the activity of the *Long-Term Preservation Service Provider* shall be addressed to the customer care centre office in written form. The *Long-Term Preservation Service Provider* notifies submitting parties at the address they specify about having received a submission and the time required for investigation, within 3 business days calculated as of receiving a submission. The *Long-Term Preservation Service Provider* is obliged to issue a written response to the submitter within the specified time limit. The *Long-Term Preservation Service Provider* may request the provision of information required for giving a response from the submitter. The *Long-Term Preservation Service Provider* investigates complaints within 30 days, and notifies submitters about the results thereof.

Should a submitter find the response inadequate or if the dispute which had arisen can not be settled based on it without getting the *Long-Term Preservation Service Provider* involved, the submitter may initiate consultation with the *Long-Term Preservation Service Provider* and the *Relying Parties*. All participants of such consultation shall be given written notice regarding the date of consultation 10 business days in advance thereof; and the submission, the *Long-Term Preservation Service Provider's* response, as well as any documents containing other required information shall be sent to them in writing.

Should consultation fail to achieve a result within 30 business days calculated as of a complaint being submitted, the submitter may file a lawsuit with respect to the issue. The *Relying Parties* shall subject themselves to the sole jurisdiction of the II. and III. District Court of Budapest and/or that of the Municipal Court of Budapest.

9.14 Governing Law

The *Long-Term Preservation Service Provider* at all times operates in accordance with the Hungarian legislation in force. The Hungarian law is the proper law of the *Long-Term Preservation Service Provider* contracts, regulations, and their execution, and they are to be construed by the Hungarian law.

9.15 Compliance with Applicable Law

The applicable regulations:

- REGULATION (EU) No 910/2014 of the EUROPEAN PARLIAMENT AND OF THE COUNCIL of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC [1];
- (Hungarian) Act CXII of 2011 on the Right to Freedom Of Information [4];
- (Hungarian) Act V of 2013. on the Civil Code. [5].

- (Hungarian) Act CCXXII of 2015 on electronic administration and the general rules of trust services [6];
- (Hungarian) Ministry of Interior Decree 24/2016. (VI. 30.) on the requirements for trust service providers and their services [7];
- (Hungarian) Ministry of Interior Decree 25/2016. (VI. 30.) on the administrative service fees paid to the trust service supervisory body and on fee rates [8];
- (Hungarian) Government Decree 470/2017. (XII. 28.) on the announcement according to trust services and on the content of registers maintained by the trust service supervisory body [9];

9.16 Miscellaneous Provisions

9.16.1 Entire Agreement

No stipulation.

9.16.2 Assignment

The providers operating according to this *Qualified Long-Term Preservation Practice Statement* may only assign their rights and obligations to a third party with the prior written consent of *Long-Term Preservation Service Provider*.

9.16.3 Severability

Should some of the provisions of the present *Qualified Long-Term Preservation Practice Statement* become invalid for any reason, the remaining provisions will remain in effect unchanged.

9.16.4 Enforcement (Attorneys' Fees and Waiver of Rights)

The *Long-Term Preservation Service Provider* is entitled to claim payment for damages and attorney fees for reimbursement of the damages, losses, expenses caused by its partners. If in a particular case the *Long-Term Preservation Service Provider* does not exercise its claim for damages that does not mean that in similar cases in the future or in case of violation of other provisions of the present *Qualified Long-Term Preservation Practice Statement*, it would waive the enforcement of claims for damages.

9.16.5 Force Majeure

The *Long-Term Preservation Service Provider* is not responsible for the defective or delayed performance of the requirements set out in the *Qualified Long-Term Preservation Policy* and the *Qualified Long-Term Preservation Practice Statement* if the reason for failure or delay was a condition that is outside the control of the *Long-Term Preservation Service Provider*.

9.17 Other Provisions

No stipulation.

A REFERENCES

- [1] Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC .
- [2] REGULATION (EU) 2016/679 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation) .
- [3] (Hungarian) Act XXXV of 2001 on Electronic Signatures (repealed from 1st July 2016.) .
- [4] (Hungarian) Act CXII of 2011 on the Right to Freedom Of Information .
- [5] (Hungarian) Act V of 2013. on the Civil Code .
- [6] (Hungarian) Act CCXXII of 2015 on the general rules of electronic administration and trust services .
- [7] (Hungarian) Ministry of Interior Decree 24/2016. (VI. 30.) on the requirements for trust service providers and their services .
- [8] (Hungarian) Ministry of Interior Decree 25/2016. (VI. 30.) on the administrative service fees paid to the trust service supervisory body and on fee rates .
- [9] (Hungarian) Government Decree 470/2017. (XII. 28.) on the announcement according to trust services and on the content of registers maintained by the trust service supervisory body .
- [10] ETSI EN 319 122-1 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); CADES digital signatures; Part 1: Building blocks and CADES baseline signatures.
- [11] ETSI EN 319 122-2 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); CADES digital signatures; Part 2: Extended CADES signatures.
- [12] ETSI EN 319 132-1 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 1: Building blocks and XAdES baseline signatures.
- [13] ETSI EN 319 132-2 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 2: Extended XAdES signatures.
- [14] ETSI EN 319 142-1 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 1: Building blocks and PAdES baseline signatures.
- [15] ETSI EN 319 142-2 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 2: Additional PAdES signatures profiles.
- [16] ETSI EN 319 162-1 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); Associated Signature Containers (ASiC); Part 1: Building blocks and ASiC baseline containers.

-
- [17] ETSI EN 319 162-2 V1.1.1 (2016-04) Electronic Signatures and Infrastructures (ESI); Associated Signature Containers (ASiC); Part 2: Additional ASiC containers.
 - [18] ETSI EN 319 401 V2.3.1 (2021-05); Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers.
 - [19] ETSI EN 319 403 V2.2.2 (2015-08) Electronic Signatures and Infrastructures (ESI); Trust Service Provider Conformity Assessment - Requirements for conformity assessment bodies assessing Trust Service Providers;.
 - [20] ETSI EN 319 421 V1.1.1 (2016-03); Electronic Signatures and Infrastructures (ESI); Policy and Security Requirements for Trust Service Providers issuing Time-Stamps.
 - [21] ETSI EN 319 422 V1.1.1 (2016-03); Electronic Signatures and Infrastructures (ESI); Time-stamping protocol and time-stamp token profiles.
 - [22] ETSI TS 101 733 V1.8.1 (2009-11) Technical Specification Electronic Signatures and Infrastructures (ESI); CMS Advanced Electronic Signatures (CAAdES).
 - [23] ETSI TS 101 733 V2.1.1 (2012-03) Electronic Signatures and Infrastructures (ESI); CMS Advanced Electronic Signatures (CAAdES).
 - [24] ETSI TS 101 903 V1.2.2 (2004-04) Technical Specification XML Advanced Electronic Signatures (XAdES).
 - [25] ETSI TS 101 903 V1.3.2 (2006-03) Technical Specification XML Advanced Electronic Signatures (XAdES).
 - [26] ETSI TS 101 903 V1.4.1 (2009-06) Technical Specification XML Advanced Electronic Signatures (XAdES).
 - [27] ETSI TS 101 903 V1.4.2 (2010-12) Technical Specification Electronic Signatures and Infrastructures (ESI); XML Advanced Electronic Signatures (XAdES).
 - [28] ETSI TS 102 778-1 V1.1.1 (2009-07) Technical Specification Electronic Signatures and Infrastructures (ESI); PDF Advanced Electronic Signature Profiles; Part 1: PAdES Overview - a framework document for PAdES.
 - [29] ETSI TS 102 778-2 V1.2.1 (2009-07) Technical Specification Electronic Signatures and Infrastructures (ESI); PDF Advanced Electronic Signature Profiles; Part 2: PAdES Basic - Profile based on ISO 32000-1.
 - [30] ETSI TS 102 778-3 V1.1.2 (2009-12) Technical Specification Electronic Signatures and Infrastructures (ESI); PDF Advanced Electronic Signature Profiles; Part 3: PAdES Enhanced - PAdES-BES and PAdES-EPES Profiles.
 - [31] ETSI TS 102 778-4 V1.1.2 (2009-12) Technical Specification Electronic Signatures and Infrastructures (ESI); PDF Advanced Electronic Signature Profiles; Part 4: PAdES Long Term - PAdES-LTV Profile.
 - [32] ETSI TS 102 918 V1.3.1 (2013-06) Electronic Signatures and Infrastructures (ESI); Associated Signature Containers (ASiC).

-
- [33] ETSI TS 103 171 V2.1.1 (2012-03) Electronic Signatures and Infrastructures (ESI); XAdES Baseline Profile.
 - [34] ETSI TS 119 312 V1.3.1 (2019-02); Electronic Signatures and Infrastructures (ESI); Cryptographic Suites.
 - [35] ETSI TS 119 511 V1.1.1 (2019-06); Electronic Signatures and Infrastructures (ESI); Policy and security requirements for trust service providers providing long-term preservation of digital signatures or general data using digital signature techniques.
 - [36] ETSI TS 119 512 V1.1.2 (2020-10); Electronic Signatures and Infrastructures (ESI); Protocols for trust service providers providing long-term data preservation services.
 - [37] CEN 419 221-5; Protection Profiles for TSP Cryptographic Modules - Part 5: Cryptographic Module for Trust Services.
 - [38] ISO/IEC 646:1991, Information technology – ISO 7-bit coded character set for information interchange.
 - [39] ISO/IEC 8859-1:1998, Information technology – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1.
 - [40] ISO/IEC 8859-2:1999, Information technology – 8-bit single-byte coded graphic character sets – Part 2: Latin alphabet No. 2.
 - [41] MSZ/ISO/IEC 15408-2002, Information Technology - Methods and Means of a Security - Evaluation Criteria for IT Security .
 - [42] ISO/IEC 19790:2012: Information technology – Security techniques – Security requirements for cryptographic modules.
 - [43] MSZ 7795-3:1992, Computing character codes. A hungarian reference set of graphic characters. .
 - [44] IETF RFC 2045: Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies, November 1996.
 - [45] IETF RFC 2822: Internet Message Format, April 2001.
 - [46] IETF RFC 3161: Internet X.509 Public Key Infrastructure - Time-Stamp Protocol (TSP), August 2001.
 - [47] IETF RFC 6960: X.509 Internet Public Key Infrastructure - Online Certificate Status Protocol (OCSP), June 2013.
 - [48] ITU X.509 Information technology - Open Systems Interconnection - The Directory: Public-key and attribute certificate frameworks.
 - [49] Dublin Core Metadata Element Set, Version 1.1, <http://dublincore.org/documents/2006/12/18/dces/>
 - [50] ISO 19005-1:2005 – Document management – Electronic document file format for long-term preservation – Part 1: Use of PDF 1.4 (PDF/A-1).

- [51] E-dossier format specification, Microsec zrt. <http://www.e-szigno.hu/?lap=eakta3> .
- [52] Rich Text Format (RTF) Specification, RTF Version 1.7, Microsoft Technical Support, 2001.
- [53] FIPS PUB 140-2 (2001 May 25): Security Requirements for Cryptographic Modules.
- [54] Common Criteria for Information Technology Security Evaluation, Part 1 - 3.
- [55] CEN Workgroup Agreement CWA 14167-2: Cryptographic module for CSP signing operations with backup - Protection profile - CMCSOB PP.
- [56] CEN CWA 14171: Procedures for Electronic Signature Verification.
- [57] Magyarország (Hungary): Trusted List (http://www.nmhh.hu/t1/pub/HU_TL.pdf).
- [58] PDF Reference, second edition – Adobe Portable Document Format, Version 1.3, Addison-Wesley, ISBN 0-201-61588-6, 2000.
- [59] e-Szignó Hitelesítés Szolgáltató - eIDAS rendelet szerinti minősített archiválási rend.
- [60] e-Szignó Hitelesítés Szolgáltató - eIDAS rendelet szerinti minősített elektronikus archiválási szolgáltatás - archiválási szabályzat.
- [61] e-Szignó Certification Authority - Qualified Long-Term Preservation Service - Long-Term Preservation Policy. .
- [62] e-Szignó Certification Authority - General Terms and Conditions. .
- [63] e-Szignó Certification Authority - Qualified Long-Term Preservation Service - general terms and conditions. .