

# e-Szignó Certificate Authority

eIDAS conform

Non-Qualified Certificate for Electronic Signature Certificate Policies

ver. 2.22

Date of effect: 2021-06-30



OID	1.3.6.1.4.1.21528.2.1.1.149.2.22,
	1.3.6.1.4.1.21528.2.1.1.150.2.22,
	1.3.6.1.4.1.21528.2.1.1.153.2.22,
	1.3.6.1.4.1.21528.2.1.1.154.2.22,
	1.3.6.1.4.1.21528.2.1.1.175.2.22,
	1.3.6.1.4.1.21528.2.1.1.176.2.22,
	1.3.6.1.4.1.21528.2.1.1.177.2.22
Version	2.22
First version date of effect	2015-09-07
Security classification	PUBLIC
Approved by	Gergely Vanczák
Date of approval	2021-06-23
Date of effect	2021-06-30

Microsec Micro Software Engineering & Consulting Private Company Limited by Shares Hungary, H-1033 Budapest, Ángel Sanz Briz str. 13.

Version	Effect date	Description
1.0	2015-09-07	- New policies according to the RFC 3647.
2.0	2016-07-01	- eIDAS conformity.
2.1	2016-09-05	- Changes according to the NMHH comments.
2.2	2016-10-30	- Changes according to the auditor comments.
2.4	2017-09-30	- Yearly revision.
2.6	2018-03-24	- Global revision.
		- Introducing identity validation by state notaries.
		- Smaller improvements.
2.7	2018-09-15	- Yearly revision.
2.8	2018-12-14	- Changes based on the suggestions of the auditor.
2.11	2019-09-25	- Yearly revision.
2.12	2019-12-12	- Changes based on the suggestions of the auditor.
2.13	2020-03-05	- Effect.
		- Identity validation rules.
		- Certificate modification.
		- HSM requirements.
		- Smaller improvements of wording.
2.14	2020-05-26	- Smaller improvements.
		- Restructuring Chapter 2.
		- Introduction of video-based natural person identification in
		Section 3.2.3.
		- Adding more information for revocation in chapter 4.9.
		- Improve section 9.4.
2.16	2020-07-22	- Removing video-based natural person identification from Sec-
		tion 3.2.3.
		- Remove OCSP Signing EKU from ICA certificates.
		- Smaller improvements.
2.17	2020-10-28	- Improvements according to the auditor's and the supervisory
		body's findings.
		- Smaller improvements.
2.19	2020-12-28	- Introduction of video-based natural person identification in
		Section 3.2.3.
		- More detailed rules for the Certificate renewal initiated by the
		Service Provider.
		- Smaller improvements.

Version	Effect date	Description
2.21	2021-03-19	- Upgrading the rules for the generation of service provider's
		key pairs in the section 6.1.1.
		- Upgrading the description of the CRL profile in the section
		7.2.
		- Smaller improvements.
2.22	2021-06-30	- Certificate renewal initiated by the TSP.
		- Who can initiate revocation.
		- Reporting key compromise.
		- Publication of conformity assessment results.
		- Smaller improvements.

© 2021, Microsec Itd. All rights reserved.

# **Table of Contents**

1	Int	oduction	13
	1.1	Overview	13
	1.2	Document Name and Identification	13
		1.2.1 Certificate Policies	. 14
		1.2.2 Effect	16
		1.2.3 Security Levels	16
	1.3	PKI Participants	. 17
		1.3.1 Certification Authorities	. 17
		1.3.2 Registration Authorities	. 17
		1.3.3 Subscribers	18
		1.3.4 Relying Parties	18
		1.3.5 Other Participants	18
	1.4	Certificate Usage	18
		1.4.1 Appropriate Certificate Uses	18
		1.4.2 Prohibited Certificate Uses	18
	1.5	Policy Administration	19
		1.5.1 Organization Administering the Document	19
		1.5.2 Contact Person	19
		1.5.3 Person or Organization Responsible for the Suitability of the Practice Statement for the <i>Non-Qualified Electronic Signature Certificate Policy</i> .	19
		1.5.4 Practice Statement Approval Procedures	20
	1.6	Definitions and Acronyms	20
		1.6.1 Definitions	20
		1.6.2 Acronyms	. 27
2	Pu	lication and Repository Responsibilities	27
	2.1	Repositories	. 27
	2.2	Publication of Certification Information	28
	2.3	Time or Frequency of Publication	29
		2.3.1 Frequency of the Publication of Terms and Conditions	29
		2.3.2 Frequency of the Certificates Disclosure	29
		2.3.3 The Changed Revocation Status Publication Frequency	29
	2.4	Access Controls on Repositories	30
3	lde	ntification and Authentication	30
	3.1	Naming	30
		3.1.1 Types of Names	30
		3.1.2 Need for Names to be Meaningful	33

		3.1.3	Anonymity or Pseudonymity of Subscribers	33
		3.1.4	Rules for Interpreting Various Name Forms	33
		3.1.5	Uniqueness of Names	34
		3.1.6	Recognition, Authentication, and Role of Trademarks	34
	3.2	Initial	Identity Validation	34
		3.2.1	Method to Prove Possession of Private Key	34
		3.2.2	Authentication of an Organization Identity	34
		3.2.3	Authentication of an Individual Identity	35
		3.2.4	Non-Verified Subscriber Information	38
		3.2.5	Validation of Authority	39
		3.2.6	Criteria for Interoperation	39
	3.3	Identi	fication and Authentication for Re-key Requests	39
		3.3.1	Identification and Authentication for valid Certificate	39
		3.3.2	Identification and Authentication for invalid Certificate	40
	3.4	Identifi	ication and Authentication in Case of Certificate Renewal Requests	40
		3.4.1	Identification and Authentication in Case of a Valid Certificate	40
		3.4.2	Identification and Authentication in Case of an Invalid Certificate	40
	3.5	Identifi	ication and Authentication for Certificate Modification requests	40
		3.5.1	Identification and Authentication in Case of a Valid Certificate	40
		3.5.2	Identification and Authentication in Case of an Invalid Certificate	40
	3.6	Identi	fication and Authentication for Revocation Request	40
4	Cer	tificate	e Life-Cycle Operational Requirements	41
	4.1	Applic	cation for a Certificate	41
		4.1.1	Who May Submit a Certificate Application	42
		4.1.2	Enrolment Process and Responsibilities	42
	4.2	Certif	icate Application Processing	43
		4.2.1	Performing Identification and Authentication Functions	43
		4.2.2	Annual on Dejection of Contificate Annualizations	43
		1.2.2	Approval or Rejection of Certificate Applications	43
		4.2.3	Time to Process Certificate Applications	
	4.3	4.2.3		44
	4.3	4.2.3	Time to Process Certificate Applications	44 44
	4.3	4.2.3 Certifi	Time to Process Certificate Applications	44 44 44
	4.3 4.4	4.2.3 Certifi 4.3.1 4.3.2	Time to Process Certificate Applications	44 44 44 44
		4.2.3 Certifi 4.3.1 4.3.2	Time to Process Certificate Applications	44 44 44 44 44
		4.2.3 Certifi 4.3.1 4.3.2 Certifi	Time to Process Certificate Applications	44 44 44 44 44
		<ul> <li>4.2.3</li> <li>Certifi</li> <li>4.3.1</li> <li>4.3.2</li> <li>Certifi</li> <li>4.4.1</li> </ul>	Time to Process Certificate Applications	44 44 44 44 44
		<ul> <li>4.2.3</li> <li>Certifi</li> <li>4.3.1</li> <li>4.3.2</li> <li>Certifi</li> <li>4.4.1</li> <li>4.4.2</li> <li>4.4.3</li> </ul>	Time to Process Certificate Applications	44 44 44 44 44 45

4.5.2	Relying Party Public Key and Certificate Usage	45
Certifi	cate Renewal	45
4.6.1	Circumstances for Certificate Renewal	46
4.6.2	Who May Request Renewal	46
4.6.3	Processing Certificate Renewal Requests	47
4.6.4	Notification of the Client about the New Certificate Issuance	47
4.6.5	Conduct Constituting Acceptance of a Renewed Certificate	47
4.6.6	Publication of the Renewed Certificate by the CA	47
4.6.7	Notification of Other Entities about the Certificate Issuance	47
Certifi	cate Re-Key	47
4.7.1	Circumstances for Certificate Re-Key	48
4.7.2	Who May Request Certification of a New Public Key	48
4.7.3	Processing Certificate Re-Key Requests	48
4.7.4	Notification of the Client about the New Certificate Issuance	48
4.7.5	Conduct Constituting Acceptance of a Re-Keyed Certificate	48
4.7.6	Publication of the Re-Keyed Certificate	48
4.7.7	Notification of Other Entities about the Certificate Issuance	49
Certifi	cate Modification	49
4.8.1	Circumstances for Certificate Modification	49
4.8.2	Who May Request Certificate Modification	49
4.8.3	Processing Certificate Modification Requests	50
4.8.4	Notification of the Client about the New Certificate Issuance	50
4.8.5	Conduct Constituting Acceptance of Modified Certificate	50
4.8.6	Publication of the Modified Certificate by the CA	50
4.8.7	-	50
Certifi	-	50
4.9.1	Circumstances for Revocation	51
4.9.2	Who Can Request Revocation	54
4.9.3		54
4.9.4	Revocation Request Grace Period	55
4.9.5	Time Within Which CA Must Process the Revocation Request	55
4.9.6		55
4.9.7		55
4.9.8		55
4.9.9	-	55
4.9.10	,	55
4.9.11		56
4.9.12		56
4.9.13	Circumstances for Suspension	56
	Certifi 4.6.1 4.6.2 4.6.3 4.6.4 4.6.5 4.6.6 4.6.7 Certifi 4.7.1 4.7.2 4.7.3 4.7.4 4.7.5 4.7.6 4.7.7 Certifi 4.8.1 4.8.2 4.8.3 4.8.4 4.8.5 4.8.6 4.8.7 Certifi 4.8.1 4.8.2 4.8.3 4.8.4 4.8.5 4.8.6 4.8.7 Certifi 4.9.1 4.9.12	Certificate Renewal         4.6.1       Circumstances for Certificate Renewal         4.6.2       Who May Request Renewal         4.6.3       Processing Certificate Renewal Requests         4.6.4       Notification of the Client about the New Certificate Issuance         4.6.5       Conduct Constituting Acceptance of a Renewed Certificate         4.6.6       Publication of the Renewed Certificate by the CA         4.6.7       Notification of Other Entities about the Certificate Issuance         Certificate Re-Key

		4.9.14	Who Can Request Suspension56
		4.9.15	Procedure for Suspension Request
		4.9.16	Limits on Suspension Period
	4.10	Certific	cate Status Services
		4.10.1	Operational Characteristics
		4.10.2	Service Availability
		4.10.3	Optional Features
	4.11	End of	Subscription
	4.12	Key Es	crow and Recovery
		4.12.1	Key Escrow and Recovery Policy and Practices
		4.12.2	Symmetric Encryption Key Encapsulation and Recovery Policy and Prac-
			tices
5	Eac	: ;+,, N/,	anagement, and Operational Controls 58
5	5.1	-	al Controls
	J.1	5.1.1	Site Location and Construction
		5.1.2	Physical Access
		5.1.2	Power and Air Conditioning
		5.1.4	Water Exposures   60
		5.1.5	Fire Prevention and Protection       60
		5.1.6	Media Storage         60
		5.1.7	Waste Disposal         60
		5.1.8	Off-Site Backup         61
	5.2		lural Controls
	5.2	5.2.1	Trusted Roles
		5.2.1	Number of Persons Required per Task       62
		5.2.2	Identification and Authentication for Each Role
		5.2.4	Roles Requiring Separation of Duties    62
	5.3		nel Controls
	J.J	5.3.1	Qualifications, Experience, and Clearance Requirements       63
		5.3.2	Background Check Procedures
		5.3.3	Training Requirements
		5.3.4	Retraining Frequency and Requirements
		5.3.5	Job Rotation Frequency and Sequence
		5.3.6	Sanctions for Unauthorized Actions
		5.3.0 5.3.7	
		5.3.8	Independent Contractor Requirements65Documentation Supplied to Personnel65
	5.4		Logging Procedures
	5.4		
		5.4.1	Types of Events Recorded65

		5.4.2	Frequency of Audit Log Processing
		5.4.3	Retention Period for Audit Log
		5.4.4	Protection of Audit Log
		5.4.5	Audit Log Backup Procedures       69
		5.4.6	Audit Collection System (Internal vs External)
		5.4.7	Notification to Event-causing Subject
		5.4.8	Vulnerability Assessments
	5.5	Record	ls Archival
		5.5.1	Types of Records Archived
		5.5.2	Retention Period for Archive
		5.5.3	Protection of Archive
		5.5.4	Archive Backup Procedures
		5.5.5	Requirements for Time-stamping of Records
		5.5.6	Archive Collection System (Internal or External)
		5.5.7	Procedures to Obtain and Verify Archive Information
	5.6	CA Ke	ey Changeover
	5.7	Comp	romise and Disaster Recovery
		5.7.1	Incident and Compromise Handling Procedures
		5.7.2	Computing Resources, Software, and/or Data are Corrupted 72
		5.7.3	Entity Private Key Compromise Procedures
		5.7.4	Business Continuity Capabilities After a Disaster
	5.8	CA or	RA Termination
6	Тес	chnical S	Security Controls 74
	6.1	Key P	air Generation and Installation
		6.1.1	Key Pair Generation
		6.1.2	Private Key Delivery to Subscriber
		6.1.3	Public Key Delivery to Certificate Issuer
		6.1.4	CA Public Key Delivery to Relying Parties
		6.1.5	Key Sizes
		6.1.6	Public Key Parameters Generation and Quality Checking
		6.1.7	Key Usage Purposes (as per X.509 v3 Key Usage Field)
	6.2	Privat	e Key Protection and Cryptographic Module Engineering Controls 79
		6.2.1	Cryptographic Module Standards and Controls
		6.2.2	Private Key (N out of M) Multi-Person Control
		6.2.3	Private Key Escrow
		6.2.4	Private Key Backup
		6.2.5	Private Key Archival
		6.2.6	Private Key Transfer Into or From a Cryptographic Module 80

		6.2.7	Private Key Storage on Cryptographic Module	0
		6.2.8	Method of Activating Private Key	0
		6.2.9	Method of Deactivating Private Key	1
		6.2.10	Method of Destroying Private Key	1
		6.2.11	Cryptographic Module Rating	1
	6.3	Other	Aspects of Key Pair Management	2
		6.3.1	Public Key Archival	2
		6.3.2	Certificate Operational Periods and Key Pair Usage Periods	2
	6.4	Activa	tion Data	3
		6.4.1	Activation Data Generation and Installation	3
		6.4.2	Activation Data Protection	3
		6.4.3	Other Aspects of Activation Data	3
	6.5	Compi	Iter Security Controls	3
		6.5.1	Specific Computer Security Technical Requirements	3
		6.5.2	Computer Security Rating	4
	6.6	Life C	ycle Technical Controls	4
		6.6.1	System Development Controls	4
		6.6.2	Security Management Controls	5
		6.6.3	Life Cycle Security Controls	5
	6.7		rk Security Controls	5
	6.7 6.8	Netwo		
7	6.8	Netwo Time-s	rk Security Controls	6
7	6.8	Netwo Time-s r <b>tificate</b> ,	rk Security Controls	6 6
7	6.8 <b>Ce</b> i	Netwo Time-s r <b>tificate</b> ,	rk Security Controls       81         stamping       81         , CRL, and OCSP Profiles       81         cate Profile       81	6 6 6
7	6.8 <b>Ce</b> i	Netwo Time-s r <b>tificate</b> , Certifi	rk Security Controls	6 6 6
7	6.8 <b>Ce</b> i	Netwo Time-s r <b>tificate</b> , Certifi 7.1.1	rk Security Controls	6 6 7 8
7	6.8 <b>Ce</b> i	Netwo Time-s r <b>tificate</b> , Certifi 7.1.1 7.1.2	rk Security Controls       81         stamping       81         of CRL, and OCSP Profiles       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       91	6 6 7 8 3
7	6.8 <b>Ce</b> i	Netwo Time-s <b>tificate</b> , Certifi 7.1.1 7.1.2 7.1.3	rk Security Controls       81         stamping       81         of CRL, and OCSP Profiles       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       91	6 6 7 8 3 3
7	6.8 <b>Ce</b> i	Netwo Time-s <b>tificate</b> , Certifi 7.1.1 7.1.2 7.1.3 7.1.4	rk Security Controls       81         stamping       81         , CRL, and OCSP Profiles       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       91         Name Forms       91	6 6 7 8 3 3 3
7	6.8 <b>Ce</b> i	Netwo Time-s certificate, Certific 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5	rk Security Controls       81         stamping       81         stamping       81         cate Profile       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       91         Name Forms       91         Name Constraints       91	6 6 7 8 3 3 3 4
7	6.8 <b>Ce</b> i	Netwo Time-s <b>tificate</b> , Certifia 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6	rk Security Controls       81         stamping       81         stamping       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       91         Name Forms       91         Name Constraints       91         Certificate Policy Object Identifier       94	6 6 7 8 3 3 4 4
7	6.8 <b>Ce</b> i	Netwo Time-s certificate, 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7	rk Security Controls       88         stamping       88         stamping       88         cate Profile       88         cate Profile       88         Version Number(s)       88         Certificate Extensions       88         Algorithm Object Identifiers       92         Name Forms       92         Name Constraints       92         Usage of Policy Constraints Extension       94	6 6 7 8 3 3 4 4 4
7	6.8 <b>Ce</b> i	Netwo Time-s certificate, Certific 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7 7.1.8	rk Security Controls       81         stamping       81         stamping       81         CRL, and OCSP Profiles       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       92         Name Forms       92         Name Constraints       92         Certificate Policy Object Identifier       94         Usage of Policy Constraints Extension       94         Policy Qualifiers Syntax and Semantics       94         Processing Semantics for Critical Certificate Policy Extension       94	6 6 7 8 3 3 4 4 4 4
7	6.8 <b>Cer</b> 7.1	Netwo Time-s certificate, Certific 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7 7.1.8 7.1.9	rk Security Controls       81         stamping       81         stamping       81         CRL, and OCSP Profiles       81         cate Profile       81         Version Number(s)       81         Certificate Extensions       81         Algorithm Object Identifiers       92         Name Forms       92         Name Constraints       92         Certificate Policy Object Identifier       94         Usage of Policy Constraints Extension       94         Policy Qualifiers Syntax and Semantics       94         Processing Semantics for Critical Certificate Policy Extension       94	6 6 7 8 3 3 3 4 4 4 4 4
7	6.8 <b>Cer</b> 7.1	Netwo Time-s certificate, Certific 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7 7.1.8 7.1.9 CRL P	rk Security Controls       88         stamping       88         stamping       88         cate Profile       86         Version Number(s)       88         Certificate Extensions       88         Algorithm Object Identifiers       91         Name Forms       92         Name Constraints       92         Certificate Policy Object Identifier       94         Usage of Policy Constraints Extension       94         Policy Qualifiers Syntax and Semantics       94         Processing Semantics for Critical Certificate Policy Extension       94         Profile       94	6 6 7 8 3 3 3 4 4 4 4 4 4 4 4
7	6.8 <b>Cer</b> 7.1	Netwo Time-s certificate, Certific 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7 7.1.8 7.1.9 CRL P 7.2.1 7.2.2	rk Security Controls       88         stamping       88         stamping       88         cate Profile       86         Version Number(s)       88         Certificate Extensions       88         Algorithm Object Identifiers       91         Name Forms       92         Name Constraints       92         Usage of Policy Object Identifier       94         Policy Qualifiers Syntax and Semantics       94         Processing Semantics for Critical Certificate Policy Extension       94         Version Number(s)       94	6 6 7 8 3 3 3 4 4 4 4 4 4 4 4 4
7	<ul> <li>6.8</li> <li>Cer</li> <li>7.1</li> <li>7.2</li> </ul>	Netwo Time-s certificate, Certific 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7 7.1.8 7.1.9 CRL P 7.2.1 7.2.2	rk Security Controls       88         stamping       88         stamping       88         CRL, and OCSP Profiles       88         cate Profile       88         Version Number(s)       88         Certificate Extensions       88         Algorithm Object Identifiers       92         Name Forms       92         Name Constraints       92         Certificate Policy Object Identifier       94         Usage of Policy Constraints Extension       94         Policy Qualifiers Syntax and Semantics       94         Processing Semantics for Critical Certificate Policy Extension       94         Version Number(s)       94         CRL and CRL Entry Extensions       94	6 6 7 8 3 3 3 4 4 4 4 4 4 4 6

8	Со	mplianc	e Audit and Other Assessments	97
	8.1	Freque	ency or Circumstances of Assessment	98
	8.2	Identi	ty/Qualifications of Assessor	98
	8.3	Assess	sor's Relationship to Assessed Entity	98
	8.4	Topics	S Covered by Assessment	98
	8.5	Actior	ns Taken as a Result of Deficiency	99
	8.6	Comm	nunication of Results	99
9	Otł	ner Bus	iness and Legal Matters	99
	9.1	Fees		99
		9.1.1	Certificate Issuance or Renewal Fees	99
		9.1.2	Certificate Access Fees	99
		9.1.3	Revocation or Status Information Access Fees	100
		9.1.4	Fees for Other Services	100
		9.1.5	Refund Policy	100
	9.2	Finand	cial Responsibility	100
		9.2.1	Insurance Coverage	100
		9.2.2	Other Assets	100
		9.2.3	Insurance or Warranty Coverage for End-entities	100
	9.3	Confic	lentiality of Business Information	. 101
		9.3.1	Scope of Confidential Information	. 101
		9.3.2	Information Not Within the Scope of Confidential Information	. 101
		9.3.3	Responsibility to Protect Confidential Information	. 101
	9.4	Privac	cy of Personal Information	102
		9.4.1	Privacy Plan	102
		9.4.2	Information Treated as Private	102
		9.4.3	Information Not Deemed Private	102
		9.4.4	Responsibility to Protect Private Information	102
		9.4.5	Notice and Consent to Use Private Information	102
		9.4.6	Disclosure Pursuant to Judicial or Administrative Process	103
		9.4.7	Other Information Disclosure Circumstances	103
	9.5	Intelle	ctual Property Rights	103
	9.6	Repres	sentations and Warranties	103
		9.6.1	CA Representations and Warranties	103
		9.6.2	RA Representations and Warranties	105
		9.6.3	Subscriber Representations and Warranties	106
		9.6.4	Relying Party Representations and Warranties	108
		9.6.5	Representations and Warranties of Other Participants	108
	9.7	Discla	imers of Warranties	108

# TABLE OF CONTENTS

	9.8	Limita	tions of Liability	109
	9.9	Indem	nities	109
		9.9.1	Indemnification by the <i>Trust Service Provider</i>	109
		9.9.2	Indemnification by Subscribers	109
		9.9.3	Indemnification by Relying Parties	109
	9.10	Term a	and Termination	109
		9.10.1	Term	109
		9.10.2	Termination	109
		9.10.3	Effect of Termination and Survival	110
	9.11	Individ	lual Notices and Communications with Participants	110
	9.12	Ameno	dments	110
		9.12.1	Procedure for Amendment	110
		9.12.2	Notification Mechanism and Period	110
		9.12.3	Circumstances Under Which OID Must Be Changed	110
	9.13	-	e Resolution Provisions	110
	9.14	Goverr	ning Law	. 111
	9.15		iance with Applicable Law	
	9.16		laneous Provisions	. 111
		9.16.1	Entire Agreement	
		9.16.2	Assignment	. 111
		9.16.3	Severability	112
		9.16.4	Enforcement (Attorneys' Fees and Waiver of Rights)	112
		9.16.5	Force Majeure	112
	9.17	Other	Provisions	112
Α	Inte	rpretatio	on of the short policy names	113
В	REF	ERENC	ES	114

### 1 INTRODUCTION

# 1 Introduction

This document contains the *Non-Qualified Electronic Signature Certificate Policy* defined by e-Szignó Certificate Authority operated by Microsec Itd. (hereinafter: Microsec or *Trust Service Provider*) concerning the issuance of non-qualified certificate for electronic signature service.

The *Non-Qualified Electronic Signature Certificate Policy* complies with the requirements set by the elDAS Regulation [1], the service provided according to these regulations is an EU Trust Service.

# 1.1 Overview

The Non-Qualified Electronic Signature Certificate Policy is a "set of rules that specify a Certificate's usability for a community and/or a class of applications with common security requirements". The content and format of this document complies with the requirements of the IETF RFC 3647 [24] framework. It consists of 9 sections that contain the security requirements, processes and the practices defined by the *Trust Service Provider* to be followed during the provision of services. To strictly preserve the outline specified by IETF RFC 3647, section headings where the *Certificate Policy* does not impose a requirement have the statement "No stipulation".

This document contains the requirements of multiple Certificate Policies. The vast majority of the requirements defined in the document applies to all of the Certificate Policies uniformly and are not otherwise mentioned. In case of requirements to be treated differently it will be clearly defined which Certificate Policies the given requirement refers to.

The *Certificates* issued in accordance with this document shall indicate the identifier (OID) of the *Certificate Policy* that they comply to. *Relying Parties* can ascertain the applicability and reliability of the *Certificates* based on the identifier regarding a specific application.

The *Certificate Policys* set out basic requirements related to *Certificates* in particular for the *Certificate* issuer *Trust Service Provider*. The manner how these requirements are met, and a detailed description of the methods mentioned here shall be included in the *Certification Practice Statement* issued by the *Trust Service Provider*.

The Non-Qualified Electronic Signature Certificate Policy is one of several documents issued by the Trust Service Provider that collectively govern conditions of the services provided by the Trust Service Provider. Other important documents include General Terms and Conditions, Certification Practice Statements, and other customer and partner agreements.

Section 1.6 of this document specifies several terms, which are not used or not fully in this sense used in other areas. In this document, terms used in this sence are always capitalized and are written in italics.

# 1.2 Document Name and Identification

The present document is a *Certificate Policy* collection, the main identification data of which are:

lssuer	e-Szignó Certificate Authority
Document name	eIDAS conform
	Non-Qualified Certificate for Electronic Signature
	Certificate Policies

### 1 INTRODUCTION

Document version	2.22
Date of effect	2021-06-30

The list and identification information of the *Certificate Policies* described by the present document can be found in section 1.2.1.

# 1.2.1 Certificate Policies

All *Certificates* issued by the *Trust Service Provider* shall refer to that *Certificate Policy* on the basis of which they were issued.

The first seven numbers of the OID identifying the *Certificate Policy*s is the unique identifier of Microsec as follows:

(1)	International Organization for Standardization (ISO)	
(3)	Organization identification schemes registered according to	
	ISO/IEC 6523-2	
(6)	United States Department of Defense (DoD)	
(1)	Internet	
(4)	Private projects	
(1)	Private enterprises	
(21528)	MICROSEC Ltd.	

The system of the further numbers was allocated within Microsec's own scope of authority, the interpretation of it is as follows:

(1.3.6.1.4.1.21528)	MICROSEC Ltd.
(2)	e-Szignó Certificate Authority
(1)	documents
(1)	public documents
(x)	unique identifier number of the document
(y)	document version
(z)	document subversion

The present document defines the following Non-Qualified Electronic Signature Certificate Policies:

OID	DENOMINATION	SHORT NAME
1.3.6.1.4.1.21528.2.1.1.150.2.2	2Not qualified for the generation and verifica- tion of electronic signatures, certification class III., for natural persons issued as a software to- ken , Certificate Policy prohibiting the use of pseudonyms.	HATSN

1.3.6.1.4.1.21528.2.1.1.176.2.2	2Not qualified code signing, certification class	HKTSN
	III., for natural persons issued as a software to-	
	ken , Certificate Policy prohibiting the use of	
	pseudonyms.	
1.3.6.1.4.1.21528.2.1.1.153.2.2	2Not qualified for the generation and verifica-	KATxN
	tion of electronic signatures, certification class II.	
	controlling the issuance of Certificates, Certifi-	
	cate Policy prohibiting the use of pseudonyms.	
1.3.6.1.4.1.21528.2.1.1.177.2.22Not qualified code signing, certification class II.		KKT×N
	controlling the issuance of Certificates, Certifi-	
	cate Policy prohibiting the use of pseudonyms.	

The rules of the formation and interpretation of the *Non-Qualified Electronic Signature Certificate Policy* short names can be found in the Appendix of this document.

The Trust Service Provider doesn't issue Certificates with pseudonym.

Based on these *Certificate Policies* the *Trust Service Provider* can issue *Certificates* that are appropriate for eIDAS Regulation [1] advanced electronic signature creation. The documents with advanced with electronic signature meets the requirements for phrasing.

The issuance of *Certificate* belonging to the III. certification class is bound to preliminary personal identification done by the *Trust Service Provider*, at class II. *Certificate* issuance, remote registration is permitted as well.

In case of *Certificate Policies* concerning *Certificates* issued to natural persons, the *Subject* is always a natural person.

The denomination of the IT systems, applications and automatism by the help of the *Certificate* can be used, can be indicated within the *Certificates* (*Certificate for Automatism*).

Among the present *Certificate Policies*:

- each *Certificate Policy* complies with the [LCP] *Certificate Policy* defined in the ETSI EN 319 411-1 [14] standard;
- except the [KATxN] and [KKTxN] *Certificate Policy* each *Certificate Policy* complies with the [NCP] *Certificate Policy*;

### Compliance with the ETSI Certificate Policies

In cases when an ETSI Certificate Policy is based on another ETSI Certificate Policy and this way contains all the requirements of it, only the Identifier of the Higher Level Certificate Policy is referenced in the issued *Certificates*.

	[LCP]	[NCP]
HATSN	(x)	Х
HKTSN	(x)	Х
KATxN	Х	
KKT×N	Х	

### 1.2.2 Effect

This *Certificate Policy* collection is in effect from the 2021-06-30 date of entry into force to withdrawal. The effect automatically terminates at the issuance of the newer version of the *Non-Qualified Electronic Signature Certificate Policy*.

The present *Certificate Policy* collection and the *Certification Practice Statements* based on these policies should be reviewed at least annually and their amendment to the potentially changed requirements and prerequisites shall be ensured.

The effect of the *Non-Qualified Electronic Signature Certificate Policy* extends to each of the participants mentioned in section 1.3.

Present *Certificate Policy* collection include specific requirements for services primarily provided for Hungarian *Clients*, operating by the Hungarian law in Hungary in Hungarian language. The *Trust Service Provider* can extend the geographical scope of the service; in this case, it shall use not less stringent requirements than those applicable to Hungarian conditions. The details shall be recorded in the *Certification Practice Statement*.

### 1.2.3 Security Levels

The *Trust Service Provider* defined security levels by taking into account the relevant requirements as follows.

The authentication strength of the *Certificate Subject* in descending order:

- qualified *Certificates* [M\*\*\*\*];
- non-qualified III. certification class *Certificates* [H\*\*\*\*] issued by e-Szignó Certificate Authority;
- non-qualified II. certification class *Certificates* [K\*\*\*\*] issued by e-Szignó Certificate Authority;
- non-qualified Certificates issued not by the e-Szignó Certificate Authority.

Based on the used container in descending order by security:

- Certificates issued on Qualified Electronic Signature Creation Device [\*\*\*B\*];
- *Certificates* issued on *Cryptographic Hardware Device* [\*\*\*H\*];
- otherwise, for example *Certificates* issued by software [\*\*\*S\*].

By taking into account the two points of view the *Trust Service Provider* established the following aggregated order in descending order of security:

- qualified *Certificates* issued on *Qualified Electronic Signature Creation Device* [M\*\*B\*];
- qualified Certificates issued on Cryptographic Hardware Device [M\*\*H\*];
- qualified otherwise, for example *Certificates* issued by software [M\*\*S\*];

- non-qualified, III. certification class *Certificates* issued by e-Szignó Certificate Authority [H\*\*S\*];
- non-qualified, II. certification class *Certificates* issued by e-Szignó Certificate Authority [K\*\*S\*];
- non-qualified Certificates issued by other CA than e-Szignó Certificate Authority

During the communication with the *Clients* the *Trust Service Provider* supports the use of electronic channels and enables the use of electronic signature during the administration in most cases possible.

It is a general rule, that during the administration related to the *Certificates*, the *Client* can use its own signing *Certificate* to verify the electronic documents, if its level of security according to the aforementioned list is not lower than the relevant *Certificate*.

On an individual basis in special cases, the *Trust Service Provider* can deviate from the strict application of the above list with regard to particular tasks (for example the personal identification for III. certification class *Certificates* in case of new qualified *Certificate Application* or the modification of an existing one as a result of the same procedural identification rules it accepts the identification required for qualified *Certificate*).

# 1.3 PKI Participants

# 1.3.1 Certification Authorities

The *Trust Service Provider* is a *Trust Service Provider* that issues *Certificates* within the framework of a *Trust Service*, and performs the related tasks. For example identifies the applicant person, manages records, accepts the changes related to the *Certificates*, and publishes the policies related to the *Certificate*, public keys and information on the current state of the *Certificate* (in particular about its possible revocation). (This activity is also called Certification service.)

The requirements of the present document apply to every *Trust Service Provider* who undertake in their the *Certification Practice Statement* the compliance with any of the *Non-Qualified Electronic Signature Certificate Policy*(s) described in the present document.

### 1.3.2 Registration Authorities

See the definition in section 1.6.

The *Registration Authority* can operate as a part of the *Trust Service Provider*, but it can be a separate, independent organization as well. The operation of the *Registration Authority* shall meet the requirements described in the relevant *Certificate Policies*, *Certification Practice Statements*, and other documents. Regardless of the chosen resolution the *Trust Service Provider* is in all cases fully responsible for the proper operation of the *Registration Authority*.

In case of an independent *Registration Authority*, the *Trust Service Provider* shall contractually oblige the *Registration Authority* to comply with the relevant requirements.

### 1 INTRODUCTION

### 1.3.3 Subscribers

Subscribers define the scope of Subjects using the service, and Subscribers also cover the service fees related to the usage of these services.

The *Subject* is that natural person, whose data is indicated on the *Certificate*.

In case of a *Certificate* for electronic signature purposes, the *Subject* is the *Signatory*.

# 1.3.4 Relying Parties

The *Relying Party* is not necessarily in a contractual relationship with the *Trust Service Provider*. The *Certification Practice Statement* and the other policies mentioned in it contain the recommendations related to its operation.

### 1.3.5 Other Participants

The independent auditor who makes the conformity assessment audit.

The supervisory authority.

The *Represented Organization*, whose name is indicated in a *Certificate* issued for a natural person. The *Trust Service Provider* does not necessarily have a contractual relationship with the *Represented Organization*, but the *Trust Service Provider* shall not issue an *Organizational Certificate* without the approval of that *Organization*. The *Trust Service Provider* can suspend or revoke the *Certificate* at the request of the *Represented Organization*.

# 1.4 Certificate Usage

The *Certificate* usability area is essentially determined by the *Certificate* attribute values set by the *Trust Service Provider* beside which the *Certificate Policy* and the *Certification Practice Statement* may also contain additional restrictions.

# 1.4.1 Appropriate Certificate Uses

The private keys belonging to the end-user *Certificates* issued by the *Trust Service Provider* based on one of the present *Certificate Policies* can be only used for electronic signature creation, with the *Certificates* the *Signatory* can verify the authenticity of the documents signed by him.

The *Certificate* issued according to the present *Certificate Policies* is suitable for advanced electronic signature creation. The document certified by an advanced electronic signature meets the requirements for phrasing according to Hungarian legislation.

# 1.4.2 Prohibited Certificate Uses

### **Provider Certificates**

The provider root and intermediate *Certificates*, and the associated private keys shall not be used for *Certificate* issuance prior to the disclosure of the provider *Certificates*.

#### **End-User Certificates**

*Certificates* issued in accordance with the present *Certificate Policies*, and the private keys belonging to them using for other purposes than the generation and verification of electronic signature is prohibited.

# 1.5 Policy Administration

# 1.5.1 Organization Administering the Document

The data of the organization administering the present *Non-Qualified Electronic Signature Certificate Policy* can be found in the following table:

Organization name	Microsec e-Szignó Certificate Authority	
Organization address	Hungary, H-1033 Budapest, Ángel Sanz Briz str. 13.	
Telephone number	+36 1 505-4444	
Fax number	+36 1 505-4445	
Email address	info@e-szigno.hu	

# 1.5.2 Contact Person

Questions related to the present *Non-Qualified Electronic Signature Certificate Policy* can be directly put to the following person:

Contact person	Head of Process Management Department	
Organization name	Microsec Itd.	
Organization address	Hungary, H-1033 Budapest, Ångel Sanz Briz str. 13.	
Telephone number	+36 1 505-4444	
Fax number	+36 1 505-4445	
Email address	info@e-szigno.hu	

# **1.5.3** Person or Organization Responsible for the Suitability of the Practice Statement for the *Non-Qualified Electronic Signature Certificate Policy*

The provider that issued the *Certification Practice Statement* is responsible for its compliance with the *Non-Qualified Electronic Signature Certificate Policy* referenced in it and for the provision of the service in harmony with the regulations contained therein.

The *Certification Practice Statements* and the provision of the services are supervised by the National Media and Infocommunications Authority. The National Media and Infocommunications Authority maintains a register on the *Non-Qualified Electronic Signature Certificate Policies* and on the *Trust Service Providers* applying these policies.

The register of the National Media and Infocommunications Authority on trust services is available on the following link:

http://webpub-ext.nmhh.hu/esign2016/

### 1.5.4 Practice Statement Approval Procedures

The *Trust Service Provider* shall describe the acceptance procedure of the *Certification Practice Statement* that announces its conformity with the present *Non-Qualified Electronic Signature Certificate Policy* in the given *Certification Practice Statement*.

# 1.6 Definitions and Acronyms

# 1.6.1 Definitions

II. certification class	A group of non-qualified <i>Certificate Policies</i> , that make possible the <i>Certificate</i> issuance based on the <i>Applicant</i> 's remote registration.
III. certification class	A group of non-qualified <i>Certificate Policies</i> , that bound the <i>Certificate</i> issuance to the <i>Applicant</i> 's personal registration.
Data Centre	A facility designed for the placement and operation of computer systems and associated components. These com- ponents typically include telecommunications systems and communication connections, redundant power supply, data storage, air conditioning, fire protection and security sys- tems.
Subject	A natural person with an identity or attribute verified by the <i>Trust Service Provider</i> with the <i>Certificate</i> , so the sig- natory especially in case of an electronic signature certifi- cate.
Signatory	<ul> <li>"A natural person who creates an electronic signature." (eIDAS [1] article 3. point 9.)</li> <li>" A person with an identity or attribute verified by the <i>Trust Service Provider</i> with the certificate of the electronic signature. " (Act CCXXII. of 2015. [7] 1. § point 43. )</li> </ul>
Certificate for Automatism	A <i>Certificate</i> in which the name of the IT device (application, system) that is applied by the <i>Subject</i> to use the <i>Certificate</i> is to be recorded among the <i>Subject</i> 's data.
Trust Service Supervisory Body	"The National Media and Infocommunications Authority, the supervising authority monitoring the <i>Trust Services</i> ." (Act CCXXII. of 2015. [7] 91.§ 1. paragraph)

Trust Service	"Means an electronic service normally provided for remu- neration which consists of:
	<ul> <li>the creation, verification, and validation of electronic signatures, electronic seals or electronic time stamps, electronic registered delivery services and certificates related to those services, or</li> </ul>
	• the creation, verification and validation of <i>Website Authentication Certificate</i> ; or
	<ul> <li>the preservation of electronic signatures, seals or cer- tificates related to those services;</li> </ul>
	" (eIDAS [1] 3. article 16. point)
Trust Service Policy	"A set of rules in which a <i>Trust Service Provider</i> , relying party or other person requires conditions for the usage of the <i>Trust Service</i> for a community of the relying parties and/or a class of applications with common security re- quirements." ( <i>Act CCXXII. of 2015.</i> [7] 1. § 8. point)
Trust Service Provider	"A natural or a legal person who provides one or more <i>Trust Services</i> either as a qualified or as a non-qualified <i>Trust Service Provider</i> ." (eIDAS [1] 3. article 19. point)
Electronic Signature	Data in electronic form which is attached to or logically associated with other data in electronic form and which is used by the signatory to sign <i>(eIDAS [1] 3. article 10. point)</i>
Certificate for Electronic Signature	"Means an electronic attestation which links electronic sig- nature validation data to a natural person and confirms at least the name or the pseudonym of that person." (elDAS [1] 3. article 14. point) In case of Certificates issued by the Trust Service Provider, it can be clearly concluded from the Certificate Policy re- lated to the Certificates, whether the given Certificate is pseudonymous or not. The reference of the Certificate Pol- icy is in the Certificate.
Electronic Signature Creation Data	"Means unique data which is used by the signatory to cre- ate an electronic signature." <i>(eIDAS [1] 3. article 13. point)</i> Typically, cryptographic private key, formerly known as the signature creation data.
Electronic Signature Creation Device	"Means configured software or hardware used to create an electronic signature." <i>(eIDAS [1] 3. article 22. point)</i> Formerly known as signature-creation device (ALE).

Electronic Document	"Means any content stored in electronic form, in particular text or sound, visual or audiovisual recording" <i>(eIDAS [1]</i> <i>3. article 35. point)</i>
Electronic Time Stamp	"Means data in electronic form which binds other data in electronic form to a particular time establishing evidence that the latter data existed at that time." (elDAS [1] 3. article 33. point)
Subscriber	A person or organization signing the service agreement with the <i>Trust Service Provider</i> in order to use some of its services.
Relying Party	Recipient of the electronic document, who acts relying on the electronic signature based on a given certificate.
Validation	"Means the process of verifying and confirming that an electronic signature or a seal is valid." (eIDAS [1] 3. article 41. point)
Validation Chain	The electronic document or its hash, and the series of information assigned to one another (especially those cer- tificates, information related to certificates, data used for signature or seal creation, the current status of the certifi- cate, information on the withdrawal, as well as information on the validity data of the certificate issuer provider and its revocation information), with the help of which it can be established that the advanced or qualified electronic signa- ture, seal or time-stamp placed on the electronic document was valid at the time of the signature, seal or time-stamp placement. ( <i>Act CCXXII. of 2015. [7] 1. § point 21.</i> )
Validation Data	"Means data that is used to validate an electronic signature or an electronic seal." <i>(eIDAS [1] 3. article 40. point)</i>
Suspension	A temporary pause of the <i>Certificate</i> 's validity before the end of the validity period indicated on the <i>Certificate</i> . The <i>Certificate</i> suspension is not definitive; the suspended <i>Cer- tificate</i> 's validity can be restored.

Advanced Electronic Signature	<ul> <li>"Means an electronic signature which meets the following requirements:</li> <li>a / it is uniquely linked to the signatory;</li> <li>b / it is capable of identifying the signatory;</li> <li>c / it is created using electronic signature creation data that the signatory can, with a high level of confidence, use under his sole control; and</li> <li>d / it is linked to the data signed therewith in such a way that any subsequent change in the data is detectable. "</li> <li>(eIDAS [1] 3. article 11. point)</li> </ul>
Root Certificate	Also known as top level certificate. Self-signed <i>Certificate</i> , which is issued by a specific <i>Certification Unit</i> for itself, which is signed with its own private key, so it can be verified with its own public key – indicated on the certificate.
HSM: Hardware Security Module	A hardware-based secure device that generates, stores and protects cryptographic keys and provides a secure environ- ment for the implementation of cryptographic functions.
Certification Authority	A <i>Trust Service Provider</i> , who/which identifies the requester within the confines of the certification service, issues <i>Certificates</i> , keeps a record, receives the <i>Certificate</i> related data changes, and publishes the regulations belonging to the <i>Certificate</i> , the Certificate-Verifier Data and the information on the current state (especially on possible revocation) of the <i>Certificate</i> .
Certification Unit	A unit of the <i>Trust Service Provider</i> 's system that signs the <i>Certificates</i> . Always just one Certificate-Creation Data (signing key, signature-creation data) belongs to a <i>Certi- fication Unit</i> . It is possible that a Certification Authority simultaneously operate several <i>Certification Units</i> .
Certificate Policy	"A <i>Trust Service Policy</i> which concerns the <i>Certificate</i> is- sued within the framework of the <i>Trust Service</i> ." ( Act CCXXII. of 2015. [7] 1. § 24. point)
Applicant	That natural person who acts during the application for the given <i>Certificate</i> .
Represented Organization	The Organization, which is represented by the Organiza- tional Administrator during the actions related to the Cer- tificates issued to the given Organization.

Code Signing Certificate	A <i>Certificate</i> , which can be used for justifying the origin and integrity of applications.
Compromise	A cryptographic key is considered as compromised, when it can be assumed, that unauthorized person has access to it.
Intermediate Certification Unit	A <i>Certification Unit</i> whose <i>Certificate</i> was issued by an- other <i>Certification Unit</i> .
Cryptographic Key	A unique digital data string controlling a cryptographic transformation, the knowledge of which is required for en- cryption, decryption and the creation and verification of electronic signatures and seals.
Key Management	The production of cryptographic keys, their delivery to users or its algorithmic implementation, as well as the reg- istration, storage, archival, revocation and termination of keys which are closely linked to the used security method.
Hash	"A specific length bit string assigned to the electronic doc- ument, during the creation of which the used procedure (hashing procedure) fulfils the requirements defined in Act CCXXII. of 2015. [7] at the time of the creation." ( <i>Act</i> <i>CCXXII. of 2015.</i> [7] 1. § 34. point) The hash in practice a fixed-length bit string that is clearly dependent on the electronic document, from which it is de- rived from, with a very small probability that two different documents would have the same hash, and it is practically impossible given the hash prepare a document, which has the same hash.
Private Key	In the public key infrastructure, the element of an asymmetric cryptographic key pair belonging to the key-pair owner that the <i>Subject</i> shall keep strictly secret. In case of electronic signatures the <i>Signatory</i> generates the signature with the help of the private key. During the issuance of <i>Certificates</i> , the <i>Certification Authority</i> uses the private keys of the <i>Certificate</i> to placing an electronic signature or seal on the <i>Certificate</i> to protect it.
Qualified Electronic Signature	An advanced electronic signature that is created by a quali- fied electronic signature creation device, and which is based on a qualified certificate for electronic signatures. <i>(eIDAS</i> [1] article 3. point 12.)

Qualified Electronic Signature Creation Device	"Means an electronic signature creation device that meets the requirements laid down in Annex II of elDAS [1]." <i>(el- DAS [1] article 3. point 23.)</i> Previously known as Secure Signature Creation Device (BALE).
Public Key	In the public key infrastructure, the element of an asym- metric cryptographic key pair belonging to key-pair owner, which should be made public. The disclosure is typically in the form of a <i>Certificate</i> , which links the name of the actor with its public key. In case of an electronic signature, the public key of the signature creator party is needed to ver- ify the signature authenticity (this is the Certificate-Verifier Data). The authenticity of the <i>Certificates</i> can be verified with the public key of the <i>Certification Unit</i> .
Public Key Infrastructure, PKI	An infrastructure based on asymmetric cryptography, in- cluding the cryptographic algorithms, keys, certificates, the related standards and legislation, the underlying institu- tional system, a variety of providers and devices.
Registration Claim	The data and statement given beforehand for the prepara- tion of the <i>Certificate Application</i> and the service agree- ment to the <i>Trust Service Provider</i> by the <i>Client</i> in which the Client authorizes the <i>Trust Service Provider</i> for data management.
Registration Authority	Organization that checks the authenticity of the <i>Certificate</i> holder's data and verifies that the <i>Certificate Application</i> is authentic, and it has been submitted by an authorized person.
Extraordinary Operational Situation	An extraordinary situation causing disturbance in the course of the operation of the <i>Trust Service Provider</i> , when the continuation of the normal operation of the <i>Trust Service Provider</i> is not possible either temporarily or permanently.
	Legal person.
Organization	
Organizational Certificate	A <i>Certificate</i> , the <i>Subject</i> of which is the <i>Organization</i> , or which presents that the natural person <i>Subject</i> belongs to an <i>Organization</i> . In this case the name of the <i>Organization</i> is indicated in the "O" field of the <i>Certificate</i> .

Organizational Administrator	The natural person who is acting in the name of the <i>Subscriber</i> , and is eligible to issue the <i>Certificate Application</i> , to grant the issuance of the <i>Certificate</i> , to act during the application, replacement, suspension, reinstatement and revocation of the <i>Certificates</i> issued to the <i>Subscriber</i> .
Trust Service Practice Statement	"The statement of the <i>Trust Service Provider</i> of the de- tailed procedures or other operational requirements used in connection with the provision of particular <i>Trust Ser-</i> <i>vices</i> ." ( <i>Act CCXXII. of 2015.</i> [7] 1. § point 41.)
Service Agreement	"The contract between the <i>Trust Service Provider</i> and the <i>Trust Service</i> client, which includes the conditions for the provision of the <i>Trust Service</i> and for using the services." (Act CCXXII. of 2015. [7] 1. § point 42.)
Certificate	"The electronic signature certificate, the electronic seal cer- tificate and the <i>Website Authentication Certificate</i> , and all those electronic verifications issued within the frame- work of the <i>Trust Service</i> by the service provider, which includes the certificate related verification data and the certificate usage related information, and which as an elec- tronic document is reliably protected against the available counterfeiting technologies at the time of the issuance and during its validity period." ( <i>Act CCXXII. of 2015. [7] 1. §</i> <i>point 44.</i> )
Certificate Application	The data and statements given by the <i>Applicant</i> to the <i>Trust Service Provider</i> for <i>Certificate</i> issuance, in which the <i>Applicant</i> reaffirms the authenticity of data to be indicated on the <i>Certificate</i> .
Certificate Repository	Data repository containing various <i>Certificates</i> . A Certification Authority has a Certificate Repository in which the issued <i>Certificates</i> are disclosed, but the system containing <i>Certificates</i> available to the application (certificate manager system) on the computer of the <i>Subject</i> and the <i>Relying Party</i> is also called Certificate Repository.
Client	The collective term for the <i>Subscriber</i> and every related <i>Subject</i> denomination.
Revocation	The termination of the <i>Certificate</i> 's validity before the end of the validity period indicated on the <i>Certificate</i> too. The <i>Certificate</i> revocation is permanent, the revoked <i>Certifi- cate</i> cannot be reinstated any more.

Revocation Status Records	The internal records of the suspended and revoked Certifi-
	cates which includes the fact of the suspension or revoca-
	tion and the time of the suspension or revocation given in
	seconds maintained by the Certification Authority.

### 1.6.2 Acronyms

CA	Certification Authority
CP	Certificate Policy
CPS	Certification Practice Statement
CRL	Certificate Revocation List
elDAS	electronic Identification, Authentication
	and Signature
LDAP	Lightweight Directory Access Protocol
NMHH	National Media and Infocommunications
	Authority
OCSP	Online Certificate Status Protocol
OID	Object Identifier
PKI	Public Key Infrastructure
QCP	Qualified Certificate Policy
RA	Registration Authority
TSP	Trust Service Provider

# 2 Publication and Repository Responsibilities

# 2.1 Repositories

The *Trust Service Provider* shall disclose the contractual conditions and policies electronically on its website.

The draft version of the new documents to be introduced shall be disclosed on the website before coming into force.

The documents in force shall be available on the site in addition to all previous versions of all documents.

The actual version of policies and contractual conditions shall be readable in printed form at the customer service of the *Trust Service Provider*.

After concluding the contract, the *Trust Service Provider* shall make the individual Service Agreement, the General Terms and Conditions, the *Disclosure Statement*, the *Non-Qualified Electronic Signature Certificate Policy* and the *Certification Practice Statement* available to the *Client* on a durable medium, or in a way that can be downloaded to the *Client*.

The *Trust Service Provider* shall notify its *Clients* about the change of the General Terms and Conditions.

# 2.2 Publication of Certification Information

The Trust Service Provider shall disclose on its webpage

- its provider *Certificates*;
- all Cross Certificates that identify the *Trust Service Provider* as the *Subject*, provided that the *Trust Service Provider* arranged for or accepted the establishment of the trust relationship;
- the end user *Certificates*.

### Service Provider Certificates

With the following methods the *Certification Authority* shall disclose the *Certificates* of the time-stamping units, certification units and the online certificate status service units it operates:

- The denomination of the root certification units, and the hash of its root certificates in the *Certification Practice Statement*. (see section: 1.3.1.) The information related to their change of status shall be available at the website of the *Certification Authority*.
- The status change of *Certificates* of intermediate (non-root) certification units shall be disclosed on the *Certificate Revocation Lists*, its website and within the confines of the online certificate status response services.
- For the signers of the online certificate status responses the *Trust Service Provider* compliant with the best international practice – shall issue a *Certificate* with extremely short period of validity thereby eliminating the need for *Certificate* revocation status verification.

Each OCSP responder *Certificate* shall contain an indication ("nocheck"), that indicates that its revocation status doesn't need to be checked.

### **End-User Certificates**

With the following methods the *Trust Service Provider* shall disclose status information related to the end-user *Certificates* which it had issued:

- on Certificate Revocation Lists,
- within the confines of the online certification status response service.

The end-user Certificate revocation status information

shall be disclosed by the *Trust Service Provider*, and the *Subject*'s consent is not required for it. For status information disclosing methods, see Section 4.10. For status information disclosing methods, see Section 4.10.

The *Trust Service Provider* shall guarantee, that the availability of its system publishing its service *Certificates*, the *Certificate Repository* and the revocation status information on an annual basis will be at least at least 99.9% per year, while service downtimes may not exceed at most 3 hours in each case.

# 2.3 Time or Frequency of Publication

### 2.3.1 Frequency of the Publication of Terms and Conditions

The most important terms and conditions for the service are contained in the service contract to be signed by the *Client* during the conclusion of the contract, or in the General Terms and Conditions [34] document referenced therein.

The *Trust Service Provider* reviews the General Terms and Conditions annually or in case of exceptional request for change with priority and performs the necessary changes. The document will receive a new version number even after the smallest change and by taking into account the time required by the endorsement process, the planned date of coming into effect will be determined too.

The accepted document will be published on the webpage of the *Trust Service Provider* and it will be sent for review to the National Media and Infocommunications Authority 30 days prior to the planned entry into force date.

The *Trust Service Provider* will accept comments connected to the General Terms and Conditions published for 14 days prior to their becoming effective, at the following email address:

info@e-szigno.hu

In case of observations that require substantive changes, the document will be amended.

The *Trust Service Provider* will close and publish the version of the General Terms and Conditions as amended with remarks on the 7th day prior to its becoming effective.

### 2.3.2 Frequency of the Certificates Disclosure

The *Trust Service Provider*, regarding the disclosure of *Certificates*, shall follow the practices below:

- the *Certificates* of the root certification units operated by it shall be disclosed before commencing the service;
- the *Certificates* of the intermediate certification units operated by it shall be disclosed within 5 workdays after issuance;
- the *Trust Service Provider* shall disclose the end-user Certificates in its *Certificate Repository* after issuance without delay.

### 2.3.3 The Changed Revocation Status Publication Frequency

The status information related to the end-user *Certificates* issued by the *Trust Service Provider* and the provider *Certificates* shall be available immediately within the confines of the online certificate status service.

The information related to the status of the *Certificates* shall be disclosed in the Certificate Repository and on the *Certificate Revocation Lists*. The requirements related to the issuance of the *Certificate Revocation Lists* are discussed in Section 4.10. The requirements related to the issuance of the *Certificate Revocation Lists* are discussed in Section 4.10.

# 2.4 Access Controls on Repositories

The provided information shall be freely available for anybody for reading purposes according to the specifics of the publication method.

The information disclosed by the *Trust Service Provider* shall only be amended, deleted or modified by the *Trust Service Provider*. The *Trust Service Provider* shall prevent the unauthorized changes to the information with various protection mechanisms.

# **3** Identification and Authentication

# 3.1 Naming

The section contains requirements for the data indicated in the Certificates issued to end-users in accordance with the present *Certificate Policies*.

The indicated Issuer ID and the Subject ID amongst the basic fields of the Certificate shall comply with the RCF 5280 [26] and IETF RFC 6818 [27] recommendations name-specific format requirements, in addition the *Trust Service Provider* shall support the Subject Alternative Names and Issuer Alternative Names fields located amongst the extension.

# 3.1.1 Types of Names

### Denomination of the Subject

The present *Certificate Policy* requires the following related to the *Certificate*'s subject id (Subject field):

• commonName (CN) - OID: 2.5.4.3 The name of the Subject

The name of the natural person *Subject* shall be in this field in the same form as verified by the *Trust Service Provider* according to the section 3.2.3.

The name of the automatism by the help of the *Certificate* is used can be indicated in this field for the *Applicant*'s request (*Certificate for Automatism*).

Filling is required.

• Surname - OID: 2.5.4.4 - Surname of the natural person

The surname of the *Subject* shall be in this field, where the *Trust Service Provider* generates the surname from the full name in the CN field.

In case of pseudonymous Certificate it shall not be filled out.

In case of not pseudonymous *Certificate* it shall be filled out.

• Given Name – OID: 2.5.4.42 – The given name of the natural person.

The given name of the *Subject* shall be in this field, where the *Trust Service Provider* generates the given name from the full name in the CN field.

In case of pseudonymous Certificate it shall not be filled out.

In case of not pseudonymous Certificate it shall be filled out.

- Pseudonym (PSEUDO) OID: 2.5.4.65 Pseudonym of the Subject It may be filled only in case of a pseudonymous *Certificate*.
- Serial Number OID: 2.5.4.5 Unique identifier of the Subject.

The indication of at least one filled out "Serial Number" field is compulsory, in the *Certificate* which complies with the following requirements, so that it is able to form a part of the *Subject* permanent unique identifier in case of the usage of "Permanent Identifier" extension according to the IETF RFC 4043 [25] recommendation:

- the identifier value belongs to the Subject named in the Certificate, identified by the Trust Service Provider, and it is unique within the system of the Trust Service Provider;
- the Trust Service Provider guarantees that the identifier value of any two Certificates it issued only matches with each other, if both of the Certificates belong to the same Subject.

This field is part of the *Subject* denomination, and is not the same as the *Certificate* serial number defined by IETF RFC 5280.

• Organization (O) – OID: 2.5.4.10 The name of the Organization

In case of an *Organizational Certificate* the full or shortened name of the *Organization* shall be indicated in the "O" field according to the name verified by the *Trust Service Provider* according to the section 3.2.2.

In case of an Organizational Certificate the field shall be filled out.

In case of *Code Signing Certificate* issued to a natural person the field is mandatory, the name of the natural person should be written here.

In case of other *Certificate* issued to a natural person the field shall not be filled out.

In case of a provider *Certificate* issued for a *Trust Service Provider*, the "O" field is mandatory, and the real name of the organization providing the service shall be indicated in it.

• Organization Identifier (OrgId) - OID: 2.5.4.97 - Identifier of the organization

In case of an *Organizational Certificate* the identifier of the *Organization* indicated in the "O" field may be in this field.

Only such data may be indicated, which was verified by the Trust Service Provider.

In case of an Organizational Certificate filling out the field is optional.

In case of personal – not related to any organization – Certificates this field shall not be filled out.

• Organizational Unit (OU) - OID: 2.5.4.11 - The name of the organizational unit

In case of an *Organizational Certificate* the name of the organizational unit related to the organization named in the "O" field, or the trademark, or other information may be in this field.

Only that data may be indicated here that the *Trust Service Provider* verified and that the *Organization* has the right to use.

The "OU" field may be filled only if the "O", "L" and "C" fields are filled.

Optional field.

In case of personal – not related to any organization – *Certificates* this field shall not be filled out.

• CountryName (C) – OID: 2.5.4.6 – Identifier of the country.

In case of an *Organizational Certificate* the two-letter country code - according to ISO 3166-1 [21] - of the place of incorporation of the *Organization* indicated in the "O" field.

In case of a natural person *Subject* not related to an *Organization* the two-letter country code - according to ISO 3166-1 [21] - of the country which issued the document used for the identification of the *Subject*.

Filling out is required.

In case of Hungary the value of the "C" field is: "HU".

Street Address (SA) – OID: 2.5.4.9 – Address data

In case of an *Organizational Certificate*, the address is according to the organization's place of incorporation. Optional field, if filled, only verified information can be indicated.

Its use is prohibited in case of Certificates not related to an Organization.

• Locality Name(L) - OID: 2.5.4.7 - Name of settlement

In case of an *Organizational Certificate* the locality name of the *Organization*'s place of incorporation.

In case of a *Certificate* not related to an *Organization*, it shall not be filled.

State or Province Name – OID: 2.5.4.8 – Member state, province name

In case of *Organizational Certificate* the state, province or county name of the *Organization*'s place of incorporation.

Optional field.

In case of a Certificate not related to an Organization, it shall not be filled.

• Postal Code – OID: 2.5.4.17 – Zip code

In case of *Organizational Certificate*, the postal code of the *Organization*'s place of incorporation. If filled, only verified information can be indicated.

Optional field.

In case of a Certificate not related to an Organization, it shall not be filled.

• Title (T) - OID: 2.5.4.12 - Title of the subject

The natural person Subject's role, title or job.

In special cases the Trust Service Provider may include more "Title" fields in the Certificate.

 Email Address (EMAIL) – OID: 1.2.840.113549.1.9.1 – The email address of the Subject Filling is optional.

If filled, it shall be the same as the email address indicated in the "RFC822name" field of the *Subject* alternative names field.

The *Certificates* issued in accordance with the present *Certificate Policies* might contain further "Subject DN" fields. Only verified text values may be indicated on these fields (they shall not contain values indicating lack of data for example: ".", "-" or " ").

#### Extensions

• Subject Alternative Names - "Subject Alternative Names"

A "Subject Alternative Names" field is not listed as a critical extension in the *Certificate*. The content will be filled as follows.

- In case of natural person Subjects, for the Subject's request, his name written in different notation than in the field "Subject DN / commonName" can be indicated here (typically in the "CN" field of the "Subject Alternative Names"). That name can be written with or without accent marks. The *Trust Service Provider* is entitled to denote the nature of the name indicated.

The *Trust Service Provider* shall verify the names to be indicated on "Subject Alternative Names" field.

 The Subject's email address can be given in the subject alternative names "rfc822Name" field. If there's an email address indicated on the Certificate, then this field definitely shall be filled out. The same email address might be displayed in the "EMAIL" field of the Certificate.

Further *Subject* alternative names field usage is permitted.

### 3.1.2 Need for Names to be Meaningful

The following rules shall be applied to the "SubjectDN" field:

- the identifier shall be meaningful;
- the personal name in the *Certificate* shall be indicated the same way as verified by the *Trust Service Provider* according to the section 3.2.3.
- the name of the *Organization* in the *Certificate* shall be indicated the same way as verified by the *Trust Service Provider* according to the section 3.2.2.

### 3.1.3 Anonymity or Pseudonymity of Subscribers

The Trust Service Provider doesn't issue Certificate with pseudonym.

### 3.1.4 Rules for Interpreting Various Name Forms

In order to interpret the identifiers it is recommended for the *Relying Parties* to act as described in this document. If the *Relying Party* is in need for help related to the interpretation of the identifier or any other data indicated in the *Certificate*, it can contact directly the *Trust Service Provider*. In such case, the *Trust Service Provider* shall not give any further information on the *Client* than indicated in the *Certificate*, – provided that the law does not require it – only provides the information to help interpret the indicated data.

# 3.1.5 Uniqueness of Names

The *Subject* shall have a unique name in the *Certificate Repository* of the *Trust Service Provider*. In order to ensure the uniqueness, the *Trust Service Provider* shall give each *Subject* an identifier (OID) – unique in the *Trust Service Provider*'s register – which is indicated on the *Subject*'s unique identifier "Subject DN Serial Number" field.

The *Trust Service Provider* can indicate other unique identifier (for example, identity card number, tax number, and identification within the organization) on request.

### Procedures to Resolve Disputes Relating the Names

The *Trust Service Provider* shall ensure that the *Client* is entitled to use the indicated names. The *Trust Service Provider* is entitled to revoke the *Certificate* in question for the illegal use of the name or data.

# 3.1.6 Recognition, Authentication, and Role of Trademarks

In the fields of the end-user *Certificate* required by the *Subscriber* trade marks may occur. The *Trust Service Provider* shall make sure of their legitimate use, and in case of a complaint it is entitled to revoke the *Certificate*.

# 3.2 Initial Identity Validation

The *Trust Service Provider* can use any communication channel within the limits provided by law, for the verification of the identity of the person or organization requesting the *Certificate*, and for checking the authenticity of the data provided.

The *Trust Service Provider* may, in its sole discretion, refuse the issuance of the requested *Certificate* without any specific justification.

# 3.2.1 Method to Prove Possession of Private Key

Prior to the issuance of a *Certificate* the *Trust Service Provider* shall ensure and make sure that the *Applicant* actually owns or manages the private key belonging to the public key of the *Certificate*.

The manner of the requirement fulfilment shall be recorded in the *Certification Practice Statement*.

### 3.2.2 Authentication of an Organization Identity

Prior to the issuance of an *Organizational Certificate* the *Trust Service Provider* shall verify the organizational data authenticity to be on the *Certificate* based on trusted third party or authentic public registers.

The name of the *Organization* shall be indicated on the *Organizational Certificate* s according to the specifications in Section 3.1.1.

The *Trust Service Provider* can issue the *Organizational Certificate* exclusively with the consent of the *Organization*. Natural persons acting on behalf of the *Organization* shall be duly authorized; the individual's identity shall be verified according to the requirements set out in Section 3.2.3.

According to the trade marks indicated in the Certificate see the chapter 3.1.6.

The Certification Practice Statement shall determine the detailed procedural rules.

The *Trust Service Provider* shall guarantee that the registration and verification of the personal data can not be carried out by the same person.

# 3.2.3 Authentication of an Individual Identity

The natural person's identity shall be verified:

- if the *Subject* of the *Certificate* to be issued is a natural person;
- if a natural person is acting on behalf of an *Organization* for *Organizational Certificate* application.

The *Trust Service Provider* shall verify the identity of the natural person applying one of the following methods.

### 1. During face to face identity validation.

In case of *Certificates* belonging to the III. certification class:

- the natural person shall appear in person before the person performing the identity validation, who may be one of the following:
  - officier of the Registration Authority,
  - state notary, as a third party in accordance with the Hungarian legislation.
- during the personal identification the identity of the natural person shall be verified based on a suitable official proof of identity card;

The identification can be based on the following official documents:

- in case of natural persons within the scope of Act LXVI. of 1992. (henceforth: Nytv.
   [3]) official cards appropriate for verifying identity defined in Nytv. in accordance with Eüt. 82.§ (3) [7];
- in case of natural persons outside the scope of Nytv. [3] on the basis of a travel document defined in the Act on the entry and residence of persons enjoying the right of free movement and residence or the law on entry and residence of third-country nationals [4] in accordance with Eüt. 82.§ (4) [7];
- in case of identification of natural persons who have none of the documents mentioned above the *Trust Service Provider* applies personal identity validation in accordance with Eüt. 82.§ (5) [7] only in the case of identifying European citizens. In such case a personal identity card with a photo issued by the European country of natural person's nationality is accepted as a trusted document for identity validation.
- the natural person shall declare the correctness of the personal identification data used for the identity validation with a written statement signed with a handwritten signature in the presence of the identification person; ;

- In case of natural persons within the scope of Nytv. [3] the validity of the data on the identity card used for personal identification and the validity of the identity card shall be validated by the *Registration Authority* by using an authentic public register. In case of any other natural persons the *Trust Service Provider* doesn't have to validate the validity of the data on the identity card used for personal identification and the validity of the identity card by using an authentic public register is not available, it is not accessible to the *Trust Service Provider* or the costs of access and control are disproportionately high.
- The person performing the identity validation shall verify, whether any alteration or counterfeiting happened to the presented identity cards.

During the initial identity validation the *Trust Service Provider* may accept the identification of a natural person carried out by a state notary as equivalent to the identity validation made by its own *Registration Authority*, if it can be stated on the basis of the notarial certification clause attached to the *Certificate Application* signed before the notary that the state notary had compared the personal data of the *Applicant* having appeared before the notary with the content of an authentic public registry or other central database.

In case of *Certificates* belonging to the II. certification class:

- there's no need for personal meeting for the identification of the person, in such cases the *Trust Service Provider* can identify the *Subject* remotely;
   During remote identification, the *Trust Service Provider* may ask the natural person to be identified to take a photograph of herself/himself in accordance with the prescribed conditions and send it to the *Trust Service Provider*.
- the *Subject* sends a copy of one of its official identity cards suitable for identity validation to the *Trust Service Provider*.
- the natural person shall verify the accuracy of the data for the registration and identity validation with a statement signed with a handwritten signature;
- The identification data shall be checked by the *Registration Authority* with the help of a trusted third party or an authentic public register.

#### 2. By identification traced back to a certificate of an electronic signature.

In this case:

- The *Applicant* submits the *Certificate Application* in electronic form with an electronic signature based on a non-pseudonymous *Certificate* with a security classification (see section 1.2.3.) not lower than the requested *Certificate*.
- The electronically signed *Certificate Application* shall contain the data needed for the unambiguous identification of the natural person.
- The *Trust Service Provider* verifies the authenticity and confidentiality of the *Certificate Application* on the entire certification chain.

#### 3. Using another method of identification approved on national level

Based on the 541/2020. (XII. 2.) Government Decree [12], the *Trust Service Provider* may also verify the identity of the natural person using identification by means of an electronic communication device providing video technology (hereinafter: video technology identification), which is recognized as equivalent to the face to face validation.

In this case, the *Trust Service Provider* shall act as prescribed during the personal identification, with the difference that the personal meeting shall be replaced by a video technology based remote identification procedure in which:

- (a) In the case of video technology identification, the *Trust Service Provider* takes a video image of the *Client* during a live telecommunication connection, then compares the image taken of the *Client* with the photograph in the document used for identification (hereinafter: ID document). Identification is appropriate if it can be clearly established by the *Trust Service Provider* that the person in the ID document is the same as the *Client* in the video.
- (b) The *Trust Service Provider* sets out in detail in the "Information on online video identification terms" [35] document the conditions for the use of video technology identification, in particular the minimum requirements for the quality of the video connection. The document will be published on the *Trust Service Provider*'s website in accordance with the public regulations.

In order to perform a successful video technology identification, it is advisable to provide the following conditions:

- ID document in good condition
- properly lit environment
- quiet, undisturbed environment
- exclusion of the presence of other persons
- IT device with two-way audio and video capability
- camera with min. 2 megapixel video resolution
- stable internet connection at a speed of min 1.5Mbps.
- (c) By presenting the Certification Practice Statement and the "Information on online video identification terms" [35] document and during the video recording, the Trust Service Provider ensures that the Client can get to know the conditions of the video technology identification in detail, and has expressly agreed to comply with them, and acts accordingly.
- (d) The *Trust Service Provider* records and keeps for at least 10 years from the date of recording the entire communication established between the *Trust Service Provider* and the *Client* during the video technology identification, the detailed information of the *Client* related to video technology identification, and the *Client*'s express consent to this in a retrievable way, on video and audio, on a way that does not degrade the quality of the image and sound recording.
- (e) The condition of successful video technology identification is that the image resolution of the electronic communication device enabling video technology identification and the illumination of the image be suitable for recognizing the gender, age and facial features of the *Client*, and the *Client*

- shall look into the camera so that his or her portrait can be recognized, captured and identified on the basis of the portrait shown on the ID document presented by him or her,
- shall communicate in a comprehensible manner the identifier of the document used for video identification,
- present his / her ID document in such a way that the security features and data sets contained therein can be identified, recorded and verified, and
- the data contained in the ID document can be matched with the data available about the *Client* at the *Trust Service Provider*, and the *Client* can be identified with the image shown on the ID document based on his / her image.
- (f) The *Trust Service Provider* makes sure that the document is suitable for performing video technology identification, so
  - the document complies with the requirements of the issuing authority,
  - the individual security features, in particular the hologram, the kinegram or other equivalent security features, are recognizable and undamaged, and
  - the document ID is the same as the document ID provided by the *Client*, recognizable and undamaged.
- (g) During the video technology identification, the Trust Service Provider makes sure that
  - the *Client*'s portrait is recognizable and identifiable by the portrait on the document presented by him, and
  - the data contained in the document can be logically corresponded to the data available about the *Client* at the *Trust Service Provider*.
- (h) A live telecommunications connection is also eligible if the *Trust Service Provider* examines the terms by machine or after the termination of the telecommunications connection, but makes sure that the *Client* is in a live connection during the identification.

The *Trust Service Provider* shall issue the *Certificate* only if the video technology identification fully complies with the above requirements.

The *Trust Service Provider* can provide opportunity for new *Certificate* issuance based on the reconciled data of the *Subject* in the case of a *Certificate Application* during the validity period of the service agreement. The authenticity of the *Certificate Application*, the accuracy of the data to be in the *Certificate* and the identity of the person making the application shall also be checked. The verification process shall be precisely determined in the *Certification Practice Statement*.

The *Trust Service Provider* shall guarantee that the registration and verification of the personal data can not be carried out by the same person.

# 3.2.4 Non-Verified Subscriber Information

Only that data can be in the *Certificate* issued by the *Trust Service Provider* which has been verified by the *Trust Service Provider*.

# 3.2.5 Validation of Authority

The identity of the natural person representing the legal person shall be verified according to the requirements of Section 3.2.3. before issuing an *Organizational Certificate*.

The right of representation of the natural person shall be verified.

The method of the verification shall be precisely defined in the *Certification Practice Statement*.

An Organizational Administrator can be appointed by a person eligible for representing the Organization. The designation of an Organizational Administrator is not compulsory for every Organization, if not designated, then the person eligible to represent the Organization performs the task aforementioned.

# 3.2.6 Criteria for Interoperation

The *Trust Service Provider* might collaborate with other *Trust Service Providers* during the provision of services, those who expressed the consent to be bound by the compliance with the requirements of this *Certificate Policies*.

The *Trust Service Provider* has to make sure, that the other *Trust Service Provider* it collaborates with is authorized – on the basis of law or official records – to the provision of services publicly.

The collaborating *Trust Service Providers* shall define the method of the collaboration in the *Certification Practice Statements*.

As a result of the collaboration, the *Clients* rights shall not be diminished in any way and the quality of service shall not decrease.

The Trust Service Provider shall disclose its entire cross-certified Certificates it sought or accepted.

## 3.3 Identification and Authentication for Re-key Requests

Re-key is the process when the *Trust Service Provider* issues a *Certificate* to a *Subject* with a replaced public key. Re-key can only be requested during the validity period of the service agreement.

In case of a re-key request, the *Trust Service Provider* verifies the existence and checks the validity of the affected *Certificate*.

The *Trust Service Provider* may accept re-key requests in case of valid and not valid (suspended, revoked or expired) *Certificates* too.

Details related to the re-key process can be read in section 4.7.

#### 3.3.1 Identification and Authentication for valid Certificate

The identification of the Subject shall take place as described in section 3.2.3.

When the expiry date of the new *Certificate* is not later than the *Certificate* to be re-keyed, the *Trust Service Provider* may re-use the results and evidences collected during the original validation process.

## 3.3.2 Identification and Authentication for invalid Certificate

The *Trust Service Provider* can accept re-key requests only during the service provision time. The identification of the *Subject* shall take place as described in section 3.2.3.

# 3.4 Identification and Authentication in Case of Certificate Renewal Requests

*Certificate* renewal is the process when the *Trust Service Provider* issues a certificate with unchanged *Subject* identification information but for new validity period to a *Subject*. *Certificate* renewal can only be requested during the validity period of the service agreement and for valid *Certificates*.

# 3.4.1 Identification and Authentication in Case of a Valid Certificate

The identification of the Subject shall take place as described in section 3.2.3.

In case of *Certificate* renewal initiated by the *Trust Service Provider*, the *Trust Service Provider* may re-use the results and evidences collected during the original validation process, when the expiry date of the new *Certificate* is not later than the *Certificate* to be renewed.

# 3.4.2 Identification and Authentication in Case of an Invalid Certificate

Invalid *Certificate* shall not be renewed.

# 3.5 Identification and Authentication for Certificate Modification requests

*Certificate* modification is the process, when the *Trust Service Provider* issues a new *Certificate* to the same *Subject* with an unchanged public key, but with different *Subject* identification data.

## 3.5.1 Identification and Authentication in Case of a Valid Certificate

The identification of the *Subject* shall take place as described in section 3.2.3.

If the modified *Certificate* expires on the same time as the original *Certificate*, during the procedure, the *Trust Service Provider* may use the results of inspections performed prior to the issuance of the original *Certificate*.

## 3.5.2 Identification and Authentication in Case of an Invalid Certificate

Invalid *Certificate* shall not be renewed.

# 3.6 Identification and Authentication for Revocation Request

The *Trust Service Provider* shall receive and process the requests related to the suspension and revocation of the *Certificates*, and the announcements (for example related to the private key compromise or to the improper use of the *Certificate*) concerning the revocation of the *Certificates*.

The *Trust Service Provider* shall ensure that the besides the rapid processing of the suspension and revocation requests , the requests only get accepted from authorized parties.

The authenticity of the submitted requests and the eligibility of the submitter shall be verified. The identification and authentication aspects of such requests shall be recorded in the *Certification Practice Statement*.

# 4 Certificate Life-Cycle Operational Requirements

# 4.1 Application for a Certificate

For each new *Certificate* issuance, *Certificate Application* submission is required. Prior to submitting the first *Certificate Application*, the *Subject* shall submit a *Registration Application* to the *Trust Service Provider*, this can be done through the website of the *Trust Service Provider*, for instance. The *Subject* shall specify their data to be indicated in the *Certificate* and shall specify what kind of *Certificate* they request, and they shall authorize the *Trust Service Provider* for the management of their personal data in the Registration request.

The *Trust Service Provider* shall not consider the data indicated in the *Registration Application* authentic until the *Subject* confirms them in a *Certificate Application*.

In case the conclusion of a new service agreement is necessary, the *Trust Service Provider* may prepare the *Subscriber*'s service agreement based on the information given in the *Registration Application*.

The *Trust Service Provider* shall inform the *Subscriber* about the *Certificate* usage terms and conditions prior to the conclusion of the contract.

If the *Subject* is not the same as the *Subscriber*, then the aforementioned information shall also be given to the *Subject*.

The documents containing this information shall be stated in a comprehensible manner, in electronically downloadable format as well as upon request made available in printed form.

The Certificate Application shall at least include the data below:

- data to be indicated in the *Certificate* (for example name, title, name of *Organization*, name of organizational unit, city, country, email address);
- the personal identification information of the *Subject* in case of an *Organization* the *Organization* representative (full name, number of the identity document);
- the contact of the Subject in case of an Organization the Organization representative – (telephone number, email address);
- in case of *Organizational Certificate* application, the data of the *Organization* (official name);
- the Subscriber's data (billing information);

In conjunction with the *Certificate Application* the *Trust Service Provider* shall ask for and check at least the following documents, certifications, procurations and declarations (in case of remote identification the copies of these):

 documents necessary to identify the Subject – in case of an Organization, the Organization representative –

according to Section 3.2.3;

- in case of *Organizational Certificate* application, the documents for the identification of the *Organization* according to Section 3.2.2;
- if the *Subject* is an *Organization*, then the certification or procuration delivered by the *Organization*, that the *Subject* is entitled to represent the *Organization*;
- if the *Subject* is a natural person requesting the indication of belonging to an *Organization*, then the evidence of the consent of the *Organization*, to that ;
- if the *Certificate* requested contains a trademark or a brand name, then a certification about the usage rights of the *Subject*.

## 4.1.1 Who May Submit a Certificate Application

*Certificate Application* may only be submitted by natural persons, to request a *Certificate* for themselves or for other employees of the organization represented.

In case of *Organizational Certificate* representatives may only be natural persons according to section 3.2.5. *Certificate Application* submitted by any other person is automatically rejected.

The precondition of *Certificate* issuance is a valid service agreement (signed by the *Subscriber* and the *Trust Service Provider*) concerning *Certificate* issuance and maintenance.

The *Subject* – in case of an *Organization* the *Organization* representative – may submit the *Certificate Application* in the following ways:

- on paper signed manually at the customer service of the *Trust Service Provider* or at the mobile registration associate of the *Trust Service Provider*, on a date previously agreed (then, in case of *Certificates* belonging to the III. certification class the personal identification takes place this time )
- on paper signed manually and sent to the customer service of the *Trust Service Provider* (then, in case of *Certificates* belonging to the III. certification class the personal identification will take place another time )
- in electronic form with an electronic signature or electronic seal based on a nonpseudonymous *Certificate* with a security classification not lower than the requested *Certificate*, sent to the *Trust Service Provider*'s email address (see section 1.2.3.);

The *Subscriber* and the *Subject* – in case of an *Organization* the *Organization* representative – shall provide their contact information during the *Registration Application*.

### 4.1.2 Enrolment Process and Responsibilities

During the process of the application the *Trust Service Provider* shall ascertain the identity of the person submitting the *Certificate Application* (see section 3.2.3).

#### 4 CERTIFICATE LIFE-CYCLE

If the *Subject* is an *Organization* and the name of an *Organization* is indicated in the *Certificate* too (Organizational Certificate), then the *Organization* shall be identified too, and it shall be ensured, that the person appeared is entitled to represent the *Organization* and to request a *Certificate* related to the *Organization* (see section: 3.2.2.).

The *Subscriber* determines which *Subject* is entitled to request a *Certificate* according to which *Certificate Policy*.

The *Subject* – in case of an Organization, its representative – shall provide all the necessary information for the conduct of the identification processes.

The *Trust Service Provider* shall register all the necessary information on the identity of the *Subject* and the *Organization* for the provision of service and for keeping contact.

The *Trust Service Provider* shall register the service agreement signed beforehand by the *Subscriber* that shall contain the *Subscriber*'s statement that the *Subscriber* is aware of its obligations and undertakes the compliance.

The *Trust Service Provider* shall register the *Certificate Application* signed by the *Subject* – in case of an Organization, its representative – which shall contain the following:

- a confirmation, that the data provided in the *Certificate Application* are accurate;
- a consent, that the Trust Service Provider records and processes the data provided in the application;
- the consent about the disclosure of the Certificate;
- a statement that there's no brand name or trademark indicated in the requested *Certificate*, or it is indicated and the applicant is entitled to use that.

The aforementioned records shall be kept for the time period required by law.

The *Trust Service Provider* archives the contracts, the *Certificate Application* form and every attestation that the *Represented Organization*, the *Subject* or the *Subscriber* handed in.

If the identity of the *Subject* or the *Subject*'s association to the *Represented Organization* can not be verified without a doubt, or any of the indicated data on the *Certificate Application* form is incorrect, then the *Certificate Application* procedure is aborted. Then the *Client* has the opportunity to correct incomplete or erroneous data, and hand over the missing documents.

### 4.2 Certificate Application Processing

#### 4.2.1 Performing Identification and Authentication Functions

The Trust Service Provider shall identify the Subject according to Section 3.2.

## 4.2.2 Approval or Rejection of Certificate Applications

To avoid any conflicts of interests, the *Trust Service Provider* shall ensure its personal and operational independence contrary to the *Subscribers*. It does not constitute a breach of conflicts of interests, if the *Trust Service Provider* issues *Certificates* for its associates.

### 4 CERTIFICATE LIFE-CYCLE

The *Trust Service Provider* shall verify the authenticity of all the information provided in the *Certificate Application* to be indicated in the *Certificate* before issuing the *Certificate*.

After processing the *Certificate Application*, the *Trust Service Provider* accepts or rejects the *Certificate Application*.

# 4.2.3 Time to Process Certificate Applications

The *Trust Service Provider* shall define in the *Certification Practice Statement* the time limit within which it undertakes the evaluation of the *Certificate Application*.

# 4.3 Certificate Issuance

The *Trust Service Provider* shall only issue the *Certificate* after the acceptance of the *Certificate Application*. The issued *Certificate* shall only contain the data of the *Subject* that was indicated on the *Certificate Application* and that was verified by the *Trust Service Provider* during the evaluation process.

## 4.3.1 CA Actions During Certificate Issuance

The *Certificate* issuance shall be performed in an adequately secure manner.

The *Trust Service Provider* shall guarantee that the whole *Certificate* issuance process can not be carried out by only one person.

## 4.3.2 Notification of the Subscriber about the Issuance of the Certificate

The *Trust Service Provider* shall inform the *Subject* and the *Subscriber* about the issuance of the *Certificate* and shall enable the *Subject* to receive the *Certificate*.

### 4.4 Certificate Acceptance

## 4.4.1 Conduct Constituting Certificate Acceptance

In case of *Certificates* belonging to the III. certification class *Subject* shall verify the accuracy of the data indicated in the *Certificate* before the takeover of the *Certificate*.

In case of Certificates belonging to the II. certification class, the *Subject* (or its representative) do not have to separately state the takeover of the issued *Certificate*. By signing the service agreement the *Subscriber* verifies in addition the acceptance of the *Certificate Policy* the *Certification Practice Statement* and other documents containing contractual conditions.

If the *Trust Service Provider* provides Qualified Electronic Signature Creation Device to the *Subject*, after the reception of the Qualified Electronic Signature Creation Device containing the private key and the code necessary for activation the *Subject* shall sign manually a statement about takeover, in which – amongst others – he/she verifies that he/she received the related activation codes and that he/she is acquainted with the technical and legal requirements of the Qualified Electronic Signature Creation Device usage.

The Subject accepts the Certificate by using the Certificate, no separate declaration is required.

## 4.4.2 Publication of the Certificate by the CA

The *Trust Service Provider* shall disclose the issued *Certificate* after handing over the *Certificate*. The condition for disclosure is the consent of the affected *Subject*.

### 4.4.3 Notification of Certificate Issuance by the CA to Other Entities

If the *Certificate* was issued for the *Subject* to create electronic signature behalf of an *Organization* the contact of the *Represented Organization* shall be notified on the *Certificate* issuance.

# 4.5 Key Pair and Certificate Usage

## 4.5.1 Subscriber Private Key and Certificate Usage

The *Subject* shall only use its private key corresponding to the *Certificate* for electronic signature creation, and any other usage (for example, authorization and encryption) is prohibited.

A private key corresponding to an expired, revoked, or suspended *Certificate* shall not be used for electronic signature creation.

The *Subject* is bound to ensure the adequate protection of the private key and the activation data.

The limitations determined in Section 1.4. have to be followed during the usage.

#### 4.5.2 Relying Party Public Key and Certificate Usage

To retain the level of security guaranteed by the *Trust Service Provider*, in the course of accepting the electronic signature verified, the *Relying Party* is recommended to proceed prudentially and to meet the requirements described in the *Certification Practice Statement*, particularly regarding to the following:

- the *Relying Party* shall verify the validity and revocation status of the *Certificate*;
- *Certificates* for electronic signatures and the corresponding public keys shall only be used for electronic signature validation;
- the *Relying Party* shall consider any restrictions indicated in the *Certificate* or in the regulations referenced in the *Certificate*.

The *Trust Service Provider* shall make available a service for its *Clients* and *Relying Parties* that they can use to verify the issued *Certificates*.

## 4.6 Certificate Renewal

The process when the *Trust Service Provider* issues a new *Certificate* for a new validity period for the same public key with unchanged *Subject* identity information is called *Certificate* renewal.

The *Trust Service Provider* can limit the types of *Certificates* involved in the Certificate renewal in its *Certification Practice Statement*.

# 4.6.1 Circumstances for Certificate Renewal

Certificate renewal is only permitted when all of the following conditions are met:

- the Certificate renewal request was submitted within the validity period of the Certificate;
- the *Certificate* to be renewed is not suspended or revoked;
- the private key corresponding to the *Certificate* is not compromised;
- the Subject identity information indicated in the Certificate is still valid.

The *Trust Service Provider* shall only accept a *Certificate* renewal application within the effect of the service agreement.

During the *Certificate renewal*, the *Subject* shall be informed if the terms and conditions have changed since the previous *Certificate* issuance.

If the *Subject* is not the same as the *Subscriber*, then the information aforementioned shall also be provided to the *Subscriber*.

# 4.6.2 Who May Request Renewal

The *Certificate* renewal shall be initiated by a person behalf of the *Client* who is entitled to submit an application for a new *Certificate* of the same type on behalf of the *Subject* at the time of the submission of renewal application.

The applicant shall state in the *Certificate* renewal application, that the *Subject* identification data indicated in the *Certificate* are still valid.

The *Trust Service Provider* is entitled to initiate the renewal of the *Certificate* if changes in the internal or external conditions of the provision of the service necessitate it, for example, but not exclusively in the following cases:

- due to changes in external requirements, the *Certificate* can no longer be used in its current form;
- the *Trust Service Provider* becomes aware that the *Certificate* does not comply with the referred to *Non-Qualified Electronic Signature Certificate Policy* or *Certification Practice Statement*;
- if the service provider signing key used to issue the *Certificate* shall be replaced out of turn.

In order to ensure the continuity of the service, the *Trust Service Provider* is entitled to initiate the renewal of the *Certificate* during the last month of the *Certificate*'s validity period, if:

- the service agreement will still be valid on the calendar day following the validity period of the *Certificate*
- *Subscriber* has agreed in advance to the automatic renewal of the *Certificate* for the entire term of the service agreement.

## 4.6.3 Processing Certificate Renewal Requests

During the evaluation of the *Certificate* renewal application, the *Trust Service Provider* shall verify that:

- the submitted Certificate renewal application is authentic;
- the submitter of the *Certificate* renewal application has the appropriate entitlement and authorization;
- the submitter of the *Certificate* renewal application stated that the data of the *Subject* to be indicated in the *Certificate* are unchanged and accurate;
- the Certificate renewal application was submitted during the Certificate's validity period;
- the *Certificate* to be renewed is not suspended or revoked;
- based on currently available information about the cryptographic algorithms used, they still will be applicable even during the planned validity period of the *Certificate* to be issued.

The method used for identification and authentication during the *Certificate* renewal is stated in Section 3.4.

# 4.6.4 Notification of the Client about the New Certificate Issuance

The *Trust Service Provider* shall inform the *Subject* and the *Subscriber* about the *Certificate* issuance.

## 4.6.5 Conduct Constituting Acceptance of a Renewed Certificate

The *Trust Service Provider* may transfer, make available for download the renewed *Certificate* without personal encounter.

#### 4.6.6 Publication of the Renewed Certificate by the CA

The *Trust Service Provider* shall disclose the renewed *Certificate* the same method as the original *Certificate*.

### 4.6.7 Notification of Other Entities about the Certificate Issuance

If the *Certificate* was issued for the *Subject* to create electronic signature behalf of an *Organization* the contact of the *Represented Organization* shall be notified on the *Certificate* issuance.

# 4.7 Certificate Re-Key

*Re-key* means the process when the *Trust Service Provider* issues a new *Certificate* for the *Subject* in a way that the public key is to be changed.

Further data may be optionally changed in the new *Certificate* issued during the *Re-key* process, for example validity period, the CRL and OCSP links or the provider key used to sign the *Certificate*.

## 4.7.1 Circumstances for Certificate Re-Key

The validity of the previous *Certificate* is not required for *Re-key*, but the *Trust Service Provider* shall only accept *Re-key* applications within the scope of the service agreement.

During the *Certificate Re-key*, the *Subject* shall be informed if the terms and conditions have changed since the previous *Certificate* issuance. If the *Subject* is not the same as the *Subscriber*, then the information aforementioned shall also be given to the *Subscriber*.

## 4.7.2 Who May Request Certification of a New Public Key

The *Certificate Re-key* shall be initiated by a person who would be entitled to submit a new *Certificate Application* at the time of the submission of the *Re-key* application.

# 4.7.3 Processing Certificate Re-Key Requests

During the evaluation of the *Certificate Re-key* application the *Trust Service Provider* shall verify that:

- the submitted application is authentic;
- the submitter of the application has the appropriate entitlement and authorization;
- the data indicated in the application are accurate;
- based on the currently available information about the cryptographic algorithms used, they still will be applicable even during the planned validity of the *Certificate* to be issued.

Before processing the *Re-key* request the identity of the person submitting the Certificate *Re-key* application shall be verified according to section 3.3.

### 4.7.4 Notification of the Client about the New Certificate Issuance

The *Trust Service Provider* shall inform the *Subject* and the *Subscriber* about the *Certificate* issuance.

## 4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

The *Trust Service Provider* shall hand over the *Certificate* issued for the new public key after the identification of the *Subject*.

## 4.7.6 Publication of the Re-Keyed Certificate

The *Trust Service Provider* shall disclose the re-keyed *Certificate* the same way as the original *Certificate*.

# 4.7.7 Notification of Other Entities about the Certificate Issuance

If the *Certificate* was issued for the *Subject* to create electronic signature behalf of an *Organization* the contact of the *Represented Organization* shall be notified on the *Certificate* issuance.

## 4.8 Certificate Modification

*Certificate modification* means the process when the *Trust Service Provider* issues a new *Certificate* for the *Subject* with changed *Subject* identity information but with unchanged public key.

## 4.8.1 Circumstances for Certificate Modification

Certificate modification becomes necessary in the following cases:

- change of data indicated in the Subject's Certificate;
- in the *Certificate* issuing system of the *Trust Service Provider* any data of the *Certificate* issuer CA indicated in the "Subject DN" is changed, or its public key is changed and as a result of it, its provider *Certificate* is changed;
- the *Certificate* profile determined by the *Trust Service Provider* is changed.

Requirements of Certificate modification:

- the Certificate modification application was submitted during the Certificate's validity period;
- the *Certificate* to be modified is not suspended or revoked;
- the private key corresponding to the *Certificate* is not compromised.

The *Trust Service Provider* shall only accept a *Certificate* modification application within the effect of the service agreement.

During the *Certificate* modification, the *Subject* shall be informed if the terms and conditions have changed since the previous *Certificate* issuance.

If the *Subject* is not the same as the *Subscriber*, then the information aforementioned shall also be given to the *Subscriber*.

## 4.8.2 Who May Request Certificate Modification

The *Certificate* modification shall be initiated by a person who is entitled to submit a new *Certificate* Application at the time of the submission of the modification application.

The *Trust Service Provider* shall initiate the *Certificate* modification if it becomes aware of that the *Subject*'s data indicated in the *Certificate* is changed.

### 4.8.3 Processing Certificate Modification Requests

During the evaluation of the submitted *Certificate* modification application, the *Trust Service Provider* shall verify that:

- the submitted *Certificate* renewal application is authentic;
- the submitter of the *Certificate* renewal application has the appropriate entitlement and authorization;
- the data given in the application are accurate;
- the Certificate renewal application was submitted during the Certificate's validity period;
- based on the currently available information about the cryptographic algorithms used, they still will be applicable even during the planned validity period of the *Certificate* to be issued.

The *Trust Service Provider* verifying the validity of the *Subject*'s data shall proceed the same as the initial verification performed before a new *Certificate* issuance.

#### 4.8.4 Notification of the Client about the New Certificate Issuance

The *Trust Service Provider* shall inform the *Subject* and the *Subscriber* about the *Certificate* issuance.

### 4.8.5 Conduct Constituting Acceptance of Modified Certificate

The *Trust Service Provider* may hand over the modified *Certificate* without a personal meeting, it may make it downloadable.

### 4.8.6 Publication of the Modified Certificate by the CA

The *Trust Service Provider* shall disclose the modified *Certificate* the same way as the original *Certificate*.

## 4.8.7 Notification of Certificate Issuance by the CA to Other Entities

If the *Certificate* was issued for the *Subject* to create electronic signature behalf of an *Organization* the contact of the *Represented Organization* shall be notified on the *Certificate* issuance.

## 4.9 Certificate Revocation and Suspension

The process when the *Trust Service Provider* terminates the validity of the *Certificate* before expiration is called *Certificate* revocation. The *Certificate* revocation is a permanent and irreversible status change, the revoked certificate will never be valid again.

The process when the *Trust Service Provider* temporarily ceases the validity of the *Certificate* before expiration is called *Certificate* suspension. The *Certificate* suspension is a temporary state; the suspended *Certificate* can be revoked, or before the end of the validity, with the withdrawal of the suspension it can be made valid again. In case of the withdrawal of suspension the *Certificate* becomes valid retroactively, as if it has not been suspended.

## 4.9.1 Circumstances for Revocation

#### Reasons for Revoking a Subscriber Certificate

Certification Authority shall revoke the end-user Certificate in the following cases:

- the Subject or the Subscriber requests the revocation of the Certificate in writing;
- the *Subject* or the *Subscriber* notifies *Certification Authority* that the *Certificate Application* is not approved and subsequently the approval is not given;
- the *Certification Authority* becomes aware that the private key corresponding to the public key in the *Certificate* has been compromised;
- the *Certification Authority* becomes aware that the public key in the Certificate does not comply with the requirements defined in Section 6.1.5. and 6.1.6.;
- the *Certification Authority* becomes aware that the certificate was misused;
- the *Trust Service Provider* is made aware that a *Subscriber* has violated one or more of its material obligations under the service agreement or General Terms and Conditions;
- the *Certification Authority* is made aware of a material change in the information contained in the *Certificate*;
- the *Certificate* modification because of data change referring to the *Subject*;
- the *Certification Authority* becomes aware that the *Certificate* was not issued according to the related *Non-Qualified Electronic Signature Certificate Policy* or the *Certification Practice Statement*;
- the *Certification Authority* becomes aware that any of the data appearing in the *Certificate* is inaccurate;
- the Certification Authority is no longer entitled to issue Certificates, and maintenance is not provided for the existing CRL and OCSP services;
- the revocation is required by the *Certification Authority*'s *Non-Qualified Electronic Signature Certificate Policy* or the *Certification Practice Statement*;
- the format and technical content of the *Certificate* presents an unacceptable risk to the *Relying Parties* (for example, if the used cryptographic algorithm or key size is no longer secure);
- the *Certification Authority* becomes aware that the private key of the *Certificate* issuer certification unit might be compromised;
- the *Certification Authority* becomes aware that the *Subscriber* failed to fulfil any of its financial obligations according to the service agreement;
- the Certification Authority has terminated its activities;
- the supervisory body enacts (smth.) in a legally binding and executable decision;

• the law makes revocation mandatory.

The *Certification Practice Statement* may include additional conditions on which *Certification Authority* revokes the *Certificate*.

#### Reasons for Revoking a Subordinate CA Certificate

*Certification Authority* is bound to take action on the revocation of the *Certificate* of the intermediate certification unit in the following cases:

- the CA operating the intermediate certification unit requests the revocation of the Certificate in writing;
- the Subordinate CA notifies the *Trust Service Provider* that the original *Certificate Application* was not authorized and does not retroactively grant authorization;
- the Certification Authority becomes aware that it is not in the exclusive possession of the private key;
- the *Certification Authority* becomes aware that the public key in the *Certificate* does not comply with the requirements defined in Section 6.1.5 and 6.1.6.;
- the Certification Authority becomes aware that the Certificate was misused;
- the Certificate was not issued according to the relevant Non-Qualified Electronic Signature Certificate Policy and the Certification Practice Statement or the operation of the intermediate certification unit does not comply with the relevant Non-Qualified Electronic Signature Certificate Policy or Certification Practice Statement;
- the *Certification Authority* determines that any of the information appearing in the *Certificate* is inaccurate or misleading;
- The Issuing CA or Subordinate CA ceases operations for any reason and has not made arrangements for another *Certification Authority* to provide revocation support for the *Certificate*;
- *Certification Authority* is no longer entitled to issue *Certificates*, and maintenance is not provided for the CRL and OCSP services related to the *Certificates*;
- the revocation is required by the Issuing CA's *Non-Qualified Electronic Signature Certificate Policy* or the *Certification Practice Statement*;
- Certificate modification because of data change relating to the certification unit or Certification Authority;
- the format and technical content of the *Certificate* presents an unacceptable risk to the *Relying Parties* (for example, if the used cryptographic algorithm or key size is no longer secure);
- the Certification Authority has terminated its activities;
- the law makes the revocation mandatory.

The *Certification Practice Statement* may include other conditions in which case the *Certification Authority* revokes the *Certificate*.

#### Reasons for Revoking a Subordinate CA Certificate operated by another CA

*Certification Authority* is bound to take action on the revocation of the *Certificate* of the intermediate certification unit operated by other *Certification Authority* in the following cases:

- the CA operating the intermediate certification unit requests the revocation of the *Certificate* in writing;
- the Subordinate CA notifies the *Trust Service Provider* that the original *Certificate Application* was not authorized and does not retroactively grant authorization;
- the issuer *Certification Authority* becomes aware that the operator of the intermediate certification unit is not in the exclusive possession of the private key;
- the issuer *Certification Authority* becomes aware that the public key in the *Certificate* does not anymore comply with the requirements defined in Section 6.1.5 and 6.1.6.;
- the Certification Authority becomes aware that the Certificate was misused;
- the issuer *Certification Authority* becomes aware that the *Certificate* is not issued according to the related *Non-Qualified Electronic Signature Certificate Policy* and the *Certification Practice Statement* or the operation of the intermediate certification unit operator does not comply with the relevant *Non-Qualified Electronic Signature Certificate Policy* or *Certificate tion Practice Statement*;
- the Certification Authority determines that any of the information appearing in the Certificate is inaccurate or misleading;
- The Issuing CA or Subordinate CA ceases operations for any reason and has not made arrangements for another *Certification Authority* to provide revocation support for the *Certificate*;
- the *Certification Authority* is no longer entitled to issue *Certificates*, and maintenance of the CRL and OCSP services for the existing *Certificates* is not provided;
- the revocation is required by the Issuing CA's *Non-Qualified Electronic Signature Certificate Policy* or the *Certification Practice Statement*;
- *Certificate* modification because of data change relating to the certification unit or the other *Certification Authority*;
- the format and technical content of the *Certificate* presents an unacceptable risk to the Relying parties (for example, if the used cryptographic algorithm and key size is no longer safe);
- the *Certification Authority* operating the certification unit or the issuer *Certification Authority* of its *Certificate* has terminated its activities;

• the law makes the revocation mandatory.

The *Certification Practice Statement* may include other conditions in which case the *Certification Authority* revokes the *Certificate*.

### 4.9.2 Who Can Request Revocation

The revocation of the *Certificate* may be requested in writing by the *Clients*, namely:

- the Subscriber;
- the Subject;
- in case of Organizational Certificate, the Organization's authorized representative;
- the contact person specified in the service agreement; Organizational Administrator appointed by the Subscriber;

and

• the Trust Service Provider.

Additionally, *Subscribers*, *Relying Parties*, Application Software Suppliers, and other third parties shall be able to submit High Risk Certificate Problem Reports informing the *Trust Service Provider* of reasonable cause to revoke the *Certificate*, like fraud, misuse or key compromise.

The *Trust Service Provider* shall provide clear instructions on how to report suspected Private Key Compromise, *Certificate* misuse, or other types of possible fraud, compromise, misuse, inappropriate conduct, or any other matter related to *Certificates* on a publicly available way.

#### 4.9.3 Procedure for Revocation Request

The *Trust Service Provider* shall provide the following possibilities for the submission of the revocation request:

- in an electronic form with an electronic signature based on the non-pseudonymous *Certificate* with a security classification not lower than the *Certificate* to be revoked (see section 1.2.3.);
- on paper signed manually at the customer service of the *Trust Service Provider* during office hours in person, or sent by post.

The *Trust Service Provider* shall verify the authenticity of the request, and the submitter's eligibility during the evaluation of the request.

In case of invalid or incomplete revocation request the *Trust Service Provider* rejects the request. The *Trust Service Provider* notifies the *Subject* and the *Subscriber* about the fact and reason of the rejection by email.

In case of complete and valid request the *Trust Service Provider* makes a decision about the acceptence of the request. Depending on the content of the request the *Trust Service Provider* revokes the *Certificate* immediately or sets up the date of revocation according to the request.

In case of a successful revocation the *Trust Service Provider* shall notify the *Subject* and the *Subscriber* about the revocation.

#### **High-Priority Certificate Problem Report**

The *Trust Service Provider* shall maintain a continuous 24x7 ability to respond internally to a High Priority Certificate Problem Report. If necessary, the National Media and Infocommunications Authority shall be informed about the reported problem, and/or the *Certificate*(s) concerned shall be revoked.

### 4.9.4 Revocation Request Grace Period

The *Trust Service Provider* does not apply grace period during the fulfilment of revocation requests.

## 4.9.5 Time Within Which CA Must Process the Revocation Request

The *Trust Service Provider* shall process the revocation requests within 24 hours following the arrival of the request.

# 4.9.6 Revocation Checking Requirement for Relying Parties

To maintain the level of security guaranteed by the *Trust Service Provider*, prior to the adoption and use of the information indicated in the *Certificate*, it is necessary for *Relying Parties* to act with proper carefulness. It is particularly recommended for them to verify all of the *Certificates* located in the *Certificate* chain according to the relevant technical standards. The verification should cover the verification of the *Certificates*' validity, the policy requirements and key usage, and the checking of the referenced CRL or OCSP based revocation information.

## 4.9.7 CRL Issuance Frequency

The *Trust Service Provider* shall issue a new *Certificate Revocation List* for its end user *Certificates* at least once a day.

The validity of these *Certificate Revocation Lists* shall be maximum 26 hours.

The *Trust Service Provider* shall issue a new *Certificate Revocation List* at least once a year and in case of a revocation within 24 hours for its intermediate certification units. The validity of these *Certificate Revocation Lists* shall be to a maximum of 12 months.

#### 4.9.8 Maximum Latency for CRLs

At most 5 minutes shall elapse between the generation and disclosure of the *Certificate Revocation List* (CRL).

## 4.9.9 Online Revocation/Status Checking Availability

The Trust Service Provider shall provide online Certificate status (OCSP) service.

## 4.9.10 Online Revocation Checking Requirements

The online Certificate status service shall comply with the requirements of Section 4.10 .

## 4.9.11 Other Forms of Revocation Advertisements Available

No stipulation.

## 4.9.12 Special Requirements for Key Compromise

The *Certification Authority* shall specify in the *Certification Practice Statement* the requirements that must be met by key compromise reports submitted in connection with the *Certificates* issued by the *Certification Authority*.

In case of compromise of the private key of one of its certification units the *Trust Service Provider* shall make every reasonable effort to notify the *Relying Parties* about the event. The *Trust Service Provider* shall disclose the status change of its provider *Certificates*.

In case of the compromise of a private key corresponding to an end user *Certificate* issued by the *Trust Service Provider*, the *Trust Service Provider* shall be able to revoke the end user *Certificate* in question. The revocation reason information (reasonCode) shall be set to the value "keyCompromise (1)".

# 4.9.13 Circumstances for Suspension

The *Trust Service Provider* shall provide an opportunity for a temporary cessation of the *Certificate*'s usability to reduce the risk in cases it can be assumed that one of the reasons establishing the revocation of the *Certificate* persists.

#### 4.9.14 Who Can Request Suspension

The same requirements apply to the *Certificate* suspension as to the certificate revocation – see Section 4.9.2.

#### 4.9.15 Procedure for Suspension Request

The *Trust Service Provider* shall enable the initiation of the suspension in each day of the year around the clock.

The *Trust Service Provider* shall enable the submission of the suspension requests the same way as the submission of the revocation requests according to the requirements of the Section 4.9.3, except that in this case the the suspension password is used for the validation of the suspension request.

In case of the acceptance of the suspension request, the status change shall be recorded in the *Certificate* status records of the *Trust Service Provider* without delay.

The requirements of Sections 4.9.3 and 4.9.5 regarding Certificate revocation apply to the evaluation of the suspension requests received through other communication channels.

#### 4.9.16 Limits on Suspension Period

The *Trust Service Provider* may limit the duration of the suspended state; this shall be clearly stated in the *Certification Practice Statement*. After the time period has elapsed, the *Trust Service Provider* is entitled to the revocation of the suspended certificate without any extra notification.

# 4.10 Certificate Status Services

The *Trust Service Provider* shall provide the following possibilities for the *Certificate* revocation status query:

- OCSP online Certificate revocation status query service,
- CRL Certificate Revocation Lists.

The revoked and suspended Certificates shall be listed in the Certificate Revocation Lists.

The suspended *Certificates* shall be taken out of the *Certificate Revocation List* in case of a reinstatement (withdraw of the suspension).

The revocation and suspension information shall not be removed from the *Certificate Revocation List* until after the expiry date of the revoked or suspended *Certificate*.

The revoked *Certificates* shall not be deleted from the *Certificate Revocation List* even after their expiry.

In case of suspension, reinstatement and revocation the new status of the *Certificate* shall appear immediately in the revocation records of *Trust Service Provider* after the successful completion of the process.

From that moment, the OCSP responses provided by the *Trust Service Provider* shall contain the new revocation status of the certificate.

In case of the usage of the *Certificate Revocation List*, the status change shall be disclosed in the next *Certificate Revocation List*.

OCSP response issued by the *Trust Service Provider* may contain "good" status information only for the *Certificates* that were issued by the given certification unit and are stored in the *Trust Service Provider*'s *Certificate Repository* (positive OCSP).

# 4.10.1 Operational Characteristics

No stipulation.

## 4.10.2 Service Availability

The *Trust Service Provider* shall ensure that the availability of the *Certificate Repository* and the terms and conditions pertaining to the *Certificates* issued by the *Trust Service Provider* is at least 99.9% per year, and the length of downtime shall not exceed at most 3 hours.

The *Trust Service Provider* shall ensure that the availability of the revocation status information and the revocation management service is at least at least 99.9% per year, and the length of downtimes shall not exceed at most 3 hours on any occasion.

The response time of the revocation status service in case of normal operation shall be less than 10 seconds.

# 4.10.3 Optional Features

No stipulation.

# 4.11 End of Subscription

The *Trust Service Provider* shall revoke the end-user *Certificates* in case of the termination of the contract concluded with the *Subscriber*.

# 4.12 Key Escrow and Recovery

The *Trust Service Provider* shall not provide key escrow service for a private key belonging to a signatory *Certificate*.

# 4.12.1 Key Escrow and Recovery Policy and Practices

The private key belonging to the signing *Certificate* shall not be escrowed.

#### 4.12.2 Symmetric Encryption Key Encapsulation and Recovery Policy and Practices

The private key belonging to the signing *Certificate* shall not be escrowed, so regarding that the symmetric encryption keys do not have to be managed.

# 5 Facility, Management, and Operational Controls

The *Trust Service Provider* shall apply physical, procedural, and personnel security precautions that comply with acknowledged standards, along with the administrative and governance related procedures that enforce these.

The *Trust Service Provider* shall keep a record of the system units and resources related to the service provision, and conduct a risk assessment on these. It shall use protective measures proportional to the risks related to the individual elements.

The *Trust Service Provider* shall monitor the capacity demands, and shall ensure that the adequate processing power and storage are available for the provision of the service.

# 5.1 Physical Controls

The *Trust Service Provider* shall take care that physical access to critical services is controlled, and shall keep physical risk of the assets related to critical services at a minimum.

The purpose of physical precautions is to prevent illegitimate access, damage, and unauthorized access to the *Trust Service Provider*'s information, and physical zones.

Services that process critical and sensitive information shall be implemented at secure locations.

The provided protection shall be proportional to the identified threats of the risk analysis that the *Trust Service Provider* performed.

## 5.1.1 Site Location and Construction

The IT system of the *Trust Service Provider* shall be located and operated within a properly secured *Data Centre* with physical and logical protection that prevents illegitimate access. Defensive solutions – as for example guarding, security locks, intrusion detection systems, video surveillance system, access control system – shall be applied over the course of locating and establishing the *Data Centre* that are built on each other and interdependent and together they provide a powerful protection system for the IT systems that take part in service provision, and for the preservation of the confidential data stored by the provider.

#### 5.1.2 Physical Access

The *Trust Service Provider* shall protect devices and equipment that take part in the service provision from unauthorized physical access in order to prevent tampering with the devices. *Trust Service Provider* shall ensure that:

- each entry to the *Data Centre* is registered;
- only authorized staff members with trusted roles with the right permissions can entry to the computer room individually;
- persons without independent authorization can only stay in the *Data Centre* in justified cases, for the time required and accompanied by personnel with appropriate rights;
- the entry logs shall be archived continuously and evaluated weekly.

The activation data (passwords, PIN codes) of the devices shall not be stored openly even in the *Data Centre*.

In the presence of unauthorized persons:

- data media containing sensitive information should be physically out of reach;
- the logged-in terminals shall not be left without supervision;
- no work process should be carried out during which confidential information may be revealed.

When leaving the computer room the administrator shall verify that:

- every equipment of the Data Centre is in an adequately secure operation state;
- there's no terminal left logged-in;
- physical storage devices are locked properly;
- systems, devices providing physical protection operate properly;
- the alarm system has been activated.

There should be appointed responsible people to carry out regular physical security assessments. The results of the examinations shall be recorded in the appropriate log entries.

## 5.1.3 Power and Air Conditioning

The *Trust Service Provider* shall apply an uninterruptible power supply unit in the *Data Centre* that:

- has adequate capacity to ensure power supply for the Data Centre's IT and subsidiary facility systems;
- protects IT equipment from voltage fluctuations in the external network, power outages, spikes and other;
- in case of lasting power outage has its own power generation equipment, which by allowing refueling – is able to provide the necessary energy for any period of time.

The air of the outer environment shall not get into the *Data Centre* directly. The *Data Centre* air purity shall be ensured with adequate filter system to detect a variety of contaminants from the air (dust, pollutants, and corrosive materials, toxic or flammable substances). The ventilation system should provide the necessary amount of fresh air with adequate filtration for the safe working conditions of the operators.

The humidity should be reduced to the level required by the IT systems.

Cooling systems with proper performance should be used to provide the necessary operating temperature, to prevent overheating of IT devices.

#### 5.1.4 Water Exposures

The *Data Centre* of the *Trust Service Provider* shall be adequately protected from water intrusion and flooding.

### 5.1.5 Fire Prevention and Protection

Smoke and fire detectors shall be installed in the *Data Centre* of the *Trust Service Provider*. Manual fire extinguishers of the appropriate type and amount compliant with the relevant regulations should be placed in a visible place in each room.

# 5.1.6 Media Storage

The *Trust Service Provider* shall protect its media storages from unauthorized access and accidental damage. All audit and archive data shall be created in duplicate. The two copies should be stored separately from each other physically, at locations in a safe distance from each other. The stored media storages shall be protected from damaging environmental influences such as low or high temperatures, dirt, moisture, sunlight, strong magnetic fields, strong radiation.

# 5.1.7 Waste Disposal

The *Trust Service Provider* shall take care of the destruction of its devices, media storages becoming superfluous in compliance with environmental regulations.

Such devices and media storages shall be permanently deleted or made unusable in accordance with the widely accepted methods under the personal supervision of employees of the *Trust Service Provider*.

### 5.1.8 Off-Site Backup

The *Trust Service Provider* shall create a backup weekly from which the whole service could be restored in case of a fatal error. The backups – at least including the last full backup – shall be stored at an external location that's physical and operational protection is identical to the primary site. The secure data transmission from the primary to the backup locations shall be resolved. Based on the randomly selected backup data a restoration test shall be made at least yearly. The

main circumstances and results of the restoration test shall be recorded in an audit report.

# 5.2 Procedural Controls

The *Trust Service Provider* shall take care that its systems are operated securely, according to the rules, and with a minimal risk of defects.

Procedural precautions have the objective of supplementing, and at the same time intensifying the effectiveness of physical safeguards, along with those applicable to personnel, by means of appointing and isolating trusted roles, documenting the responsibilities of various roles, as well as specifying the personnel headcounts and exclusion roles necessary for the various tasks, moreover identification and authentication expected in the various roles.

The *Trust Service Provider*'s internal governance system ensures that its operation complies with legal, as well as its internal regulations. In its system a responsible person shall be clearly assigned for every given system unit and process.

Individuals responsible for a given system element or process shall be assigned unambiguously to every system element and every process in its system. Development and operations related tasks are sharply segregated in the *Trust Service Provider*'s system. The auditing activity of the independent system auditor and the *Trust Service Provider*'s internal auditor ensures the system's appropriate operation.

#### 5.2.1 Trusted Roles

The *Trust Service Provider* shall create trusted roles (in the wording of the regulation, scope of activities) according to the requirements of decree 24/2016. [8] for the performance of its tasks. The rights and functions shall be shared among the various trusted roles in such a way that one user alone shall not be able to bypass the security protection measures.

Trusted roles to be implemented:

- manager with overall responsibility for the provider's IT system;
- security officer: individual with overall responsibility for the security of the service;
- system administrator: individual performing the IT system installation, configuration and maintenance;
- operator: individual performing the IT system's continuous operation, backup and restore;
- independent system auditor: individual who audits the logged, as well as archived dataset
  of the provider, responsible for verifying the enforcement of control measures the provider
  implements in the interest of operation that complies with regulations, moreover for the
  continuous auditing and monitoring of existing procedures.

 registration officer: responsible for the approval of production, issuance, revocation and suspension of end-user certificates

For the provision of trusted roles the manager responsible for the security of the *Trust Service Provider* shall formally appoint the *Trust Service Provider*'s employees.

Only those persons may hold a trusted role who are in employment relationship with the *Trust Service Provider*. Trusted roles shall not be hold in the context of a commission contract.

Up to date records shall be kept of the trusted roles and in case of any change, the National Media and Infocommunications Authority shall be notified without delay.

### 5.2.2 Number of Persons Required per Task

It shall be defined in the *Trust Service Provider*'s security and operational regulations that the following tasks can be only performed in protected environment, with the contemporaneous presence of two employees holding trusted roles:

- the generation of the Trust Service Provider's own service key pair;
- the backup of the provider's private key;
- the activation of the provider's private key;
- the destruction of the provider's private key.

At least one of the persons performing the procedures listed above shall be a system administrator, and the other person shall not be the independent system auditor.

During the implementation of the operations listed, unauthorized person shall not be present in the room.

## 5.2.3 Identification and Authentication for Each Role

The users managing the IT system of the *Trust Service Provider* shall have unique identification data, enabling secure identification and authentication of the users.

The users can only access the IT systems critical from the aspect of the provision of the certification service after identification and authentication.

The identification and authentication data shall be revoked without delay in case of the cessation of user rights.

## 5.2.4 Roles Requiring Separation of Duties

Employees of the *Trust Service Provider* can hold multiple trusted roles at the same time, but the *Trust Service Provider* is bound to ensure that:

- the security officer and the registration officer shall not hold the independent system auditor role;
- the system administrator shall not hold the security officer and the independent system auditor role;
- the manager with overall responsibility for the IT system shall not hold the security officer and the independent system auditor role.

# 5.3 Personnel Controls

The *Trust Service Provider* shall take care that its personnel policy, and its practices applicable to employing staff members intensify and support the reliability of the *Trust Service Provider*'s operation. The objective of precautions applicable to personnel is to reduce the risk of human errors, theft, fraud and cases of misuse.

The *Trust Service Provider* shall address personnel security already during the hiring stage, including the conclusion of contracts, as well as their validation when they are being employed. In the case of all trusted roles, applicants shall have valid certificate of no criminal record at the time of the application. Every employee in a trusted role and external parties who get in contact with the *Trust Service Provider*'s services shall sign a non-disclosure agreement.

At the same time, the *Trust Service Provider* shall ensure for its employees obtaining as well as further developing of common, general know-how along with the specialized professional knowledge necessary for performing the various jobs.

### 5.3.1 Qualifications, Experience, and Clearance Requirements

Each employee of the *Trust Service Provider* shall have the necessary education, practice and professional experience for the provision of his scope of activities. Even during recruitment, particular emphasis shall be given to the personality traits when selecting potential employees and only reliable persons can be hired for trusted roles.

Trusted roles can be held at the *Trust Service Provider* only by persons, who have no external influence and possess the necessary expertise validated by the *Trust Service Provider*. All personnel in trusted roles shall be free from conflict of interest that might prejudice the impartiality of the *Trust Service Provider*'s operations.

The manager with overall responsibility for the IT system can only be a person who has:

- specialized degree (mathematics, physics college or university degree or a college/university degree acquired at an engineering department belonging to the technical field of science);
- at least three years of expertise in professional working experience related to information security.

#### 5.3.2 Background Check Procedures

The Trust Service Provider shall only hire employees for trusted or leading roles, who

- have a clean record and there's no proceeding in progress against them that may affect the impunity.
- are not subject to professional disqualifications prohibiting to exercise electronic signatures related services.

At the time of the appointment, shall the leading role holder *Trust Service Provider* employee with a statement, a trusted role holder employee with a certificate of good conduct less than 3 months old justify the clean criminal record.

The *Trust Service Provider* shall verify the authenticity of the relevant information given in the applicant's CV during the hiring process, like previous employment, professional references, most relevant educational qualifications.

#### 5 FACILITY, MANAGEMENT AND ...

### 5.3.3 Training Requirements

The *Trust Service Provider* shall train the newly recruited employees, over the course of which they acquire

- basic PKI knowledge;
- the specifics and the way of handling the *Trust Service Provider*'s IT system;
- the necessary special knowledge for fulfilling their scope of activities;
- processes and procedures defined in the public and inner regulations of the *Trust Service Provider*;
- the legal consequences of the individual activities;
- the applicable IT security regulations to the extent necessary to the specific scope of activities;
- the data protection rules.

The *Trust Service Provider* shall train the employees concerned with registration about the dangers and risks related to the verification of the data to be indicated on the Certificate.

The employees concerned with registration shall take and pass an exam on the knowledge of the related requirements and procedures for data verification before their appointment, and this fact shall be documented.

Only employees having passed the training shall gain access to the he production IT system of the *Trust Service Provider*.

# 5.3.4 Retraining Frequency and Requirements

The *Trust Service Provider* shall ensure that the employees have the necessary knowledge continuously, so if needed, further or repeater type of training shall be held.

Further training shall be held if there's a change within the processes or the IT system of the *Trust Service Provider*.

The training material shall be updated at least in every 12 months and shall contain the new threats and actual security practices.

The training shall be adequately documented, from what the syllabus and the scope of the participator employees can be clearly determined.

## 5.3.5 Job Rotation Frequency and Sequence

No stipulation.

## 5.3.6 Sanctions for Unauthorized Actions

The *Trust Service Provider* shall regulate the prosecution possibilities of the employees in an employment contract in case of failures, errors, accidental or intentional damage. If the employee – due to negligence or intentionally – violates their obligations, sanctions could be taken against him by the *Trust Service Provider*, which it sets out having regard to the offense and the consequences. The sanctions may include disciplinary proceedings, dismissal, revocation of appointment, criminal liability.

# 5.3.7 Independent Contractor Requirements

The same rules shall be applied to workers employed with a contractual relationship as to employees.

The trusted role holder person shall be in an employment relationship with the *Trust Service Provider*.

### 5.3.8 Documentation Supplied to Personnel

The *Trust Service Provider* shall continuously provide for the employees the availability of the current documentation and regulations necessary to perform their roles.

# 5.4 Audit Logging Procedures

In order to maintain a secure IT environment the *Trust Service Provider* shall implement and operate an event logger and control system covering its full IT system.

#### 5.4.1 Types of Events Recorded

The *Trust Service Provider* shall log every security-related event that can provide information on events, changes happened in the IT system or in its physical environment according to the generally accepted information security practice. In case of every log entry, the following data shall be stored:

- the time of the event;
- the type of the event;
- the identification of the user or the system who/what triggered the event;
- the success or failure of the audited event.

The audit records shall not be modified or deleted.

All of the essential event logs shall be available to the independent system auditors, who examine the compliance of the *Trust Service Provider*'s operation.

The following events shall be logged at minimum:

• INTERNAL CLOCK

- the synchronization of the internal clock to the UTC time, including the operational re-calibrations too;
- the loss of synchronization;
- LOGGING:
  - the shutdown, restart of the logging system or some of its components;
  - the modification of any parameter of the logging settings, for example the frequency, alert threshold, and the event to be examined;
  - the modification or deletion of the stored logging data;
  - the activities performed because of the logging system's failure.
- SYSTEM LOGINS:
  - successful logins, unsuccessful login attempts for trusted roles;
  - in case of password based authentication:
    - \* the change of the number of permitted unsuccessful attempts;
    - reaching the limit of the permitted number of the unsuccessful login attempts in case of user login;
    - \* readmission of the user blocked because of the unsuccessful login attempts;
  - changing the authentication technique ( for example from password based to PKI based).
- KEY MANAGEMENT:
  - all events for the entire life cycle of service keys (key generation, saving, loading, destruction etc.);
  - events related to generating, managing the user keys;
  - all events related to the management of private keys stored for any purpose by the Trust Service Provider.
- CERTIFICATE MANAGEMENT:
  - every event related to the issuance and the status change of the provider *Certificates*.
  - every request including *Certificate* issuance, re-key, key renewal, suspension and revocation;
  - events related to the request processing;
  - every verification activity performed related to the Certificate issuance.
  - approval or rejection of the Certificate Applications;
  - *Certificate* issuance or status change.
- DATA FLOWS:
  - any kind of security-critical data manually entered into the system;
  - security-relevant data, messages received by the system;

## • CA CONFIGURATION:

- re-parameterization , any change of the settings of any component, of the CA;
- user admission, deletion;
- changing the user roles, rights;
- changing the Certificate profile;
- changing the CRL profile;
- generation of a new CRL list;
- generation of an OCSP response;
- Time Stamp generation;
- exceeding the required time accuracy threshold.
- Hardware Security Module:
  - installing Hardware Security Module;
  - removing Hardware Security Module;
  - disposing, destructing Hardware Security Module;
  - delivering Hardware Security Module;
  - clearing (resetting) Hardware Security Module;
  - uploading keys, certificates to the Hardware Security Module.
- CONFIGURATION CHANGE:
  - hardware;
  - software;
  - operating system;
  - patch;
  - installation, update and removal of software on a Certificate System;
- PHYSICAL ACCESS, LOCATION SECURITY:
  - person entry to and exit from the security zone holding the system components used for providing the trust service;
  - access to a system component used for providing the trust service;
  - a known or suspected breach of physical security;
  - firewall or router traffic.
- OPERATIONAL ANOMALIES:
  - system crash, hardware failure;
  - software failures;
  - software integrity validation error;
  - incorrect or wrongly addressed messages;

- network attacks, attack attempts;
- equipment failure;
- electric power malfunctions;
- uninterruptible power supply error;
- an essential network service access error;
- violation of the Certification Practice Statement;
- deletion of the operating system clock.
- OTHER EVENTS:
  - appointment of a person to a security role;
  - operating system installation;
  - PKI application installation;
  - initiation of a system;
  - entry attempt to the PKI application;
  - password modification, setting attempt;
  - saving the inner database, and restore from a backup;
  - file operations ( for example creating, renaming, moving);
  - database access.

#### 5.4.2 Frequency of Audit Log Processing

The Trust Service Provider shall ensure the regular evaluation of the created logs.

The created daily log files shall be evaluated in the next working day if possible, but not later than 1 week.

The evaluation of the log files shall be performed by an independent system auditor with the right expertise, system privileges and appointment.

The *Trust Service Provider* can use automatized tools to assist the evaluation of the electronic logs. The notifications received from the automatized monitoring tools shall be processed and evaluated within 24 hours.

During the evaluation, the authenticity and integrity of the examined logs shall be ensured. During the evaluation, the system generated error messages shall be analysed.

The significant changes in the traffic should be analysed with statistical methods.

The fact of the audit, the audit results and the measures taken in order to remove any deficiencies found shall be properly documented.

# 5.4.3 Retention Period for Audit Log

Before the deletion from the online system, the logs shall be archived and their secure preservation shall be ensured for the amount of time defined in Section 5.5.2.

#### 5.4.4 Protection of Audit Log

The *Trust Service Provider* shall protect the created logs for the required preservation time. During the whole preservation time, the following properties of the logs' data shall be ensured:

- protection against unauthorized disclosure: only authorized persons primarily the independent system auditors – shall access the logs;
- availability: authorized persons shall be granted access to the logs;
- integrity: any data alteration, deletion in the log files and change in the order of the entries, etc. shall be prevented.

### 5.4.5 Audit Log Backup Procedures

Daily log files shall be created from the continuously generated log entries during the operation in each system.

The daily log files shall be archived in two copies after the evaluation and stored physically apart from each other, at separate sites for the required time.

The exact process of backups shall be defined in the Certification Practice Statement.

## 5.4.6 Audit Collection System (Internal vs External)

The *Trust Service Provider* specifies the operation of its logging processes in its *Certification Practice Statement*.

The *Trust Service Provider* can use automatic audit and logging systems if it can ensure that they are active at the time of the system launch and they operate continuously until the system's shutdown.

If there's any anomaly in the automatic audit and logging systems, the operation of the *Trust Service Provider* shall be suspended until the incident is resolved.

## 5.4.7 Notification to Event-causing Subject

In case of the detected errors, the *Trust Service Provider* at its discretion can decide whether it notifies the person, role, device or application of the error that caused it.

#### 5.4.8 Vulnerability Assessments

Vulnerability assessment shall be carried out each year by the *Trust Service Provider* to help discover potential internal and external threats, which may lead to unauthorized access, may affect the *Certificate* issuing process, or allow modification of the data stored in the *Certificate*.

The occurrence probability of the event and the expected damage shall be mapped too.

It shall regularly assess the implemented processes, security measures, information systems, so that they are able to correctly withstand the threats detected.

After evaluation of the detected errors, if necessary the defence systems shall be amended to prevent similar mistakes in the future.

## 5.5 Records Archival

#### 5.5.1 Types of Records Archived

The *Trust Service Provider* shall be prepared to the proper secure long-term archiving of electronic and paper documents.

The Trust Service Provider shall archive the following types of information:

- every document related to the accreditation of the Trust Service Provider;
- all issued versions of the Non-Qualified Electronic Signature Certificate Policies;
- all issued versions of the Certification Practice Statements;
- all issued versions of the General Terms and Conditions;
- contracts related to the operation of the Trust Service Provider;
- all information related to the registration, including:
  - every document handed in with the Certificate Application;
  - the identification data of the document(s) presented during the personal identification;
  - service agreement(s);
  - other subscriber disclaimers;
  - the ID of the administrator assessing the registration application;
  - conditions and the results of the examination of the application;
- all information related to the Certificate for the whole life-cycle;
- information related to the impersonation of the Electronic Signature Creation Device;
- every electronic and paper based log entry.

## 5.5.2 Retention Period for Archive

The Trust Service Provider is bound to preserve the archived data for the time periods below:

- the Non-Qualified Electronic Signature Certificate Policy for at least 10 years from the date of repeal;
- Certification Practice Statement for at least 10 years from the date of repeal;
- General Terms and Conditions for at least 10 years from the date of repeal;
- in the case of video identification, all communications recorded during the identification for at least 10 years from the date of recording;
- All electronic and / or paper-based information relating to Certificates for at least:
  - 10 years after the validity expiration of the Certificate;
  - until the completion of the dispute concerning the electronic signature generated with the certificate;
- all other documents to be archived for at least 10 years from the date of their creation.

#### 5 FACILITY, MANAGEMENT AND ...

## 5.5.3 **Protection of Archive**

The *Trust Service Provider* is bound to store every archived data in two copies at locations physically apart from each other. Authentic paper or electronic copy can be made in accordance with the applicable law from the only authentic paper based copy of the document available.

Each of the two locations shall fulfil the requirements for archiving security and other requirements.

During the preservation of the archived data, it shall be ensured that:

- their integrity is preserved;
- they are protected against unauthorized access ;
- they are available;
- they preserve authenticity.

The archived electronic data shall be provided with at least an advanced electronic signature or seal and a qualified *Time Stamp*.

## 5.5.4 Archive Backup Procedures

The duplicate of the archived data shall be stored at a physically separate location from the *Trust Service Provider*'s site according to the requirements of Section 5.1.8.

#### 5.5.5 Requirements for Time-stamping of Records

Every electronic log entry shall be provided with a time sign, on which the system provided time is indicated at least to one second precision.

The *Trust Service Provider* shall ensure that in its service provider systems, the system clock is at maximum different from the reference time with 1 second. The system time used for generating the time signal shall be synchronized to the UTC time at least once a day.

The daily log files shall be provided with a *Time Stamp*.

During the preservation of the archived data, if necessary (for example algorithm change expiration of the original *Time Stamp*) the authenticity of the data shall be ensured.

## 5.5.6 Archive Collection System (Internal or External)

The log entries shall be generated in the *Trust Service Provider*'s protected computer system, and only the log files that are electronically signed and protected with qualified timestamps can leave it.

## 5.5.7 Procedures to Obtain and Verify Archive Information

The *Trust Service Provider* can create the log files manually or automatically. In case of automatic logging system, the certified log files shall be generated daily.

The archived files shall be protected from unauthorized access.

Controlled access to the archived data shall be available to the eligible persons:

- Clients are eligible to see the data stored about them;
- in legal litigation in order to provide evidence the necessary data shall be provided.

## 5.6 CA Key Changeover

The *Trust Service Provider* shall ensure that the used *Certification Units* are continuously having the valid key and Certificate for their operation. For that purpose, sufficient time before the expiration of their Certificates, and the usage expiration of the keys related to them, it shall generate a new key pair for the *Certification Units*, and inform its Clients in time. The new provider key shall be generated and managed according to this regulation.

If the *Trust Service Provider* changes any of its end-user *Certificates* issuer provider Certificate keys, it shall comply with the following requirements:

- it shall disclose the affected Certificates and public keys in accordance with the requirements defined in section 2.2 ;
- after the provider re-key the end-user *Certificates* to be issued can only be signed with the new provider keys;
- it shall preserve its old Certificates and public keys.

## 5.7 Compromise and Disaster Recovery

In case of a disaster, the *Trust Service Provider* is obliged to take all necessary measures in order to minimize the damage resulting from the shortfall of the service, and it restores the services as quickly as possible.

Based on the assessment of the incident that occurred, it shall take the necessary amendments, corrective measures to prevent future occurrence of the incident.

Once the problem resolved, the event shall be reported to the National Media and Infocommunications Authority, as the supervisory authority.

#### 5.7.1 Incident and Compromise Handling Procedures

The Trust Service Provider shall have a business continuity plan.

The *Trust Service Provider* shall establish and maintain a fully functional backup system, which is at a safe distance from the primary location, geographically located at a different place and is independently capable of supplying the full range of services.

The *Trust Service Provider* shall continually test the operation of the backup system and shall review its business continuity plans annually.

In case of a disaster, the availability of the services shall be restored as quickly as possible.

#### 5.7.2 Computing Resources, Software, and/or Data are Corrupted

The IT systems of the *Trust Service Provider* shall be built from reliable hardware and software components. The critical functions shall be implemented using redundant system elements so that in the event of an item failure they shall be able to operate further.

The *Trust Service Provider* shall make a full daily backup of its databases and the generated log events.

The *Trust Service Provider* shall make full backups as frequently as necessary to be able to restore the full service in case of a disaster.

The business continuity plan of the *Trust Service Provider* shall include accurate requirements for the tasks to be performed in case of critical system component failure.

Once the problem resolved and the integrity restored, the *Trust Service Provider* shall restart its services as soon as possible.

During the restoration of services, the certificate status information service systems have top priority.

# 5.7.3 Entity Private Key Compromise Procedures

In case of the *Trust Service Provider*'s private key compromise or suspected compromise the following steps should be taken without delay:

- all of the affected Certificates of the Trust Service Provider shall be revoked;
- new provider private key shall be generated for the restoration of the services;
- the revoked provider *Certificate*'s data shall be disclosed according to the regulated method in Section 2.2 ;
- the information related to the compromise shall be disclosed for every *Subscriber* and *Relying Party*;

# 5.7.4 Business Continuity Capabilities After a Disaster

The tasks to be performed in case of service failure due to natural or other disaster shall be defined in the *Trust Service Provider*'s business continuity plan.

In the event of disaster, the regulations shall come into force, the damage control and the restoration of the services shall begin.

The secondary services site shall be placed so far away from the primary site that a probable disaster cannot reach both locations simultaneously.

The *Trust Service Provider* is obliged to notify the affected users as quickly as possible in the event of the disaster.

After the restoration of the services, the *Trust Service Provider* shall restore its devices damaged during the disaster and the original service security level as quickly as possible.

# 5.8 CA or RA Termination

The *Trust Service Provider* shall comply with the requirements laid down in the legislation in case of service termination.

During the termination the priority tasks are:

• the National Media and Infocommunications Authority, the Relying parties and the *Subscribers* shall be notified about the planned termination in time;

- the *Trust Service Provider* shall make every effort to ensure that at the latest by the service termination another provider takes over the records and service obligations;
- new Certificate issuance shall be terminated;
- provider Certificates shall be revoked, and provider private keys shall be destroyed;
- after the termination of the service, a full system backup and archiving shall be carried out;
- the archived data shall be handed over to the provider that takes over the services, or to the National Media and Infocommunications Authority.

# 6 Technical Security Controls

The *Trust Service Provider* shall use reliable systems and equipment protected against modification for the management of the cryptographic keys and activation data for the whole life-cycle.

The capacity demands shall be continuously monitored and the future capacity demands shall be estimated, so that the necessary availability of processing and storage needs are ensured.

# 6.1 Key Pair Generation and Installation

The *Trust Service Provider* shall ensure the secure production and management of its generated private keys corresponding to the industry standards and regulatory requirements in force corresponding production and management.

## 6.1.1 Key Pair Generation

The *Trust Service Provider* may only use key generation algorithms for the key pair generation, which comply with the requirements set out in the following normatives:

- ETSI TS 119 312 [19];
- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [7] 92. § (1) b) .

## Generation of Service Provider's key pairs

The *Trust Service Provider* in case of the generation of a key pair of its own shall ensure:

- The production of provider key pair is performed based on a key generation script.
- In case of a CA key pair generation a Qualified Auditor witness the CA key pair generation process or the *Trust Service Provider* records a video of the entire CA key pair generation process.

• If the CA key pair is generated for a root CA or a subordinate CA operated by another organization, a qualified auditor will witness the key generation process.

The Qualified Auditor issues a report opining that the CA followed its key ceremony during its Key generation process and the controls used to ensure the integrity and confidentiality of the key pair.

- The generation of the key pair is (see section 5.1), with at least two trusted role holder (see section 5.2.1) authorized person simultaneously under the principle of split knowledge, excluding the presence of unauthorized persons.
- The creation of the provider key pair is carried out in a device, that:
  - meets the requirements of ISO/IEC 19790 [23] , or
  - meets the requirements of FIPS 140-2 [31] level 3 or higher, or
  - meets the requirements of CEN 419 221-5 [20], or
  - is a reliable system that is evaluated in accordance with MSZ/ISO/IEC 15408 [22] or equal security criteria valued to level 4 or higher guarantee level. The assessment shall be based on a security system design or on safety appropriations meeting the requirements of this document.
- Detailed log entries are made about the key generation process.
- The *Trust Service Provider* takes the necessary measures to ensure that the private key has been generated and protected in accordance with the prescribed processes during key generation.
- In case of generatin key pairs for Service Provider's root and intermediate *Certificate* the *Trust Service Provider* shall make a key generation record demonstrating that the process has been conducted in accordance with the predetermined workflow that ensures the confidentiality and integrity of the generated keys. The record shall be signed by:
  - in case of the generation of the Service Provider's root certification unit's key pair the trusted officer of the *Trust Service Provider* responsible for key management and a trusted person independent from the operation of the *Trust Service Provider*, as a witness (eg. qualified auditor), who verifies that the record corresponds to the performed process;
  - in case of the generation of the Service Provider's intermediate certification unit's key pair the trusted officer of the *Trust Service Provider* responsible for key management who verifies that the record corresponds to the performed process.

### Generation of Service Provider's infrastructure key pairs

In case of generating the infrastructure keys used in its own IT systems, the *Trust Service Provider* shall ensure that:

- the generation of the *Trust Service Provider*'s infrastructure key is carried out in a physically protected environment (see section 5.1) by an authorized person in a role of trust (see section 5.2.1), excluding the presence of other unauthorized persons;
- the key generation fully complies with the instructions in the device user documentation.

### Subscriber's key pairs

In case of generating the key pair for the Subjects, the Trust Service Provider shall ensure that:

- The creation of the keys is carried out in a protected environment with exclusively trusted role holder persons present.
- In case of *Certificate Policies* requiring the use of a *Cryptographic Hardware Device* the *Trust Service Provider* generates the signing private key on the user's *Subject Cryptographic Hardware Device* which makes the disclosure of the signing private key impossible.
- The generated private keys are stored by the *Trust Service Provider* until the key handover in an adequately secure environment to prevent disclosure. After the documented handover of the signer private key to the *Subject* the *Trust Service Provider* destroys every copy of the handed over private key stored by it, in such a way that its restoration and usage becomes impossible. The *Trust Service Provider* ensures that the generated key pair is compliant with the requirements defined in Sections 6.1.5 and 6.1.6, and the private key is not one of a known weak key pair.

In case of an Subject generated key pair:

- the production of keys shall be done in a properly secure environment that is under the supervision of the Subject;
- the *Subject* shall ensure the proper protection of the generated private key;
- the *Trust Service Provider* shall ensure that the generated key pair is compliant with the requirements defined in Sections 6.1.5 and 6.1.6, and the public key is not one of a known weak key pair.

During processing the *Certificate Application* the *Trust Service Provider* checks the key pair and rejects the *Certificate Application*, if one or more of the following conditions are met:

- the key pair does not meet the requirements set forth in Section 6.1.5 and/or Section 6.1.6;
- there is clear evidence that the specific method used to generate the private key was flawed;
- the *Trust Service Provider* is aware of a demonstrated or proven method that exposes the *Subject*'s private key to compromise;
- the *Trust Service Provider* has previously been made aware that the *Subject*'s private key has suffered a key compromise, such as through the provisions of Section 4.9.1;
- the Trust Service Provider is aware of a demonstrated or proven method to easily compute the Subject's private key based on the public key (such as a Debian weak key, see https://wiki.debian.org/SSLkeys).

## 6.1.2 Private Key Delivery to Subscriber

If the *Trust Service Provider* generated the *Subject*'s private key, then the following requirements shall be met:

### If the Private Key is Handed Over to the *Subject*:

- Until the key handover, the *Trust Service Provider* stores the private keys generated by it for the *Subjects* and the activation data securely to prevent the key disclosure, copy, modification, damage and the usage by unauthorized persons.
- The *Trust Service Provider* shall ensure that the private keys and their activation data can only be taken over by the *Subject*.
- The *Trust Service Provider* shall gain sufficient evidence of the handover of the private key to the *Subject*, and the exact time of the handover.
- After the handover of the signer private key to *Subject*, the *Trust Service Provider* shall not reserve any copy of the signer private key.

# 6.1.3 Public Key Delivery to Certificate Issuer

When the key pair is generated by the Subject, the following provisions shall be complied with:

- the public key shall be sent to the *Trust Service Provider* in a manner that it can be unambiguously assigned to the *Subject*;
- the *Certificate Application* process shall prove that the *Subject* really owns the private key corresponding to the public key.

## 6.1.4 CA Public Key Delivery to Relying Parties

The *Trust Service Provider* shall make available its top-level provider Certificate public keys to the *Relying Parties* in such a way, that makes attacks targeting key modification impossible. Particularly, the *Trust Service Provider* at least shall disclose its provider *Certificates* on its webpage. The *Trust Service Provider* shall disclose the status information related to the *Certificate* of the certification units operated by it, and of the units that take part in the online certificate status service by the following methods:

- The name of the root certification units and the hash of its root certificates figure in the *Certification Practice Statement*. Their status change information shall be available on the webpage of the *Trust Service Provider*.
- The status change information of the intermediate (not root) certification units' certificates shall be disclosed on the *Certificate Revocation Lists*, on its webpage and within the confines of the online certificate status response service.
- For the responders signing the online certificate status responses the *Trust Service Provider* 
   according to the best international practices issues a *Certificate* with very short validity period to eliminate the necessity of checking the *Certificate* revocation status. The *Trust Service Provider* only discloses that *Certificate*'s revocation status in a way that in case of key compromise or other problem new *Certificate* won't be issued for the old private key signing the OCSP responses. The *Trust Service Provider* shall issue the OCSP response Certificates for new, secure private keys.

Regarding the disclosure methods of the status information, also see Section 4.10.

### 6.1.5 Key Sizes

The *Trust Service Provider* shall only use cryptographic algorithms and minimum key sizes, which comply with the requirements set out in the following norms:

- ETSI TS 119 312 [19];
- the current National Media and Infocommunications Authority algorithmic regulation issued pursuant to the authorization of the year 2015. Act CCXXII [7] 92. § (1) b) .

# 6.1.6 Public Key Parameters Generation and Quality Checking

The requirements for the key parameter generation are in Section 6.1.1.

Devices with appropriate device certificates used in the creation of keys shall be operated with strict compliance with the requirements set out in the certification to ensure the quality of the generated key parameters.

### 6.1.7 Key Usage Purposes (as per X.509 v3 Key Usage Field)

The *Trust Service Provider* root certification unit private key may only be used for the following purposes:

- issuance of the self-signed Certificate of the root certification unit itself ,
- to sign the intermediate certification units' Certificates,
- to sign the OCSP responder Certificate,
- to sign CRLs.

The private key of the *Trust Service Provider*'s intermediate certification units – as well as the private key issued to the intermediate certification unit of other organizations – can only be used for the following purposes:

- to sign the intermediate certification units' Certificates,
- to sign the end user *Certificate*,
- to sign the Time-Stamping Unit Certificate,
- to sign the OCSP responder Certificate,
- to sign CRLs.

The *Trust Service Provider* shall include the Key Usage extensions in the end-user certificates that define the scope of the Certificate usage and in the X.509v3 [30] compatible applications technically restrict the usage of the Certificates. The requirements set out for the value of the field are in Section 7.1.2.

The signer private key may only be used for electronic signature creation by the *Signatory*, any other uses of the key are specifically prohibited.

# 6.2 Private Key Protection and Cryptographic Module Engineering Controls

The *Trust Service Provider* shall ensure the secure management of the private keys held by it and shall prevent the private key disclosure, copy, deletion, modification and unauthorized usage. The *Trust Service Provider* may only preserve the private keys as long as the provision of the service definitely requires.

During the management of the *Hardware Security Modules* the signing private keys stored on the *Hardware Security Modules* which are out of order shall be deleted so that it is practically impossible to restore the keys.

## 6.2.1 Cryptographic Module Standards and Controls

The systems of the *Trust Service Provider* issuing *Certificate*, signing OCSP responses and CRL lists shall store the private keys in such secure hardware devices that are compliant with the following:

- the requirements of ISO/IEC 19790 [23], or
- the requirements of FIPS 140-2 [31] level 3 or higher, or
- the requirements of CEN 14167-2 [33] task force agreement, or
- the requirements of CEN 419 221-5 [20], or
- they are such reliable systems that are evaluated at a guarantee level 4 or higher according to MSZ/ISO/IEC 15408 [22] or an equivalent security criteria system. The assessment either shall be based on the appropriate security system plan that meets the requirements of the present document, or on security appropriations.

The provider keys may only be stored in encrypted forms outside of the *Hardware Security Module*. For coding only those algorithms and key parameters shall be used by the current order of the National Media and Infocommunications Authority that was issued according to the year 2015. Act CCXXII [7] 92. § (1) b) that are expected to be able to withstand the cryptographic attacks during the entire lifetime of the keys.

The provider private keys shall be stored in a physically secure site even in an encrypted form, where they are only accessible to authorized people.

In case of the weakening of cryptographic algorithms and key parameters, the coded keys shall be destroyed or they shall be recoded using algorithm and key parameters that ensure greater protection.

## 6.2.2 Private Key (N out of M) Multi-Person Control

The *Trust Service Provider* shall to ensure that the simultaneous presence of at least two; trusted role holder employees is needed for the critical operations carried out with its provider private keys.

## 6.2.3 Private Key Escrow

The *Trust Service Provider* may escrow its own provider private keys only in encrypted form.

# 6.2.4 Private Key Backup

The *Trust Service Provider* shall make security copies of its provider private keys, and at least one copy of those shall be stored at a different place from the service provider location.

Making backups may only be done in protected environment, in the simultaneous presence of at least two people holding trusted roles, with the exclusion of other people.

At least the same strict security standards shall be applied to the management and preservation of backups as for the operation of the production system.

The Trust Service Provider shall not make any copy of the end-user signer private keys.

# 6.2.5 Private Key Archival

The *Trust Service Provider* shall not archive its private keys and the end-user signer private keys.

## 6.2.6 Private Key Transfer Into or From a Cryptographic Module

All of the provider private keys of the *Trust Service Provider* shall be created in a cryptographic module that meets the requirements.

The private keys shall not exist in an open form outside of the Hardware Security Module.

The *Trust Service Provider* may only export the private key from the *Hardware Security Module* for the purpose of making a secure copy.

The private key transport between the *Hardware Security Modules* is only permitted in the form of a secure copy.

## 6.2.7 Private Key Storage on Cryptographic Module

The *Trust Service Provider* shall store the private keys used for the provision of the service according to the present *Non-Qualified Electronic Signature Certificate Policies* in a *Hardware Security Module*.

There is no restrictive term applied for the storage form in the Hardware Security Module.

# 6.2.8 Method of Activating Private Key

The *Trust Service Provider*'s private keys shall be activated in accordance with the procedures and requirements defined in the used cryptographic module user guide and the certification documents.

The *Trust Service Provider* shall ensure that signatures can only be created with the private key of the root unit certificate in case of commands issued directly by the trust official duly authorized to do so.

In case of the end-user private keys generated by the *Trust Service Provider* it shall ensure that the private keys and the private key activation data are generated and managed in a properly secure way that excludes the possibility of the unauthorized usage of the private key.

In case of *Subject* generated private key the protection of the private key is the *Subject*'s full responsibility.

### 6 TECHNICAL SECURITY CONTROLS

## 6.2.9 Method of Deactivating Private Key

### **Provider Private Keys**

The *Trust Service Provider*'s private keys shall be deactivated in accordance with the procedures, requirements defined in the used *Hardware Security Module*'s user guide and the certification documents.

### **End-User Private Keys**

The proper usage of the softweare based private keys is the responsibility of the Subject.

### 6.2.10 Method of Destroying Private Key

## **Provider Private Keys**

The discarded, expired or compromised *Trust Service Provider*'s private keys shall be destroyed in a way that makes further use of the private keys impossible.

The provider private keys shall be destroyed according to the procedures, requirements defined in the user guide and in the certification documents of the used *Hardware Security Module*, in the simultaneous presence of two *Trust Service Provider* employees (an infrastructure administrator and a security officer) with the exclusion of other persons.

Each backup copy of the private key shall be destroyed in a documented way in such a way that its restoration and usage becomes impossible.

### End-User Private Keys

In case of *Certificate Policies* not requiring the use of a *Cryptographic Hardware Device* the proper destruction of the private keys is the responsibility of the *Subject*.

The discarded signer private keys of the end-users are recommended to be destroyed.

## 6.2.11 Cryptographic Module Rating

According to the requirements of Section 6.2.1 every provider private key of the *Trust Service Provider* shall be stored in a cryptographic module that

• has a certificate

according to ISO/IEC 19790 [23], or

- has a certificate according to FIPS 140-2 Level 3 [31], or
- has an at least EAL-4 level Common Criteria [32] based certificate attesting compliance with the requirements of the CEN 14167-2 [33] workshop agreement, or
- has an at least EAL-4 level Common Criteria [32] based certificate attesting compliance with the requirements of the CEN 419 221-5 [20], or

 has a certificate issued for this purpose by an independent certification body eligible for evaluating electronic signature products, registered by the National Media and Infocommunications Authority, or in a member state of the European Union

## 6.3 Other Aspects of Key Pair Management

## 6.3.1 Public Key Archival

The Trust Service Provider shall archive every Certificate issued by it.

# 6.3.2 Certificate Operational Periods and Key Pair Usage Periods

### The Keys and Certificates of the Root Certification Units

The validity period of the *Trust Service Provider* root certification unit certificates and the private keys belonging to them shall not exceed the amount of time until which the used cryptographic algorithms can be used safely according to the algorithmic decision of the National Media and Infocommunications Authority.

### The Keys and Certificates of the Intermediate Certification Units

The validity period of the *Trust Service Provider* intermediate certification unit certificates and the private keys belonging to them:

- shall not exceed the amount of time until which the used cryptographic algorithms can be used safely according to the algorithmic decision of the National Media and Infocommunications Authority;
- shall not exceed the validity period of the issuer root or intermediate provider *Certificate* that issued the intermediate provider *Certificate*.

## **End-User Certificates**

The validity period of the end user Certificates issued by the Trust Service Provider

- is maximum
  - 39 months from issuance in case of Code Signing Certificates;
  - 10 years from issuance in case of other *Certificates*;
- shall not exceed the amount of time until which the used cryptographic algorithms can be used safely according to the algorithmic decision of the National Media and Infocommunications Authority;
- shall not exceed the expiration date of the provider *Certificate* that issued the *Certificate*.

During the Certificate renewal the *Trust Service Provider* may issue the new *Certificate* for the same end-user private key.

Both the service provider and the end-user key validity period is affected, if the National Media and Infocommunications Authority issues a new algorithm decree, according to which the used cryptographic algorithm or key parameter is not secure to the end of the planned usage period. If this happens, the *Trust Service Provider* revokes the related *Certificates*.

# 6.4 Activation Data

# 6.4.1 Activation Data Generation and Installation

The *Trust Service Provider*'s private keys shall be protected in accordance with the procedures, requirements defined in the used *Hardware Security Module* user guide and the certification documents.

In case of password based activation data usage, the passwords need to be sufficiently complex in order to ensure the required level of protection.

In case of private keys created for and handed over to the *Subject* via software by the *Trust Service Provider* the *Trust Service Provider* shall create the activation data and shall assign them to the private key in a physically secure environment, with an adequate quality random number generator;

The creation and installation of the activation data of the *Subject* created private keys is the duty of the *Subject*.

### 6.4.2 Activation Data Protection

The devices, activation data necessary for the private key activation shall be stored securely by the employees of the *Trust Service Provider*, the passwords may only be stored encoded.

The protection of the activation data of the private keys created by the *Subject*, is the duty and responsibility of the *Subject*.

# 6.4.3 Other Aspects of Activation Data

No stipulation.

# 6.5 Computer Security Controls

# 6.5.1 Specific Computer Security Technical Requirements

During the configuration and operation of the IT system of the *Trust Service Provider* the compliance with the following requirements shall be ensured:

- the user identity is verified before granting access to the system or the application;
- roles are assigned to users and it shall be ensured that all users only have permissions appropriate for its roles;

- a log entry is created for every transaction, and the log entries shall be archived;
- for the security-critical processes it is ensured that the internal network domains of the *Trust Service Provider* are sufficiently protected from unauthorized access;
- proper procedures are implemented to ensure service recovery after loss of key or system failure.

## 6.5.2 Computer Security Rating

In order to provide IT security and service quality the *Trust Service Provider* shall implement a control system by internationally accepted methodologies, and the adequacy of those shall be certified by a certificate issued by an independent certification body.

## 6.6 Life Cycle Technical Controls

## 6.6.1 System Development Controls

The *Trust Service Provider* shall only use applications and devices in its production IT system that:

- commercial boxed software, designed and developed by a documented design methodology, or;
- custom hardware and software solutions developed by the *Trust Service Provider* itself during which design structured development methods and controlled development environment were used, or;
- custom hardware and software solutions developed by a reliable party for the *Trust Service Provider* during which design structured development methods and controlled development environment were used, or;
- open source software which comply with the security requirements and their adequacy is ensured by software verification and structured development and life-cycle management.

The procurement shall be conducted in a way that excludes the modification of the hardware and software components.

The hardware and software components applied for the provision of services may not be used for other purposes.

The *Trust Service Provider* with proper protection measures shall prevent malicious software to enter the devices used in the certification service.

Prior to the first use and later on the hardware and software components shall be regularly checked searching for malicious codes.

The *Trust Service Provider* shall act with the same carefulness in case of program update purchases as at the acquisition of the first version.

Reliable, adequately trained staff shall be employed over the course of installing software and hardware.

The *Trust Service Provider* may only install software to its service provider IT equipment necessary for the purpose of service provision.

The *Trust Service Provider* shall have a version control system where every change shall be documented.

The Trust Service Provider shall implement procedures for unauthorized change detection.

## 6.6.2 Security Management Controls

The *Trust Service Provider* shall implement processes for documenting, operating, verifying, monitoring and maintaining the systems used in the service including their modification and further development. The version control system shall detect any kind of unauthorized changes, data entry that affects the system, the firewall, the routers, programs and other components used in the service. Installing the program used in the service the *Trust Service Provider* shall ensure that the program to be installed is the proper version and that it is free from any unauthorized modification. The *Trust Service Provider* shall regularly check the integrity of the software in its system used in the service.

## 6.6.3 Life Cycle Security Controls

The *Trust Service Provider* shall ensure the protection of the used *Hardware Security Modules* during their whole life cycle.

- the Hardware Security Modules used shall have the right certification;
- upon receipt of the *Hardware Security Modules*, it shall be verified that the protection of the *Hardware Security Modules* against tampering was ensured during transportation;
- the protection of the Hardware Security Modules against tampering shall be ensured during storage;
- during operation, the requirements of the *Hardware Security Modules* security target, user guide and the certification report shall be observed at all times;
- private keys stored on decommissioned *Hardware Security Modules* shall be deleted in such a way that it is impossible to recover the keys.
- Decommissioned *Hardware Security Modules* shall be handled and disposed of in accordance with the requirements of their security target, instructions for use and certification report.

# 6.7 Network Security Controls

The *Trust Service Provider* shall keep its IT system configuration under strict control, and it shall document every change including the smallest modification, development, software update too. The *Trust Service Provider* shall implement proper procedures for the detection of any hardware or software change, system installation, and maintenance occurred on the IT system. The *Trust Service Provider* shall check the authenticity and integrity of every software component at their first loading.

The Trust Service Provider shall apply proper network security measures for example:

- shall divide its IT system into well separated security zones;
- shall separate dedicated network for administration of IT systems and the live operational network;
- shall separate the production systems for the TSP services from systems used in development and testing;
- shall establish communication between distinct trustworthy systems only through trusted channels that are logically distinct from other communication channels and provide assured identification of its end points and protection of the channel data from modification or disclosure;
- shall operate the IT systems used for the live operational network in secure network zones;
- shall restrict access and communications between zones to those necessary for the operation of the service;
- shall disable the not used protocols and accounts;
- shall disable unused network ports and services;
- shall only run network applications unconditionally necessary for the proper operation of the IT system;
- shall review the established rule set on a regular basis.

The *Trust Service Provider* shall undergo or perform a vulnerability scan on public and private IP addresses:

- within one week of receiving a request from the CA/Browser Forum;
- after any system or network changes that the CA determines are significant;
- at least every three (3) months.

# 6.8 Time-stamping

The *Trust Service Provider* shall use *Time Stamps* provided by a qualified time-stamp provider listed on the trusted list of one of the European Union member states for the protection of the integrity of the log files and other electronic files to be archived.

# 7 Certificate, CRL, and OCSP Profiles

# 7.1 Certificate Profile

The end-user *Certificates* issued by the *Trust Service Provider* and all the provider's root and intermediate *Certificates* which are in the *Certificate* Chain used to issue the *Certificates* shall comply with the following recommendations and requirements:

- ITU X.509 Information technology Open Systems Interconnection The Directory: Publickey and attribute certificate frameworks [30]
- IETF RFC 5280 [26]
- IETF RFC 6818 [27]
- ETSI EN 319 412-1 [15]
- ETSI EN 319 412-2 [16]

## 7.1.1 Version Number(s)

The provider certification unit (root and intermediate) *Certificates* used by the *Trust Service Provider* and the end-user *Certificates* issued by the *Trust Service Provider* shall be "v3" *Certificates* according to the X.509 specification [30].

The *Certificates* have the following basic fields:

• Version

The *Certificate* complies with "v3" *Certificates* according to the X.509 specification, so the value "2" is in this field. [26]

• Serial Number

The unique identifier generated by the Certificate issuer certification unit.

In case of the end-user *Certificates* the "Serial Number" field shall contain a random number with at least 8 byte entropy.

• Algorithm Identifier

The identifier (OID) of the cryptographic algorithm set used for the creation of the electronic signature or seal certifying the *Certificate*.

• Signature

Electronic signature or seal made by the *Certification Authority* certifying the *Certificate*, that has been created with an Algorithm set defined in the "Algorithm Identifier" field.

Issuer

The unique name of the *Certificate* issuer *Certification Unit* according to the X.501 name format.

• Validity (notBefore & notAfter)

The beginning and the end of the validity period of the Certificate.

The time is recorded according to UTC and compliant with IETF RFC 5280 encoding.

Subject

The unique name of the Subject according to the X.501 name format. Always filled out.

• Subject Public Key Algorithm Identifier

The Identifier of the Subject Public Key Algorithm.

- Subject Public Key Value The public key of the Subject.
- Issuer Unique Identifier Not filled out.
- Subject Unique Identifier Not filled out.

# 7.1.2 Certificate Extensions

The *Trust Service Provider* may only use certificate extensions according to the X.509 specification [30], the usage of self-defined critical extensions is not allowed.

Specific requirements concerning certificates extension:

# Certificate of the Root Certification Unit

- Certificate Policies not critical OID: 2.5.29.32 This field shall not be indicated.
- Authority Key Identifier not critical OID: 2.5.29.35 The 40 character long unique identifier of the provider key used for the electronic signature or seal certifying the *Certificate*.

Filling in is mandatory.

The field value: the SHA-1 hash of the provider public key.

 Subject Key Identifier – not critical OID: 2.5.29.14 The 40 character long unique identifier of the *Subject* public key. The field value: the SHA-1 hash of the public key.

Filling in is mandatory.

• Subject Alternative Names – not critical OID: 2.5.29.17

Filling in is optional.

 Basic Constraints – critical OID: 2.5.29.19 The specification whether the *Certificate* has been issued to a certification unit.

The extension is required and its value is: CA = "TRUE".

The "pathLenConstraint" field can be present in the Certificate.

 Key Usage – critical OID: 2.5.29.15 The scope definition of the approved key usage.

The field is mandatory and the values shall be:

- "keyCertSign",
- "cRLSign".
- Extended Key Usage not critical OID: 2.5.29.37 The further scope definition of the approved key usage. Shall not be present.

There shall not be any more *Certificate* extensions.

# Certificate of the Intermediate Certification Unit

 Certificate Policies – not critical OID: 2.5.29.32
 This follows a limit the Certificate Deline as high and highly a following for the following of the following for the following of th

This field may limit the Certificate Policys which can be used in the Enduser Certificate.

The intermediate CAs below this CA may issue only that type of Enduser *Certificates* which fit to at least one of the *Certificate Policys* listed here.

Filling in is mandatory for this field, and it shall not be critical.

In case of *Certificates* issued to the intermediate certification units of the *Trust Service Provider*, the "anyPolicy" Identifier may be present in this field.

The reference to the related *Certification Practice Statement* can be given in this field. In case of certification unit *Certificates* issued to other *Certification Authority*, only that identifier can be in this field, which relates to a *Certificate Policy* which complies to the *Certificate Policy* implemented by the issuer *Certification Authority*, and there can be no "anyPolicy" Identifier.

 Authority Key Identifier – not critical OID: 2.5.29.35

The 40 character long unique identifier of the provider key used for the electronic signature or seal certifying the *Certificate*.

Filling in is mandatory.

The field value: the SHA-1 hash of the provider public key.

 Subject Key Identifier – not critical OID: 2.5.29.14 The 40 character long unique identifier of the *Subject* public key. The field value: the SHA-1 hash of the public key.

Filling in is mandatory.

 Subject Alternative Names – not critical OID: 2.5.29.17 Filling in is optional.  Basic Constraints – critical OID: 2.5.29.19 The specification whether the *Certificate* has been issued to a certification unit.

The extension is required and its value is:  $\mathsf{CA}=\mathsf{"TRUE"}.$ 

The "pathLenConstraint" field may be present in the Certificate.

• Key Usage – critical OID: 2.5.29.15

The scope definition of the approved key usage.

The field is mandatory and the value shall be:

- "keyCertSign",
- "cRLSign".
- Extended Key Usage not critical

OID: 2.5.29.37

The further scope definition of the approved key usage.

The Intermediate Certification Unit *Certificates* issued after 2019-01-01 shall contain at least one "Extended Key Usage" value as detailed below:

The Intermediate Certification Unit *Certificates* for issuing *Certificates* for the creation of electronic electronic signatures:

- Document Signing (1.3.6.1.4.1.311.10.3.12)
- Secure E-mail (1.3.6.1.5.5.7.3.4)

The Intermediate Certification Unit Certificates for issuing Code Signing Certificates:

- Code Signing (1.3.6.1.5.5.7.3.3)
- CRL Distribution Points not critical
  - OID: 2.5.29.31

The field contains the CRL accessibility through http and/or ldap protocol. It is mandatory to fill.

• Authority Information Access – not critical OID: 1.3.6.1.5.5.7.1.1

The definition of the other services related to the usage of the *Certificate* provided by the *Trust Service Provider*.

Mandatory, and the field contains the following data:

- For the purpose of the fast and reliable verification of the current *Certificate* revocation status, the *Trust Service Provider* shall provide online certificate status service. The availability of this service shall be indicated here.
- To the facilitation of the certificate chain building the *Trust Service Provider* shall give the access path through http or Idap protocol of the *Certificate* of the *Certificate* issuer certification unit.

There may not be any more *Certificate* extensions.

### **End-User Certificate**

- Certificate Policies not critical
  - OID: 2.5.29.32

This field contains the denomination of the valid certification policy (see Section 1.2.1) at the time of the *Certificate* issuance and other information on the other uses of the *Certificate*.

In case of end-user certificates, the *Trust Service Provider* shall fill in this field in all cases by providing the following data:

- the identifier of the *Certificate Policy* (OID according to section 1.2.1);
- the availability of the Certification Practice Statement;
- the textual warning in English and Hungarian from which it can be established that it is a II. or III. certification class certificate, namely personal appearance did or did not happen at the registration, the Subject of the *Certificate* is a natural person, and the private key belonging to the *Certificate* is protected by a cryptographic hardware device.
- The identifier specified by ETSI EN 319 411-1 [14] the policy which the *Certificate* complies with as follows:
  - \* in case of LCP Certificate OID 0.4.0.2042.1.3,
  - \* in case of NCP Certificate OID 0.4.0.2042.1.1,
  - \* in case of NCP+ Certificate OID 0.4.0.2042.1.2.
- In case of *Code Signing Certificate* Certificate Policy defined by the CA/Browser Forum:
  - \* OID 2.23.140.1.4.1.

In all cases of end-user certificates at least one *Certificate Policy* shall be indicated according to what the *Trust Service Provider* issued the *Certificate* and according to what it later acts on. At least one such *Certificate Policy* identifier (OID) and the related *Certification Practice Statement* availability (URL) shall be indicated on the *Certificates* issued by the *Trust Service Provider*.

The end-user *Certificates* that do not contain the "Certificate Policies" field shall be considered test certificates. The test *Certificate* can only be used for testing purposes, and they shall be declined in case of real transactions.

The reference to the related Certification Practice Statement may be given in this field.

• Authority Key Identifier – not critical

OID: 2.5.29.35

The 40 character long unique identifier of the provider key used for the electronic signature or seal certifying the *Certificate*.

Filling in is mandatory.

The field value: the SHA-1 hash of the provider public key.

 Subject Key Identifier – not critical OID: 2.5.29.14 The 40 character long unique identifier of the *Subject* public key. The field value: the SHA-1 hash of the public key.

Filling in is mandatory.

- Subject Alternative Names not critical OID: 2.5.29.17 See section: 3.1.1.
- Basic Constraints critical OID: 2.5.29.19 The specification whether the *Certificate* has been issued to a certification unit.

The default value of the extension is: CA = "FALSE", so this field shall not be present in the end-user *Certificates*.

The "pathLenConstraint" field shall not be present in the end-user Certificates.

• Key Usage – critical OID: 2.5.29.15

The scope definition of the approved key usage.

In end-user Certificates the field is mandatory and the value shall be exclusively set to:

- "nonRepudiation".
- "digitalSignature";
- Extended Key Usage not critical

OID: 2.5.29.37

The further scope definition of the approved key usage.

Mandatory to set, and the values in the non-qualified signing and seal end user *Certificates* are:

- "Document Signing (1.3.6.1.4.1.311.10.3.12)"
- "emailProtection (1.3.6.1.5.5.7.3.4)"

Mandatory to set, and the value is if the *Certificate* is issued for Code Signing purposes:

- "codeSigning (1.3.6.1.5.5.7.3.3)"
- CRL Distribution Points not critical
  - OID: 2.5.29.31

The field contains the CRL availability relevant to the Certificate through http and/or Idap protocol.

Mandatory in case of end-user Certificates.

 Authority Information Access – not critical OID: 1.3.6.1.5.5.7.1.1 The definition of the other services related to the usage of the *Certificate* provided by the *Trust Service Provider*.

Mandatory in case of end-user certificates and the field contains the following data:

- For the purpose of the fast and reliable verification of the current *Certificate* revocation status, the *Trust Service Provider* shall provide online certificate status service. The availability of this service shall be indicated here.
- To faciliate the certificate chain building the *Trust Service Provider* shall give the access
  path through http protocol of the *Certificate* of the *Certificate* issuer certification unit.

The *Trust Service Provider* may give in this field the data of more than one service and *Certificate* of the *Certificate* issuer certification unit.

• Qualified *Certificate* Statements – not critical OID: 1.3.6.1.5.5.7.1.3

The field is intended for the indication of statements related to the qualified *Certificates*, but it has a field, that can be used in case of a non-qualified *Certificate* too.

Only the use of the QCType field is allowed.

Other Certificate extension shall not be used.

# 7.1.3 Algorithm Object Identifiers

The denomination of the cryptographic algorithm that has been used to certify the *Certificate*. Only such signer algorithm shall be used, which is compliant with the requirements defined in section 6.1.5.

The cryptographic algorithms that can be used by the *Certification Authority* shall be listed in the *Certification Practice Statement*.

## 7.1.4 Name Forms

The *Trust Service Provider* shall use a distinguished name – composed of attributes defined in the standards IETF RFC 5280 [26], ETSI EN 319 412-2 [16], ETSI EN 319 412-3 [17] and ETSI EN 319 412-4 [18] – for the Subject identification in the *Certificates* issued based on this *Certificate Policy*.

The *Certificate* shall contain the globally unique identifier of the *Subject* (OID), filled out as defined in Section 3.1.1.

The value in the "Issuer DN" field of the *Certificate* shall be identical to the value in the "Subject DN" field of the issuer *Certificate*.

# 7.1.5 Name Constraints

The *Trust Service Provider* can use name constraints if needed with the use of the "nameConstraints" field. In this case this field shall be marked as critical.

# 7.1.6 Certificate Policy Object Identifier

The *Trust Service Provider* shall include the not critical (*Certificate Policy*) extension in the *Certificates* issued based on these *Certificate* Policies according to the requirements of the Section 7.1.2..

# 7.1.7 Usage of Policy Constraints Extension

No stipulation.

# 7.1.8 Policy Qualifiers Syntax and Semantics

The *Trust Service Provider* can put short information related to the *Certificate* usage into the *Certificate Policy* extension Policy Qualifier field. The field shall contain the online availability of the *Certification Practice Statement* (URI).

## 7.1.9 Processing Semantics for Critical Certificate Policy Extension

No stipulation.

# 7.2 CRL Profile

# 7.2.1 Version Number(s)

The *Certification Authority* shall issue version "v2" certificate *Certificate Revocation Lists* according to the IETF RFC 5280 [26] specification.

# 7.2.2 CRL and CRL Entry Extensions

The Certificate Revocation Lists issued by the Certification Authority contain the following fields:

1. tbsCertList

This field contains issuer information, validity, and other information, as well as a list of revoked *Certificates*.

The entire field is signed with the Trust Service Provider's private key.

(a) Version

For the *Certificate Revocation List* version "v2" according to the IETF RFC 5280 [26] specification, the value of this field is mandatory "1".

(b) Signature

Identifier of the signing algorithm used by the *Certification Unit* during the issuance of the *Certificate*. Same as the algorithm ID used to sign the *Certificate Revocation List* (see signatureAlgorithm).

(c) Issuer Name

Unique name of the *Certification Unit* issuing the *Certificate Revocation List* (value of the "DN" field).

(d) Effect from (thisUpdate)
 Start of entry into force of the *Certificate Revocation List*. UTC value with "UTCTime" encoding according to IETF RFC 5280 [26].

- (e) Next issuance (nextUpdate) Date of issuance of the next Certificate Revocation List (see Chapter 4.10). UTC value with "UTCTime" encoding according to IETF RFC 5280 [26].
- (f) Revoked Certificates

The list of suspended or revoked *Certificates* is sorted in ascending order by the Certificate Serial Number. If there is no suspended or revoked *Certificate*, this field is not included in the *Certificate Revocation List*.

Required fields for all entries:

- Certificate Serial Number (CertificateSerialNumber) A unique identifier generated by the *Certification Authority* that issued the *Certificate*, which is an integer.
- Revocation Date (revocationDate) UTC value with "UTCTime" encoding according to IETF RFC 5280 [26].

Optional *Certificate Revocation List* Entry Extensions (crlEntryExtensions) that can be used by the *Certification Authority*:

- Revocation Reason (reasonCode) not critical OID: 2.5.29.21 The reason for revocation can be entered in this field. Mandatory field in suspended *Certificates*, the value is: "certificateHold (6)".
- Invalidity Date (InvalidityDate) not critical OID: 2.5.29.24 This field can contain the time the private key became untrusted.
- Guide to Suspended *Certificates* (holdInstruction) not critical OID: 2.5.29.23 This field may contain the guide for managing the suspended *Certificate.*

## (g) CRL Extensions

• Provider Key Identifier (AuthorityKeyIdentifier) OID: 2.5.29.35

The ID of the public key which belongs to the private key used to authenticate the *Certificate Revocation List* in the form of an "SHA1" hash.

 CRL Serial Number (cRLNumber) – not critical OID: 2.5.29.20 This field shall contain the monotonically increasing serial numbers of the *Certificate Revocation Lists*.

Certificate Revocation List Extension can be used by the Certification Authority:

• Expired Certificates on the CRL (expiredCertsOnCRL) – not critical OID: 2.5.29.60

The *Certification Authority* may indicate with this standard field according to the X.509 specification that it does not remove expired *Certificates* from the CRL. (See: chapter 4.10.)

2. Signing Algorithm ID (signatureAlgorithm)

The cryptographic algorithm set identifier (OID) used to create the electronic seal that authenticates the *Certificate Revocation List*. Name and OID of the cryptographic algorithm sets to be supported:

- "sha256WithRSAEncryption" (1.2.840.113549.1.1.11)
- "ecdsa-with-SHA256" (1.2.840.10045.4.3.2)
- 3. Signature (signatureValue)

The electronic signature or electronic seal of the *Certification Authority* certifying the *Certificate Revocation List*.

The *Certificate Revocation List* shall be authenticated by the *Certification Authority* using the same key as used to sign or seal the issued *Certificate*.

The Certification Authority is not obliged to fill out the extensions.

# 7.3 OCSP Profile

The *Trust Service Provider* shall operate an online certificate status service according to the IETF RFC 6960 [28] and IETF RFC 8954 [29] standard.

The OCSP responses issued by *Certification Authority* contain the following fields:

• Algorythm identifier (signatureAlgorithm )

The identifier of the cryptographic algorithm used for signing the OCSP response (OID). The *Trust Service Provider* shall support at least the following cryptographic algorithms:

- "sha256WithRSAEncryption" (1.2.840.113549.1.1.11)
- "ecdsa-with-SHA256" (1.2.840.10045.4.3.2)
- (Signature)

The electronic signature or seal of the *Trust Service Provider*.

- Identifier of the Responder (responderID)
   The unique identifier of the OCSP Responder which issues the OCSP Response.
- This Update (thisUpdate) The date of the entry into force of the OCSP Response. Value according to UTC with encoding according to IETF RFC 5280 [26].
- Next Update (nextUpdate) The latest issuance time of the next OCSP Response. Value according to UTC with encoding according to IETF RFC 5280 [26]. Optional.

 Certificate Status Response (SingleResponse) The field contains the ID of the Certificate (CertID) and the revocation status of the Certificate (CertStatus).

The *Trust Service Provider* issues positive OCSP response according to the requirements of the CABF BR. The Response contains the "good" value only if the *Certificate* is included in the *Certificate Repository* of the *Trust Service Provider* and its revocation status is not suspended or revoked.

## 7.3.1 Version Number(s)

The *Trust Service Provider* shall support the "v1" version according to the standard IETF RFC 6960 [28] of the online certificate status requests and responses.

## 7.3.2 OCSP Extensions

The *Trust Service Provider* may optionally include the following OCSP extension:

ArchiveCutoff – not critical

The *Certification Authority* may indicate with a standard notation according to the IETF RFC 6960 [28] specification that it retain revocation information beyond the *Certificate*'s expiration. (See Section 4.10.)

The *Trust Service Provider* may include the following OCSP registration extension:

Reason Code – not critical

The reason of the revocation may be in this field.

In case of suspended certificates it is a mandatory field, its value shall be: "certificateHold (6)".

# 8 Compliance Audit and Other Assessments

The *Trust Service Provider* shall have its operation periodically examined by independent external auditor. During the audit it shall be examined that the operation of the *Trust Service Provider* complies with the following normative documents:

- REGULATION (EU) No 910/2014 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC [1];
- ETSI EN 319 401 Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers [13]
- ETSI EN 319 411-1 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements [14]

The result of the screening is a confidential document accessible only to authorized persons.

The conformity certificate issued in accordance with the conformity assessment report shall be published on the webpage of the *Trust Service Provider*.

The *Trust Service Provider* reserves the right to inspect at any time involving an independent expert the operation of the providers who operate according to the present *Non-Qualified Electronic Signature Certificate Policy*(s) in order to verify compliance with the requirements.

## 8.1 Frequency or Circumstances of Assessment

The Trust Service Provider shall have the conformance assessment carried out annually.

If the *Trust Service Provider* cooperates with an external *Registration Authority*, then its processes shall be audited annually.

In case of a provider *Certificate* issued to a certification unit operated by another organization, the operation of the external certification unit shall be audited annually.

# 8.2 Identity/Qualifications of Assessor

The *Trust Service Provider* can perform the internal audits with the help of its employees who hold the independent system auditor role.

The eIDAS and ETSI conformity assessment is performed by an organization, which has a qualifying mandate issued by the national accreditation organization of an EU Member State.

## 8.3 Assessor's Relationship to Assessed Entity

External audit can be performed only by a person who:

- is independent from the owners, management and operations of the examined *Trust Service Provider*;
- is independent from the examined organization, namely neither himself or herself nor his or her immediate relatives have any employment or business relationship with the *Trust Service Provider*.

# 8.4 Topics Covered by Assessment

The review shall cover at least the following areas:

- compliance with the legislation currently in force;
- compliance with technical standards;
- compliance with the Certification Policy and the Certification Practice Statement;
- adequacy of the employed processes;
- documentation;
- physical security;

- adequacy of the personnel;
- IT security;
- compliance with the data protection rules.

If the *Trust Service Provider* cooperates with an external *Registration Authority*, or it issued a subordinate *Certificate* for the certification unit of another organization then the listed areas shall be examined at these external organizations as well.

## 8.5 Actions Taken as a Result of Deficiency

The independent auditor shall summarize the result of the screening in a detailed screening report that covers the tested system components, processes, and contains the evidence used in the screening and the auditor statements. The discrepancies revealed during the examination and the deadlines set for correcting them shall be recorded in a separate chapter of the report.

The independent auditor may record based on their severity the differences and discrepancies revealed during the examination:

- modification suggestions to be optionally taken into consideration;
- derogations to be averted mandatorily.

# 8.6 Communication of Results

The *Trust Service Provider* shall publish the summary report on the assessment. It is not needed to disclose the discrepancies revealed during the independent system assessment, they can be treated as confidential information.

# 9 Other Business and Legal Matters

# 9.1 Fees

The fees applied by the *Trust Service Provider* shall be publicly disclosed in accordance with the applicable regulations.

## 9.1.1 Certificate Issuance or Renewal Fees

The *Trust Service Provider* may determine fees for its services related to issuance, renewal, modification or re-keying of the *Certificates*.

### 9.1.2 Certificate Access Fees

The *Trust Service Provider* shall grant free of charge online access to its *Certificate Repository* for the *Relying Parties*.

## 9.1.3 Revocation or Status Information Access Fees

The *Trust Service Provider* shall provide free of charge online CRL and OCSP service on the status of the issued *Certificates* for the *Relying Parties*.

## 9.1.4 Fees for Other Services

The *Trust Service Provider* may determine a service fee for other services provided to the *Subscribers* .

# 9.1.5 Refund Policy

No stipulation.

# 9.2 Financial Responsibility

In order to facilitate trust the *Trust Service Provider* shall comply with the financial and liability requirements below.

# 9.2.1 Insurance Coverage

No stipulation.

## 9.2.2 Other Assets

No stipulation.

### 9.2.3 Insurance or Warranty Coverage for End-entities

- The Trust Service Provider shall have liability insurance to ensure reliability.
- The liability insurance policy shall cover the following damages caused by the *Trust Service Provider* in connection with the provision of services:
  - damages caused by the breach of the service agreement to the trust service *Clients*;
  - damages caused out of contract to the trust service *Clients* or third parties;
  - damages caused to the National Media and Infocommunications Authority by the *Trust* Service Provider terminating the provision of the trust service;
  - under the elDAS Regulation [1] 17. article (4) e) point, the legal costs of conformity assessment bodies to perform a conformity assessment by the request of the National Media and Infocommunications Authority if it enforces the costs as legal costs.
- The liability insurance policy shall cover at least for 3.000.000 Hungarian forints. Coincidental damages occurred for the same reason constitute a single insurance event.

# 9 OTHER BUSINESS AND LEGAL MATTERS

- The liability insurance shall provide coverage for the full damage of the aggrieved party up to the liability limit arising in context of the harmful behaviour of the *Trust Service Provider* regardless of whether the damage was caused by breach of contract or outside the contract.
- If the valid claim of several entitled parties related to an insurance event exceeds the liability limit defined for an insurance event in the liability insurance, then the compensation of the claims takes place in the proportion of the liability limit to the total sum of the claims.

# 9.3 Confidentiality of Business Information

The *Trust Service Provider* shall manage the data of the Clients in accordance with the respective regulations.

# 9.3.1 Scope of Confidential Information

The *Trust Service Provider* shall specify the scope of data that are considered confidential information in its *Certification Practice Statement*.

# 9.3.2 Information Not Within the Scope of Confidential Information

The *Trust Service Provider* may consider all data public that are not specified as confidential in the *Certification Practice Statement*. Public data is for example:

- all data indicated in the Certificate
- data related to the status of the Certificate.

# 9.3.3 Responsibility to Protect Confidential Information

The *Trust Service Provider* is responsible for the protection of the confidential data it manages.

The *Trust Service Provider* shall oblige its employees, subcontractors, affiliated partners to protect all confidential data by signing declaration of confidentiality or by contract.

Circumstances when the *Trust Service Provider* may disclose the confidential data shall be determined case-by-case in the *Certification Practice Statement*.

Such circumstances are, for example:

- mandatory provision of information to the supervisory authority ,
- providing information in civil litigation,
- provision of information upon request of the affected person.

## 9 OTHER BUSINESS AND LEGAL MATTERS

# 9.4 Privacy of Personal Information

The *Trust Service Provider* shall take care of the protection of the personal data it manages. The operation and regulations of the *Trust Service Provider* shall comply with the requirements of the Act CXII of 2011. on the Right to Freedom Of Information [5] and the 2016/679 EU General Data Protection Regulation [2].

The Trust Service Provider shall:

- preserve,
- upon expiry of the obligation to retain unless the *Client* otherwise indicates delete from the client database

the registered personal data and information on the *Client* in accordance with the legal requirements.

## 9.4.1 Privacy Plan

The *Trust Service Provider* shall have a Privacy Policy for data processing that contains detailed requirements for the personal data management. The Privacy Policy for data processing shall be published on the webpage of the *Trust Service Provider*.

## 9.4.2 Information Treated as Private

The *Trust Service Provider* shall protect all personal data related to the data subject or containing conclusions on the data subject that cannot be accessed publicly from the Certificate or other public data source.

# 9.4.3 Information Not Deemed Private

The *Trust Service Provider* may disclose the data of the *Subjects* indicated in the *Certificate* based on the written consent of the *Subject*.

The *Trust Service Provider* may indicate the unique provider identifier assigned to the *Subject* in the *Certificate*.

## 9.4.4 Responsibility to Protect Private Information

The *Trust Service Provider* shall store securely and protect the personal data related to the *Certificate* issuance and not indicated in the *Certificate*. The data shall be protected by appropriate measures in particular against unauthorized access, alteration, and against disclosure.

## 9.4.5 Notice and Consent to Use Private Information

The *Trust Service Provider* shall only disclose personal data indicated in the *Certificates* with the written consent of the *Client*.

# 9.4.6 Disclosure Pursuant to Judicial or Administrative Process

In cases defined in the 90. § of the Electronic Administration Act [7] the *Trust Service Provider* may disclose the stored personal data about the *Client* without notifying the *Client*.

## 9.4.7 Other Information Disclosure Circumstances

No stipulation.

# 9.5 Intellectual Property Rights

During its business operation, the *Trust Service Provider* shall not harm any intellectual property rights of a third person.

The owner of the private and public key issued by the *Trust Service Provider* to clients is the *Subscriber* and the full user is the *Subject* regardless of the physical media that contains and protects the keys.

The owner of the *Certificate* issued by the *Trust Service Provider* to its clients is the *Trust Service Provider* and its full user is the *Subject*.

The *Trust Service Provider* may publish, reproduce, revoke and manage the issued end-user *Certificates*, with the public key contained in them in the manner described in the terms and conditions.

The certificate revocation status information is the property of the *Trust Service Provider* which may be disclosed as defined in sections 7.2. and 7.3.

The unique provider identifier issued to the *Clients* by the *Trust Service Provider* is the property of the *Trust Service Provider* which

may be disclosed as a part of the Certificate by the Trust Service Provider.

The named *Subject* and the *Client* is entitled to the use of the identification in the certificate (which identifies the *Certificate* subject).

The present *Non-Qualified Electronic Signature Certificate Policy* is the exclusive property of the *Trust Service Provider*. The *Clients* and other *Relying Parties* are only entitled to use the document according to the requirements of the present *Non-Qualified Electronic Signature Certificate Policy* and any other use for commercial or other purposes is strictly prohibited.

The present *Non-Qualified Electronic Signature Certificate Policy* may be freely distributed in unchanged form, in full length and with the indication of origin.

The rules of the application of the software provided for the use of the service by the *Trust Service Provider* shall be determined in the *Certification Practice Statement*.

# 9.6 Representations and Warranties

## 9.6.1 CA Representations and Warranties

#### **Certification Authority's Responsibility**

The *Trust Service Provider* is responsible for the obligations set by the terms of this *Non-Qualified Electronic Signature Certificate Policy*, in the related *Certification Practice Statement* and in the service agreement concluded with the *Client*.

- The *Trust Service Provider* assumes responsibility for compliance with the procedures described in *Non-Qualified Electronic Signature Certificate Policies* it supports;
- The *Trust Service Provider* assumes responsibility as its own for the damages caused during the provision of the service by its subcontractors;
- The *Trust Service Provider* is liable under the rules of liability for breach of contract in the Civil Code of the Republic of Hungary [6] in relation to the *Clients* which are in a contractual relationship with it.
- The *Trust Service Provider* is liable under the rules of causing damage outside of contract in the Civil Code of the Republic of Hungary [6] in relation to third parties (such as the *Relying Party*) that are not in a contractual relationship with it.
- The *Trust Service Provider* will pay compensation for damages with the limitations specified in its regulations, and the service contracts concluded with Clients for proven damages that occur in the scope of its responsibility (see the section Limitation of Liability 9.8.).

### **Certification Authority Obligations**

The *Trust Service Provider*'s basic obligations is that it shall provide the service in line with the *Non-Qualified Electronic Signature Certificate Policy*, this *Certification Practice Statement*, the General Terms and Conditions, furthermore corporate and security related internal regulations. These basic obligations are as follows:

- to establish the legal, regulatory, material, contractual, etc. framework appropriate for the service;
- to provide high standard and secure services in accordance with the applicable regulations;
- to continuously operate and audit organisations associated with the services (certification body, customer service etc.);
- to abide by the procedures prescribed in the regulations, and to avoid or eliminate any potentially occurring incorrect operation;
- to ensure the Services to every applicant who accepts the terms and conditions specified in the regulations;
- to maintain public and proprietary records, as well as to make them continuously available to anybody over the internet.

### **Certification Organization Obligations**

The certification organization has the task of setting up and operating the certification units (see section: 1.3.1), as well as units necessary for the online certificate status service, to take care of the certificate repository and revocation status related information to manage and make available smart cards, moreover to manage regulations.

The *Trust Service Provider*'s internal, operative regulations specify how a certification organization shall be operated. Certification Authority's certificates issued by certification units are managed

(for registration staff members, on-call duty staff, etc.) in accordance with the stipulations of operative regulations. This statement only includes stipulations in connection with the public provider and end-user certificates.

Tasks to be performed in the scope of managing regulations:

- the specification, approval, and maintenance of certificate types that are used;
- preparing the public regulations of the services and internal (not public) stipulations, their reconciliation with legal regulations and internal (not public) regulations, furthermore carrying out any updates;
- the recording of observations associated with regulations applicable to the services, and to evaluate recommendations.

The e-Szignó Certificate Authority is responsible:

- for the authenticity and accuracy of the Certificates it issued;
- for the regulations it has issued, and for their the conformity and compliance with statutory regulations;
- for the compliance of the key pairs it generated, and for the relationship between the private-public key and the *Certificate*;
- for the relationship of the *Electronic Signature Creation Device* activation code and the keys uploaded to the device;
- in general for the compliance with its obligations.

### 9.6.2 RA Representations and Warranties

The *Trust Service Provider* requires from the collaborating *Registration Authorities* to fully comply with the provisions of this *Non-Qualified Electronic Signature Certificate Policy* and the respective *Certification Practice Statement*.

The responsibilities of the *Registration Authority* are:

- to determine the identity of the *Subjects*;
- to determine the organizational identity of the *Represented Organization*, the identity and the eligibility of representation of the person acting on behalf of the *Represented Organization*;
- to warrant the authentication of the recorded registration data;
- prior to concluding service agreement to inform the user of the services on the availability and content of the Non-Qualified Electronic Signature Certificate Policy and the Certification Practice Statement and the terms and conditions of the service;
- in general to fully comply with its obligations.

## 9.6.3 Subscriber Representations and Warranties

#### Subscriber Responsibility

The responsibility of the *Subscriber* is set by the service agreement and its attachments (including the terms and conditions).

#### Subscriber Obligations

The responsibility of the *Subscriber* is to act in accordance with the contractual terms and regulations of the *Trust Service Provider* while using the service including requesting and applying the *Certificates* and private keys.

The obligations of the *Subscriber* are determined by this *Non-Qualified Electronic Signature Certificate Policy*, the service agreement and its attachments – in particular the general terms and conditions – and the *Certification Practice Statement*.

## Subject Responsibility

The *Subject* is responsible for:

- the authentication, accuracy and validity of the data provided during registration;
- the verification of the data indicated in the Certificate;
- to provide immediate information on the changes of its data;
- using its *Electronic Signature Creation Device*, private key and *Certificate* according the regulations;
- the secure management of its private key and activation code;
- the secure management of the Electronic Signature Creation Device
- for the immediate notification and for full information of the *Trust Service Provider* in cases of dispute;
- to generally comply with its obligations.

### Subject obligations

The *Subject* shall:

- read carefully this *Non-Qualified Electronic Signature Certificate Policy* and *Certification Practice Statement* before using the service;
- completely provide the data required by the *Trust Service Provider* necessary for using the service, and to provide truthful data;
- if the Subject becomes aware of the fact that the necessary data supplied for using the service

   especially data indicated in the certificate have changed, it is obliged to immediately:

- notify the Trust Service Provider in writing,
- request the suspension or revocation of the Certificate and
- terminate the usage of the Certificate;
- immediately terminate the usage of the private key belonging to the *Certificate*, if the *Subject* becomes aware of the fact that the subject's *Certificate* has been revoked, or that the issuing CA has been compromised;
- use the service solely for the purposes allowed or not proscribed by legal regulations, according to the cited regulations and documents;
- ensure that no unauthorized individuals have access to data and tools (passwords, secret codes, signature-creation devices) necessary for using the service;
- notify the *Trust Service Provider* in writing and without delay in case a legal dispute starts in connection with

any of the electronic signature or the *Certificates* associated with the service;

- cooperate with the *Trust Service Provider* in order to validate the data necessary for issuing certificates, and to do everything they can to allow the soonest possible completion of such verification;
- report this fact to the *Trust Service Provider* promptly and in writing, in case a *Subject*'s private key, *Electronic Signature Creation Device* or the secret codes necessary for activating the device end up in unauthorized hands or are destroyed, and will also be obliged to initiate the revocation and/or suspension of the *Certificates* and terminating the usage of the *Certificate*;
- answer to the requests of the *Trust Service Provider* within the period of time determined by the *Trust Service Provider* in case of key compromise or the suspicion of illegal use arises;
- acknowledge that the Subscribers entitled to request the revocation and/or suspension of the Certificate;
- acknowledge that the *Trust Service Provider* issues *Certificates* in the manner specified in the *Certification Practice Statement*, upon the completion of the validation steps described therein;
- acknowledge that the *Trust Service Provider* only displays data that are corresponding to reality in issued *Certificates*. Accordingly, the *Trust Service Provider* validates data to be entered in *Certificates* according to the *Certification Practice Statement*;
- acknowledge that in case of requesting an *Organizational Certificate*, the *Trust Service Provider* will issue the *Certificate* solely in the case of the consent of the *Represented Organization*;
- acknowledge that in case of requesting an *Organizational Certificate*, the *Represented Organization* has the right to request the revocation of the *Certificate*;

- acknowledge and accept that the *Trust Service Provider* is entitled to suspend and/or revoke the issued *Certificate* immediately if
  - the *Trust Service Provider* becomes aware that the data indicated in the *Certificate* do not correspond to the reality or the private key is not in the sole possession or usage of the *Subject* and in this case, the *Subject* is bound to terminate the usage of the *Certificate*;
  - the Subscriber violates the terms of service agreement or General Terms and Conditions;
  - the revocation is required by the Trust Service Provider's Certificate Policy or Certification Practice Statement;
  - the *Trust Service Provider* becomes aware that the *Certificate* was used for an illegal activity activity (for example phishing, fraud, malware spreading);
  - the Subscriber fails to pay the fees of the services by the deadline.

The Certification Practice Statement may include further obligations for the Subject.

## 9.6.4 Relying Party Representations and Warranties

The *Relying Parties* decide based on their discretion and/or their policies about the way of accepting and using the *Certificate*. During the verification of the validity for keeping the security level guaranteed by the *Trust Service Provider* it is necessary for the *Relying Party* to act with caution, so it is particularly recommended to:

- comply with the requirements, regulations defined in the present *Non-Qualified Electronic Signature Certificate Policy* and the corresponding *Certification Practice Statement*;
- use reliable IT environment and applications;
- verify the revocation status of the *Certificate* based on the current CRL or OCSP response;
- take into consideration every restriction in relation to the *Certificate* usage which is included in the *Certificate*, in the *Certification Practice Statement* and in the corresponding *Non-Qualified Electronic Signature Certificate Policy*.

## 9.6.5 Representations and Warranties of Other Participants

The *Represented Organization* is responsible for the certifications it issues, in particular the certifications, which proves that the *Subject* is entitled to the usage of the *Certificate* containing the name of the *Organization*.

# 9.7 Disclaimers of Warranties

The Trust Service Provider excludes its liability if:

## 9 OTHER BUSINESS AND LEGAL MATTERS

- the *Subjects* do not follow the requirements related to the management of the *Electronic Signature Creation Device* and of the private key;
- it is unable to provide information or fulfil communication obligations due to the problems of the Internet, or part of it;
- the damage comes from a vulnerability or error of the cryptographic algorithms accepted by the National Media and Infocommunications Authority algorithmic decree.

# 9.8 Limitations of Liability

The Trust Service Provider can limit its liability for loss.

- by Certificate,
- by the highest one-time amount of the obligations (transaction limit) that may be undertaken with the certificate,
- overall in relation to all certificates and damage events.

# 9.9 Indemnities

## 9.9.1 Indemnification by the Trust Service Provider

The detailed rules of the indemnities of the *Trust Service Provider* are specified in the *Certification Practice Statement*, the service agreement, or the contracts concluded with the *Clients*.

#### 9.9.2 Indemnification by Subscribers

The *Trust Service Provider* sets the term of claim for damages from *Subscribers* in the *Certification Practice Statement* and the service agreement.

## 9.9.3 Indemnification by Relying Parties

The *Trust Service Provider* sets the term of its claim for damages from Relying parties in the *Certification Practice Statement*.

# 9.10 Term and Termination

## 9.10.1 Term

The effective date of the specific *Non-Qualified Electronic Signature Certificate Policy* is specified on the cover of the document.

# 9.10.2 Termination

The Non-Qualified Electronic Signature Certificate Policy is valid without a time limit until withdrawal or the issuance of the newer version of the Non-Qualified Electronic Signature Certificate Policy .

### 9.10.3 Effect of Termination and Survival

In case of the withdrawal of the *Non-Qualified Electronic Signature Certificate Policy* the *Trust Service Provider* publishes the detailed rules of the withdrawal and the rights and obligations persisting after withdrawal on its webpage.

## 9.11 Individual Notices and Communications with Participants

The *Trust Service Provider* shall operate a customer service in order to maintain contact with its *Clients*.

# 9.12 Amendments

The *Trust Service Provider* reserves the right to change the *Non-Qualified Electronic Signature Certificate Policy* in a controlled way in case of the change of normative rules, security requirements, market conditions or other circumstances.

## 9.12.1 Procedure for Amendment

The *Trust Service Provider* reviews the *Non-Qualified Electronic Signature Certificate Policy* annually or in case of exceptional request for change with priority and performs the necessary changes. The document will receive a new version number even after the smallest change and by taking into account the time required by the endorsement process, the planned date of coming into effect will be determined too.

The accepted document will be published on the webpage of the Trust Service Provider .

## 9.12.2 Notification Mechanism and Period

The *Trust Service Provider* notifies the *Relying Parties* of new document version issuances as described in Section 9.12.1..

#### 9.12.3 Circumstances Under Which OID Must Be Changed

The *Trust Service Provider* issues a new version number in case of even the smallest change to the *Non-Qualified Electronic Signature Certificate Policy*, which is part of the document identifier (OID), so any change to the document will result in an OID change, namely two documents – entered into force – with different content cannot have the same OID.

# 9.13 Dispute Resolution Provisions

The *Trust Service Provider* shall aim for the peaceful and negotiated settlement of the disputes arising from its operation. The settlement shall follow the principle of gradual approach.

# 9.14 Governing Law

The *Trust Service Provider* at all times operates in accordance with the Hungarian legislation in force. The Hungarian law is the proper law of the *Trust Service Provider* contracts, regulations, and their execution, and they are to be construed by the Hungarian law.

## 9.15 Compliance with Applicable Law

The present *Non-Qualified Electronic Signature Certificate Policy* is compliant with the following regulations.

- REGULATION (EU) No 910/2014 of the EUROPEAN PARLIAMENT AND OF THE COUN-CIL of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC [1];
- (Hungarian) Act CXII of 2011 on the Right to Freedom Of Information [5];
- (Hungarian) Act V of 2013. on the Civil Code. [6].
- (Hungarian) Act CCXXII of 2015 on electronic administration and the general rules of trust services [7];
- (Hungarian) Ministry of Interior Decree 24/2016. (VI. 30.) on the requirements for trust service providers and their services [8];
- (Hungarian) Ministry of Interior Decree 25/2016. (VI. 30.) on the administrative service fees paid to the trust service supervisory body and on fee rates [9];
- (Hungarian) Government Decree 470/2017. (XII. 28.) on the announcement according to trust services and on the content of registers maintained by the trust service supervisory body [11];
- (Hungarian) Government Decree 137/2016. (VI. 13.) on the requirements for the use of electronic signatures and seales related to the provision of electronic administration services [10];

# 9.16 Miscellaneous Provisions

### 9.16.1 Entire Agreement

No stipulation.

### 9.16.2 Assignment

The providers operating according to this *Non-Qualified Electronic Signature Certificate Policy* may only assign their rights and obligations to a third party with the prior written consent of the *Trust Service Provider*.

# 9.16.3 Severability

Should some of the provisions of the present *Non-Qualified Electronic Signature Certificate Policy* become invalid for any reason, the remaining provisions will remain in effect unchanged.

# 9.16.4 Enforcement (Attorneys' Fees and Waiver of Rights)

The *Trust Service Provider* is entitled to claim payment for damages and attorney fees for reimbursement of the damages, losses, expenses caused by its partners. If in a particular case the *Trust Service Provider* does not exercise its claim for damages that does not mean that in similar cases in the future or in case of violation of other provisions of the present *Non-Qualified Electronic Signature Certificate Policy*, it would waive the enforcement of claims for damages.

# 9.16.5 Force Majeure

The *Trust Service Provider* is not responsible for the defective or delayed performance of the requirements set out in the *Non-Qualified Electronic Signature Certificate Policy* and the *Certification Practice Statement* if the reason for failure or delay was a condition that is outside the control of the *Trust Service Provider*.

# 9.17 Other Provisions

No stipulation.

# A Interpretation of the short policy names

For the simplier handling of the *Non-Qualified Electronic Signature Certificate Policies* the *Trust Service Provider* defines a five characters long short name (identifier) for each *Non-Qualified Electronic Signature Certificate Policy*, where each character is meaningful and defines some basic feautures of the given policy according to the following rules:

- First character [?....]
  - M: qualified Certificate Non-Qualified Electronic Signature Certificate Policy
  - H: non-qualified, III. certificate class Certificate Non-Qualified Electronic Signature Certificate Policy
  - K: non-qualified, II. certificate class Certificate Non-Qualified Electronic Signature Certificate Policy
  - A: non-qualified, automatic issuance Certificate Non-Qualified Electronic Signature Certificate Policy
- Second character [.?...]
  - A: Signing purpose Certificate Non-Qualified Electronic Signature Certificate Policy
  - B: Seal creation purpose Certificate Non-Qualified Electronic Signature Certificate Policy
  - W: Website Authentication Certificate Non-Qualified Electronic Signature Certificate Policy
  - K: Code Signing Certificate Non-Qualified Electronic Signature Certificate Policy
  - E: Other purpose Certificate Non-Qualified Electronic Signature Certificate Policy
- Third character [..?..]
  - T: Certificate issued to a natural person Non-Qualified Electronic Signature Certificate Policy
  - J: Certificate issued to a legal person Non-Qualified Electronic Signature Certificate Policy
  - x: no stipulation, can be issued to any type of *Subject*
- Fourth character [...?.]
  - B: Certificate issued on Qualified Electronic Signature Creation Device Non-Qualified Electronic Signature Certificate Policy
  - H: Certificate issued on Cryptographic Hardware Device Non-Qualified Electronic Signature Certificate Policy
  - S: Certificate issued by software Non-Qualified Electronic Signature Certificate Policy
  - x: no stipulation, it can be issued on any platforms
- Fifth character [....?]
  - A: pseudonymous Certificate Non-Qualified Electronic Signature Certificate Policy
  - N: pseudonym excluding Certificate Non-Qualified Electronic Signature Certificate Policy

# **B REFERENCES**

- Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.
- [2] REGULATION (EU) 2016/679 OF THE EUROPEAN PARLIAMENT AND OF THE COUN-CIL of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation).
- [3] (Hungarian) Act LXVI of 1992 on the registration of citizens' personal data and address .
- [4] (Hungarian) Act II of 2007 on the entry and residence of persons enjoying the right of free movement and residence.
- [5] (Hungarian) Act CXII of 2011 on the Right to Freedom Of Information .
- [6] (Hungarian) Act V of 2013. on the Civil Code .
- [7] (Hungarian) Act CCXXII of 2015 on the general rules of electronic administration and trust services.
- [8] (Hungarian) Ministry of Interior Decree 24/2016. (VI. 30.) on the requirements for trust service providers and their services .
- [9] (Hungarian) Ministry of Interior Decree 25/2016. (VI. 30.) on the administrative service fees paid to the trust service supervisory body and on fee rates .
- [10] (Hungarian) Government Decree 137/2016. (VI. 13.) on the requirements for the use of electronic signatures and stamps related to the provision of electronic administration services .
- [11] (Hungarian) Government Decree 470/2017. (XII. 28.) on the announcement according to trust services and on the content of registers maintained by the trust service supervisory body.
- [12] (Hungarian) Government Decree 541/2020. (XII. 2.) on Other Methods of Identification Recognized at National Level as Providing Trust Equivalent to Personal Presence in the Case of Trust Services.
- [13] ETSI EN 319 401 V2.3.1 (2021-05); Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers.
- [14] ETSI EN 319 411-1 V1.3.1 (2021-05); Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements.
- [15] Final draft ETSI EN 319 412-1 V1.4.3 (2021-03); Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 1: Overview and common data structures.

- [16] ETSI EN 319 412-2 V2.2.1 (2020-07); Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons;.
- [17] ETSI EN 319 412-3 V1.2.1 (2020-07); Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons.
- [18] ETSI EN 319 412-4 V1.1.1 (2016-02); Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 4: Certificate profile for web site certificates.
- [19] ETSI TS 119 312 V1.3.1 (2019-02); Electronic Signatures and Infrastructures (ESI); Cryptographic Suites.
- [20] CEN 419 221-5; Protection Profiles for TSP Cryptographic Modules Part 5: Cryptographic Module for Trust Services.
- [21] ISO 3166-1:2013, Codes for the representation of names of countries and their subdivisions - Part 1: Country codes.
- [22] MSZ/ISO/IEC 15408-2002, Information Technology Methods and Means of a Security -Evaluation Criteria for IT Security .
- [23] ISO/IEC 19790:2012: Information technology Security techniques Security requirements for cryptographic modules.
- [24] IETF RFC 3647: Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework, November 2003.
- [25] IETF RFC 4043: Internet X.509 Public Key Infrastructure Permanent Identifier, May 2005.
- [26] IETF RFC 5280: Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile, May 2008.
- [27] IETF RFC 6818: Updates to the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile, January 2013.
- [28] IETF RFC 6960: X.509 Internet Public Key Infrastructure Online Certificate Status Protocol (OCSP), June 2013.
- [29] IETF RFC 8954: Online Certificate Status Protocol (OCSP) Nonce Extension, November 2020.
- [30] ITU X.509 Information technology Open Systems Interconnection The Directory: Publickey and attribute certificate frameworks.
- [31] FIPS PUB 140-2 (2001 May 25): Security Requirements for Cryptographic Modules.
- [32] Common Criteria for Information Technology Security Evaluation, Part 1 3.
- [33] CEN Workgroup Agreement CWA 14167-2: Cryptographic module for CSP signing operations with backup - Protection profile - CMCSOB PP.
- [34] e-Szignó Certification Authority General Terms and Conditions. .
- [35] Microsec ltd. Information on online video identification terms .